

default 19:04:42.706438-0400	MTLCompilerService	Build request: CI SPI
default 19:04:42.710834-0400	MTLCompilerService	Compilation (CI SPI) time 4.133876
ms		
default 19:04:42.711170-0400	MTLCompilerService	Build request: pipeline
default 19:04:42.721345-0400	MTLCompilerService	Compilation (pipeline) time
10.139772 ms		
default 19:04:42.729293-0400	MTLCompilerService	Build request: CI SPI
default 19:04:42.734889-0400	MTLCompilerService	Compilation (CI SPI) time 5.560848
ms		
default 19:04:42.735205-0400	MTLCompilerService	Build request: pipeline
default 19:04:42.755825-0400	MTLCompilerService	Compilation (pipeline) time
20.579970 ms		
default 19:04:42.798152-0400	MTLCompilerService	Build request: CI SPI
default 19:04:42.819766-0400	MTLCompilerService	Compilation (CI SPI) time 21.573363
ms		
default 19:04:42.820194-0400	MTLCompilerService	Build request: pipeline
default 19:04:42.833607-0400	MTLCompilerService	Compilation (pipeline) time
13.370676 ms		
default 19:04:42.852417-0400	MTLCompilerService	Build request: CI SPI
default 19:04:42.859369-0400	powerd	Process power.120 TimedOut
InternalPreventSleep "com.apple.powermanagement.acwakelinger" age:00:00:45		
id:55834609804 [System: DeclUser SRPrevSleep kCPU kDisp]	kernel	PMRD: assertionsUser 0x40
default 19:04:42.859436-0400	powerd	Kernel driver assertions bit mask has
default 19:04:42.860747-0400		
changed old 0x300 new 0x100		
default 19:04:42.860933-0400	powerd	Kernel assertion 530 has been released
default 19:04:42.861159-0400	powerd	Process (null).0 Released Kernel Assertion
"" age: id:0 [System: DeclUser kDisp]		
default 19:04:42.861232-0400	powerd	Kernel assertions changed
default 19:04:42.875196-0400	MTLCompilerService	Compilation (CI SPI) time 22.732786
ms		
default 19:04:42.875614-0400	MTLCompilerService	Build request: pipeline
default 19:04:42.887073-0400	MTLCompilerService	Compilation (pipeline) time
11.418147 ms		
default 19:04:42.920788-0400	diskarbitrationd	<private>
default 19:04:42.920850-0400	diskarbitrationd	<private>
default 19:04:42.920901-0400	diskarbitrationd	<private>
default 19:04:42.921052-0400	diskarbitrationd	<private>
default 19:04:42.921101-0400	diskarbitrationd	<private>
default 19:04:42.921135-0400	diskarbitrationd	<private>
default 19:04:42.921175-0400	diskarbitrationd	<private>
default 19:04:42.921230-0400	diskarbitrationd	<private>
default 19:04:42.921277-0400	diskarbitrationd	<private>
default 19:04:42.921324-0400	diskarbitrationd	<private>
default 19:04:42.921370-0400	diskarbitrationd	<private>
default 19:04:42.921412-0400	diskarbitrationd	<private>
default 19:04:42.921457-0400	diskarbitrationd	<private>
default 19:04:42.921500-0400	diskarbitrationd	<private>
default 19:04:42.921545-0400	diskarbitrationd	<private>
default 19:04:42.921607-0400	diskarbitrationd	<private>
default 19:04:42.921706-0400	diskarbitrationd	<private>
default 19:04:42.921736-0400	diskarbitrationd	<private>
default 19:04:42.921817-0400	diskarbitrationd	<private>
default 19:04:42.922059-0400	diskarbitrationd	<private>

default 19:04:42.922156-0400 diskarbitrationd <private>
 default 19:04:42.922343-0400 diskarbitrationd <private>
 default 19:04:42.922398-0400 diskarbitrationd <private>
 default 19:04:42.923430-0400 distnoted register name:
 AppleShowScrollBarsSettingChanged object: kCFNotificationAnyObject token: f439c pid: 2821
 default 19:04:42.923589-0400 distnoted register name:
 AppleGestureScrollSettingChanged object: kCFNotificationAnyObject token: f439d pid: 2821
 default 19:04:42.922425-0400 diskarbitrationd <private>
 default 19:04:42.922458-0400 diskarbitrationd <private>
 default 19:04:42.922837-0400 diskarbitrationd <private>
 default 19:04:42.923049-0400 diskarbitrationd <private>
 default 19:04:42.923691-0400 diskarbitrationd <private>
 default 19:04:42.924007-0400 diskarbitrationd <private>
 default 19:04:42.924041-0400 diskarbitrationd <private>
 default 19:04:42.925112-0400 hidd Connection added: IOHIDEventSystemConnection
 uuid:6F808B68-2577-4062-8EDA-210A8C9247AD pid:2821 process:Console type:Passive
 entitlements:0x0 caller: HIToolbox: __GetIOHIDEventSystemClient_block_invoke + 26
 attributes:(null) state:0x0 events:0 mask:0x0
 default 19:04:42.925327-0400 diskarbitrationd <private>
 default 19:04:42.930365-0400 distnoted register name:
 com.apple.sharedfilelist.change object:
 com.apple.LSSharedFileList.ApplicationRecentDocuments token: f43a1 pid: 2821
 default 19:04:42.930464-0400 distnoted register name:
 com.apple.sharedfilelist.launch object: kCFNotificationAnyObject token: f43a2 pid: 2821
 default 19:04:42.936968-0400 MTLCompilerService Build request: function
 specialization
 default 19:04:42.951951-0400 com.apple.appkit.xpc.openAndSavePanelService
 LSEExceptions shared instance invalidated for timeout.
 default 19:04:42.960925-0400 sharedfilelistd Read (Async) options: 80001 -- URL:
 <private> -- purposeID: A7C6E3AC-977F-4AC0-8D79-767C37B30B9E -- claimID:
 F03955D2-121E-4393-B85E-A87DACBAA441
 default 19:04:42.962801-0400 MTLCompilerService Compilation (function specialization)
 time 25.465647 ms
 default 19:04:42.963169-0400 MTLCompilerService Build request: pipeline
 default 19:04:42.962614-0400 filecoordinationd Received claim
 F03955D2-121E-4393-B85E-A87DACBAA441
 default 19:04:42.965162-0400 filecoordinationd Claim F03955D2-121E-4393-B85E-
 A87DACBAA441 granted in server
 default 19:04:42.966522-0400 filecoordinationd Claim F03955D2-121E-4393-B85E-
 A87DACBAA441 invoked in server
 default 19:04:42.967601-0400 sharedfilelistd Claim F03955D2-121E-4393-B85E-
 A87DACBAA441 granted in client
 default 19:04:42.967643-0400 sharedfilelistd Claim F03955D2-121E-4393-B85E-
 A87DACBAA441 invoked in client
 default 19:04:42.970551-0400 Console Failed to resolve item
 B255E6A7-5FE5-4BBF-BCCC-7CDDDF6BD516 for list
 com.apple.LSSharedFileList.ApplicationRecentDocuments: Error
 Domain=NSCocoaErrorDomain Code=4 "The file doesn't exist."
 default 19:04:42.970259-0400 filecoordinationd Claim F03955D2-121E-4393-B85E-
 A87DACBAA441 was revoked
 default 19:04:42.970664-0400 filecoordinationd Received claim
 998903A5-55DB-4C6E-8B06-9D712D5C4363
 default 19:04:42.970825-0400 filecoordinationd Claim
 998903A5-55DB-4C6E-8B06-9D712D5C4363 granted in server

default 19:04:42.968508-0400 sharedfilelistd Failed to resolve bookmark 0x7fbfccc42150 for item B255E6A7-5FE5-4BBF-BCCC-7CDDDF6BD516 with error: Error Domain=NSCocoaErrorDomain Code=4 "The file doesn't exist."

default 19:04:42.969419-0400 sharedfilelistd Read (Async) options: 80001 -- URL: <private> -- purposeID: 65446464-D548-4F1E-AEFA-D98EA4B30909 -- claimID: 998903A5-55DB-4C6E-8B06-9D712D5C4363

default 19:04:42.970702-0400 Console Failed to resolve bookmark 0x7f94d3c38ae0 for item B255E6A7-5FE5-4BBF-BCCC-7CDDDF6BD516 with error: Error Domain=NSCocoaErrorDomain Code=4 "The file doesn't exist."

default 19:04:42.972532-0400 sharedfilelistd Claim 998903A5-55DB-4C6E-8B06-9D712D5C4363 granted in client

default 19:04:42.973864-0400 Console Failed to resolve item CD5B69E0-58AE-4670-BD0D-6C6C0B74C85E for list com.apple.LSSharedFileList.ApplicationRecentDocuments: Error Domain=NSCocoaErrorDomain Code=4 "The file doesn't exist."

default 19:04:42.972564-0400 sharedfilelistd Claim 998903A5-55DB-4C6E-8B06-9D712D5C4363 invoked in client

default 19:04:42.971776-0400 filecoordinationd Claim 998903A5-55DB-4C6E-8B06-9D712D5C4363 invoked in server

default 19:04:42.974314-0400 filecoordinationd Claim 998903A5-55DB-4C6E-8B06-9D712D5C4363 was revoked

default 19:04:42.974257-0400 Console Failed to resolve bookmark 0x7f94d3c38e50 for item CD5B69E0-58AE-4670-BD0D-6C6C0B74C85E with error: Error Domain=NSCocoaErrorDomain Code=4 "The file doesn't exist."

default 19:04:42.973407-0400 sharedfilelistd Failed to resolve bookmark 0x7fbfccd2a820 for item CD5B69E0-58AE-4670-BD0D-6C6C0B74C85E with error: Error Domain=NSCocoaErrorDomain Code=4 "The file doesn't exist."

default 19:04:42.975625-0400 MTLCompilerService Compilation (pipeline) time 12.417889 ms

default 19:04:42.975019-0400 Console Failed to resolve item 5249D0FD-4B3D-4093-975F-5A366C1D7D94 for list com.apple.LSSharedFileList.ApplicationRecentDocuments: Error Domain=NSCocoaErrorDomain Code=4 "The file doesn't exist."

default 19:04:42.974662-0400 sharedfilelistd Failed to resolve bookmark 0x7fbfced80bf30 for item 5249D0FD-4B3D-4093-975F-5A366C1D7D94 with error: Error Domain=NSCocoaErrorDomain Code=4 "The file doesn't exist."

default 19:04:42.975522-0400 Console Failed to resolve bookmark 0x7f94d3c38550 for item 5249D0FD-4B3D-4093-975F-5A366C1D7D94 with error: Error Domain=NSCocoaErrorDomain Code=4 "The file doesn't exist."

default 19:04:42.994884-0400 distnoted register name: NSSnappingPrefsDidChangeNotificationNameGlobal object: kCFNotificationAnyObject token: f43a9 pid: 2821

default 19:04:43.058995-0400 com.apple.WebKit.WebContent CDN - initialize client context retry

default 19:04:43.059238-0400 com.apple.WebKit.WebContent CDN - client setup_remote_port

default 19:04:43.059379-0400 com.apple.WebKit.WebContent CDN - Bootstrap Port: 4867

default 19:04:43.059781-0400 com.apple.WebKit.WebContent CDN - setup_remote_port: bootstrap_look_up() => unknown error code (1100)

default 19:04:43.058815-0400 kernel Sandbox: 1 duplicate report for com.apple.WebKit deny(1) mach-lookup com.apple.CoreDisplay.Notification

default 19:04:43.058831-0400 kernel Sandbox: com.apple.WebKit(2645) allow mach-lookup com.apple.diagnosticd

default 19:04:43.059514-0400 kernel Sandbox: 2 duplicate reports for
com.apple.WebKit allow mach-lookup com.apple.diagnosticd
error 19:04:43.059518-0400 kernel Sandbox: com.apple.WebKit(2645) deny(1) mach-
lookup com.apple.CoreDisplay.Notification
default 19:04:43.063239-0400 kernel Sandbox: com.apple.WebKit(1893) allow mach-
lookup com.apple.diagnosticd
default 19:04:43.063369-0400 com.apple.WebKit.WebContent CDN - initialize client
context retry
default 19:04:43.063503-0400 com.apple.WebKit.WebContent CDN - client
setup_remote_port
default 19:04:43.063637-0400 com.apple.WebKit.WebContent CDN - Bootstrap
Port: 5123
default 19:04:43.064111-0400 com.apple.WebKit.WebContent CDN -
setup_remote_port: bootstrap_look_up() => unknown error code (1100)
default 19:04:43.063898-0400 kernel Sandbox: 2 duplicate reports for
com.apple.WebKit allow mach-lookup com.apple.diagnosticd
error 19:04:43.063915-0400 kernel Sandbox: com.apple.WebKit(1893) deny(1) mach-
lookup com.apple.CoreDisplay.Notification
default 19:04:43.176990-0400 hidd Connection added: IOHIDEventSystemConnection
uuid:0F786DCA-373D-4B9B-A7E4-CCADA02B93CC pid:2821 process:Console type:Passive
entitlements:0x0 caller:HIServices: __GetIOHIDEventSystemClient_block_invoke + 26
attributes:(null) state:0x0 events:0 mask:0x0
default 19:04:43.196480-0400 distnoted register name:
com.apple.inputmethodkit.abnormaldeath object: com.apple.PressAndHold token: f43aa pid:
2821
default 19:04:43.197268-0400 distnoted register name:
com.apple.inputmethodkit.abnormaldeath object:
com.apple.inputmethod.EmojiFunctionRowItem token: f43ac pid: 2821
default 19:04:43.197864-0400 kernel Sandbox: com.apple.WebKit(2644) allow mach-
lookup com.apple.diagnosticd
default 19:04:43.199975-0400 com.apple.WebKit.WebContent Current memory
footprint: 54 MB
error 19:04:43.199990-0400 com.apple.WebKit.WebContent 0 is not a valid
connection ID.
default 19:04:43.200051-0400 com.apple.WebKit.WebContent Invalid Connection ID
0
default 19:04:44.044677-0400 dasd Attempting to suspend based on triggers:
("com.apple.das.apppolicy.appchanged",
"com.apple.duetactivityscheduler.photospolicy.appchanged")
default 19:04:44.045429-0400 dasd Ignoring trigger
com.apple.duetactivityscheduler.photospolicy.appchanged because conditions are
deteriorating
default 19:04:44.045541-0400 dasd Evaluating 0 activities based on triggers
default 19:04:44.060101-0400 com.apple.WebKit.WebContent CDN - initialize client
context retry
default 19:04:44.060211-0400 com.apple.WebKit.WebContent CDN - client
setup_remote_port
default 19:04:44.060578-0400 com.apple.WebKit.WebContent CDN - Bootstrap
Port: 4867
default 19:04:44.060784-0400 kernel Sandbox: 5 duplicate reports for
com.apple.WebKit allow mach-lookup com.apple.diagnosticd
default 19:04:44.060959-0400 com.apple.WebKit.WebContent CDN -
setup_remote_port: bootstrap_look_up() => unknown error code (1100)

```

error 19:04:44.060797-0400 kernel Sandbox: com.apple.WebKit(2645) deny(1) mach-
lookup com.apple.CoreDisplay.Notification
default 19:04:44.064330-0400 com.apple.WebKit.WebContent CDN - initialize client
context retry
default 19:04:44.064466-0400 com.apple.WebKit.WebContent CDN - client
setup_remote_port
default 19:04:44.064595-0400 com.apple.WebKit.WebContent CDN - Bootstrap
Port: 5123
default 19:04:44.064806-0400 com.apple.WebKit.WebContent CDN -
setup_remote_port: bootstrap_look_up() => unknown error code (1100)
default 19:04:44.196427-0400 hidd [HID] [MT] dispatchEvent Dispatching event with 3
children, _eventMask=0x2 _childEventMask=0x2 Cancel=0 Touching=0 inRange=1
default 19:04:45.061300-0400 com.apple.WebKit.WebContent CDN - initialize client
context retry
default 19:04:45.061439-0400 com.apple.WebKit.WebContent CDN - client
setup_remote_port
default 19:04:45.061543-0400 com.apple.WebKit.WebContent CDN - Bootstrap
Port: 4867
default 19:04:45.062150-0400 com.apple.WebKit.WebContent CDN -
setup_remote_port: bootstrap_look_up() => unknown error code (1100)
default 19:04:45.065181-0400 com.apple.WebKit.WebContent CDN - initialize client
context retry
default 19:04:45.065273-0400 com.apple.WebKit.WebContent CDN - client
setup_remote_port
default 19:04:45.065346-0400 com.apple.WebKit.WebContent CDN - Bootstrap
Port: 5123
default 19:04:45.065721-0400 com.apple.WebKit.WebContent CDN -
setup_remote_port: bootstrap_look_up() => unknown error code (1100)
default 19:04:45.906054-0400 distnoted register name:
NSServicesChangedNotification object: kCFNotificationAnyObject token: f43b4 pid: 2821
default 19:04:45.918364-0400 distnoted register name:
NSSpellServerLanguagesChanged object: kCFNotificationAnyObject token: f43b6 pid: 2821
default 19:04:45.918452-0400 distnoted register name:
AppleLanguagePreferencesChangedNotification object: kCFNotificationAnyObject token:
f43b7 pid: 2821
default 19:04:45.918515-0400 distnoted register name:
NSSpellServerQuotesChanged object: kCFNotificationAnyObject token: f43b8 pid: 2821
default 19:04:45.918590-0400 distnoted register name:
NSSpellServerReplacementsChanged object: kCFNotificationAnyObject token: f43b9 pid: 2821
default 19:04:45.918697-0400 distnoted register name:
NSUserReplacementItemsEnabledChanged object: kCFNotificationAnyObject token: f43ba
pid: 2821
default 19:04:45.918771-0400 distnoted register name:
NSAutomaticSpellingCorrectionEnabledChanged object: kCFNotificationAnyObject token:
f43bb pid: 2821
default 19:04:45.918853-0400 distnoted register name:
NSAutomaticQuoteSubstitutionEnabledChanged object: kCFNotificationAnyObject token:
f43bc pid: 2821
default 19:04:45.918908-0400 distnoted register name:
NSAutomaticDashSubstitutionEnabledChanged object: kCFNotificationAnyObject token: f43bd
pid: 2821
default 19:04:45.919009-0400 distnoted register name:
NSAutomaticTextCompletionEnabledChanged object: kCFNotificationAnyObject token: f43be
pid: 2821

```

default 19:04:45.919224-0400 distnoted register name:
NSAutomaticTextCompletionCollapsedChanged object: kCFNotificationAnyObject token: f43bf
pid: 2821

default 19:04:45.919471-0400 distnoted register name:
NSAutomaticCapitalizationEnabledChanged object: kCFNotificationAnyObject token: f43c0
pid: 2821

default 19:04:45.919644-0400 distnoted register name:
NSAutomaticPeriodSubstitutionEnabledChanged object: kCFNotificationAnyObject token:
f43c1 pid: 2821

default 19:04:45.919851-0400 distnoted register name:
DictationIMNotificationStartedListening object: kCFNotificationAnyObject token: f43c2 pid:
2821

default 19:04:45.931927-0400 hidd [HID] [MT] dispatchEvent Dispatching event with 3
children, _eventMask=0x22 _childEventMask=0x22 Cancel=0 Touching=1 inRange=1

default 19:04:45.947587-0400 hidd [HID] [MT] dispatchEvent Dispatching event with 3
children, _eventMask=0x20 _childEventMask=0x202 Cancel=0 Touching=1 inRange=1

default 19:04:45.982985-0400 corespotlightd Finalizing journal 0x7f9e76c44770
0x108ac9000 100000 <private>

default 19:04:46.000350-0400 corespotlightd Force split for high delete count; 39111
21066

default 19:04:46.000840-0400 corespotlightd Flush starting at 614041486.000445

default 19:04:46.008733-0400 corespotlightd Flush ending at 614041486.008305

default 19:04:46.054099-0400 corespotlightd copy file <private> to <private>

default 19:04:46.098825-0400 corespotlightd copy file <private> to <private>

default 19:04:46.099361-0400 corespotlightd copy file <private> to <private>

default 19:04:46.101824-0400 corespotlightd copy file <private> to <private>

default 19:04:46.147521-0400 corespotlightd (1903)Unlinked journal <private>

default 19:04:46.861581-0400 hidd [HID] [MT] dispatchEvent Dispatching event with 4
children, _eventMask=0x65 _childEventMask=0x2e7 Cancel=1 Touching=1 inRange=1

default 19:04:47.075930-0400 hidd [HID] [MT] dispatchEvent Dispatching event with 3
children, _eventMask=0x46 _childEventMask=0x46 Cancel=0 Touching=1 inRange=1

default 19:04:47.146095-0400 hidd [HID] [MT] dispatchEvent Dispatching event with 2
children, _eventMask=0x2 _childEventMask=0x2 Cancel=0 Touching=0 inRange=1

default 19:04:47.223764-0400 loginwindow -[PersistentAppsSupport(Internal)
writeCurrentPersistenceState:] | enter. Timer fired, writing a snapshot to disk

default 19:04:47.224348-0400 loginwindow -[PersistentAppsSupport
saveLogoutPersistentState:finalSnapshot:] | entered. isSnapShot:1

default 19:04:47.224390-0400 loginwindow -[PersistentAppsSupport(Internal)
checkAndSetEarlySaveStateExitCriteria:] | logout was not already in progress

default 19:04:47.224421-0400 loginwindow -[PersistentAppsSupport(Internal)
checkAndSetEarlySaveStateExitCriteria:] | exit: 0

default 19:04:47.224565-0400 loginwindow -[PersistentAppsSupport(Internal)
shouldSaveState:finalSnapShot:] | exit: 1

default 19:04:47.224595-0400 loginwindow -[PersistentAppsSupport
saveLogoutPersistentState:finalSnapshot:] | saveState == YES, gathering save state

default 19:04:47.224745-0400 loginwindow -[PersistentAppsSupport
saveLogoutPersistentState:finalSnapshot:] | frontToBackAppArray: (
"LSASN:{hi=0x0;lo=0xa70a7}",
"LSASN:{hi=0x0;lo=0x15015}",
"LSASN:{hi=0x0;lo=0xd00d}",
"LSASN:{hi=0x0;lo=0xc00c}"
)

```

default 19:04:47.224842-0400      loginwindow  -[PersistentAppsSupport
saveLogoutPersistentState:finalSnapshot:] |   getting previous list so we don't change the
hidden or background state values if they were not resumed
default 19:04:47.225116-0400      loginwindow  -[PersistentAppsSupport
saveLogoutPersistentState:finalSnapshot:] |   previouslyRunningApps: (
    {
        BackgroundState = 2;
        BundleID = "com.apple.mail";
        Hide = 0;
        Path = "/System/Applications/Mail.app";
    },
    {
        BackgroundState = 2;
        BundleID = "com.apple.safari";
        Hide = 0;
        Path = "/Applications/Safari.app";
    },
    {
        BackgroundState = 2;
        BundleID = "com.apple.finder";
        Hide = 0;
        Path = "/System/Library/CoreServices/Finder.app";
    }
)
default 19:04:47.225207-0400      loginwindow  -[PersistentAppsSupport
saveLogoutPersistentState:finalSnapshot:] |   frontToBackCount: 4
default 19:04:47.227020-0400      loginwindow  -[PersistentAppsSupport
saveLogoutPersistentState:finalSnapshot:] |   checkAgainstApp is : Console
default 19:04:47.227050-0400      loginwindow  -[PersistentAppsSupport
appShouldBeRelaunched:] | entered. checking app: Console
default 19:04:47.227575-0400      loginwindow  -[PersistentAppsSupport
appShouldBeRelaunched:] |   returning: 1
default 19:04:47.227699-0400      loginwindow  -[PersistentAppsSupport
saveLogoutPersistentState:finalSnapshot:] |   Adding to relaunchArray: Console
default 19:04:47.229063-0400      loginwindow  -[PersistentAppsSupport
saveLogoutPersistentState:finalSnapshot:] |   checkAgainstApp is : Finder
default 19:04:47.229091-0400      loginwindow  -[PersistentAppsSupport
saveLogoutPersistentState:finalSnapshot:] |   Adding to relaunchArray: Finder
default 19:04:47.230448-0400      loginwindow  -[PersistentAppsSupport
saveLogoutPersistentState:finalSnapshot:] |   checkAgainstApp is : Safari
default 19:04:47.230473-0400      loginwindow  -[PersistentAppsSupport
appShouldBeRelaunched:] | entered. checking app: Safari
default 19:04:47.230495-0400      loginwindow  -[PersistentAppsSupport
appShouldBeRelaunched:] |   returning: 1
default 19:04:47.230519-0400      loginwindow  -[PersistentAppsSupport
saveLogoutPersistentState:finalSnapshot:] |   Adding to relaunchArray: Safari
default 19:04:47.232249-0400      loginwindow  -[PersistentAppsSupport
saveLogoutPersistentState:finalSnapshot:] |   checkAgainstApp is : Mail
default 19:04:47.232275-0400      loginwindow  -[PersistentAppsSupport
appShouldBeRelaunched:] | entered. checking app: Mail
default 19:04:47.232296-0400      loginwindow  -[PersistentAppsSupport
appShouldBeRelaunched:] |   returning: 1
default 19:04:47.232321-0400      loginwindow  -[PersistentAppsSupport
saveLogoutPersistentState:finalSnapshot:] |   Adding to relaunchArray: Mail

```

```

default 19:04:47.232343-0400    loginwindow  -[PersistentAppsSupport
saveLogoutPersistentState:finalSnapshot:] | checking for Stopped apps
default 19:04:47.232551-0400    loginwindow  -[PersistentAppsSupport
saveLogoutPersistentState:finalSnapshot:] | no stopped apps found
default 19:04:47.232845-0400    hidd [HID] [MT] dispatchEvent Dispatching event with 2
children, _eventMask=0x0 _childEventMask=0x2 Cancel=0 Touching=1 inRange=1
default 19:04:47.232652-0400    loginwindow  -[PersistentAppsSupport
saveLogoutPersistentState:finalSnapshot:] | Writing dictionary to prefs
default 19:04:47.232770-0400    loginwindow  -[PersistentAppsSupport
saveLogoutPersistentState:finalSnapshot:] | Contents:(
    {
        BackgroundState = 2;
        BundleID = "com.apple.console";
        Hide = 0;
        Path = "/System/Applications/Utilities/Console.app";
    },
    {
        BackgroundState = 2;
        BundleID = "com.apple.finder";
        Hide = 0;
        Path = "/System/Library/CoreServices/Finder.app";
    },
    {
        BackgroundState = 2;
        BundleID = "com.apple.safari";
        Hide = 0;
        Path = "/Applications/Safari.app";
    },
    {
        BackgroundState = 2;
        BundleID = "com.apple.mail";
        Hide = 0;
        Path = "/System/Applications/Mail.app";
    }
)
default 19:04:47.238416-0400    loginwindow  -[PersistentAppsSupport
saveLogoutPersistentState:finalSnapshot:] | setting _stateSaveInProgress to NO and exiting
default 19:04:47.282242-0400    diskarbitrationd <private>
default 19:04:47.282270-0400    diskarbitrationd <private>
default 19:04:47.282306-0400    diskarbitrationd <private>
default 19:04:47.282479-0400    diskarbitrationd <private>
default 19:04:47.282644-0400    diskarbitrationd <private>
default 19:04:47.282828-0400    diskarbitrationd <private>
default 19:04:47.284657-0400    mdworker_shared ==--== TEMP 1 <private>
default 19:04:47.284702-0400    mdworker_shared ==--== CACHE 1 <private>
default 19:04:47.353930-0400    hidd [HID] [MT] dispatchEvent Dispatching event with 3
children, _eventMask=0x63 _childEventMask=0x262 Cancel=0 Touching=1 inRange=1
default 19:04:47.703855-0400    hidd [HID] [MT] dispatchEvent Dispatching event with 4
children, _eventMask=0x65 _childEventMask=0x2e7 Cancel=1 Touching=1 inRange=1
default 19:04:47.799294-0400    Mail nw_socket_handle_socket_event [C233.1:1]
Socket received TIMEOUT event
default 19:04:47.799335-0400    Mail nw_socket_handle_socket_event [C233.1:1]
Socket received DISCONNECTED event

```


default 19:04:47.799376-0400 Mail nw_socket_handle_socket_event [C233.1:1]
Socket SO_ERROR: 0
default 19:04:47.799505-0400 Mail Reading failed from socket: <0x6000046d8ae0
imap.gmail.com:993>, error: __NSCFFError Domain=NSPOSIXErrorDomain Code=60
default 19:04:47.801402-0400 Mail nw_flow_disconnected [C233.1 IPv6#09a32f42.993
ready socket-flow (satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns)] Output protocol
disconnected
default 19:04:47.802216-0400 Mail TCP Conn 0x6000016d0e40 canceled
default 19:04:47.803210-0400 Mail [Google] Removing handler (0x600000c84980)
default 19:04:47.803411-0400 Mail [Google - (null)] <Network Block Task - Expunge>
Operation {<IMAPNetworkBlockOperation: 0x7f9571547b40>} finished
default 19:04:47.803570-0400 Mail [Google - (null)] <Network Block Task - Expunge>
Task <IMAPNetworkBlockTask: 0x600001207e80> mailboxName: (null); priorities - network: 0,
reserved network: 0, persistence: 0 finished
default 19:04:47.803864-0400 Mail [Google - Drafts] Reset mailbox in sync state
default 19:04:47.809468-0400 Mail
nw_connection_report_state_with_handler_on_nw_queue [C233] reporting state failed error
Operation timed out
default 19:04:47.809736-0400 Mail [C233 E481ABBC-B2C0-4A6A-97E6-
EFFA85A77B86 Hostname#e85e094c:993 tcp, traffic class: 200, legacy-socket] cancel
default 19:04:47.810745-0400 Mail [C233 E481ABBC-B2C0-4A6A-97E6-
EFFA85A77B86 Hostname#e85e094c:993 tcp, traffic class: 200, legacy-socket] cancelled
[C233.1 DDE49B4B-EB35-49A6-B0A6-60D458534304
2605:a000:c307:3100:48e6:4d30:3cab:51f4.50939<->IPv6#09a32f42.993]
Connected Path: satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns
Duration: 741.856s, DNS @0.000s took 0.012s, TCP @0.012s took 0.054s
bytes in/out: 0/0, packets in/out: 0/0, rtt: 0.000s, retransmitted packets: 0, out-of-order
packets: 0
default 19:04:47.810960-0400 Mail 0.000s [C233
68694FDD-3435-4B10-984C-39E65DA3E26C Hostname#e85e094c:993 resolver
path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] path:start
default 19:04:47.811065-0400 Mail 0.000s [C233
68694FDD-3435-4B10-984C-39E65DA3E26C Hostname#e85e094c:993 resolver
path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] path:satisfied
default 19:04:47.811249-0400 Mail 0.000s [C233
68694FDD-3435-4B10-984C-39E65DA3E26C Hostname#e85e094c:993 resolver
path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] resolver:start_dns
default 19:04:47.811345-0400 Mail 0.012s [C233
68694FDD-3435-4B10-984C-39E65DA3E26C Hostname#e85e094c:993 resolver
path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] resolver:receive_dns
default 19:04:47.811513-0400 Mail 0.012s [C233.1 DDE49B4B-EB35-49A6-
B0A6-60D458534304 2605:a000:c307:3100:48e6:4d30:3cab:51f4.50939<-
>IPv6#09a32f42.993 socket-flow path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6,
dns] path:start
default 19:04:47.811635-0400 Mail 0.012s [C233.1 DDE49B4B-EB35-49A6-
B0A6-60D458534304 2605:a000:c307:3100:48e6:4d30:3cab:51f4.50939<-
>IPv6#09a32f42.993 socket-flow path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6,
dns] path:satisfied
default 19:04:47.811918-0400 Mail 0.012s [C233.1 DDE49B4B-EB35-49A6-
B0A6-60D458534304 2605:a000:c307:3100:48e6:4d30:3cab:51f4.50939<-
>IPv6#09a32f42.993 socket-flow path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6,
dns] flow:start_connect
default 19:04:47.812124-0400 Mail 0.066s [C233.1 DDE49B4B-EB35-49A6-
B0A6-60D458534304 2605:a000:c307:3100:48e6:4d30:3cab:51f4.50939<-

```

>IPv6#09a32f42.993 socket-flow path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6,
dns] flow:finish_connect
default 19:04:47.812280-0400      Mail    0.067s [C233
68694FDD-3435-4B10-984C-39E65DA3E26C Hostname#e85e094c:993 resolver
path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:finish_connect
default 19:04:47.812341-0400      Mail    0.067s [C233.1 DDE49B4B-EB35-49A6-
B0A6-60D458534304 2605:a000:c307:3100:48e6:4d30:3cab:51f4.50939<-
>IPv6#09a32f42.993 socket-flow path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6,
dns] flow:changed_viability
default 19:04:47.812436-0400      Mail    0.067s [C233
68694FDD-3435-4B10-984C-39E65DA3E26C Hostname#e85e094c:993 resolver
path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:changed_viability
default 19:04:47.812539-0400      Mail    741.856s [C233.1 DDE49B4B-EB35-49A6-
B0A6-60D458534304 2605:a000:c307:3100:48e6:4d30:3cab:51f4.50939<-
>IPv6#09a32f42.993 socket-flow path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6,
dns] flow:disconnect Operation timed out
default 19:04:47.812603-0400      Mail    741.856s [C233
68694FDD-3435-4B10-984C-39E65DA3E26C Hostname#e85e094c:993 resolver
path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:disconnect
default 19:04:47.812634-0400      Mail    741.856s [C233] path:cancel
default 19:04:47.814522-0400      Mail
nw_connection_report_state_with_handler_on_nw_queue [C233] reporting state cancelled error
Operation timed out
default 19:04:48.910533-0400      kernel  Sandbox: 3 duplicate reports for
com.apple.WebKit deny(1) mach-lookup com.apple.CoreDisplay.Notification
error 19:04:48.910552-0400      kernel  Sandbox: bluetoothd(162) deny(1) mach-lookup
com.apple.server.bluetooth
default 19:04:49.736795-0400      sharingd  NearbyInfo: Starting scan: blob </>,
devices 0, rate Normal, RSSI -70, dups yes, cache no, tracked 0, force yes, stop yes
default 19:04:49.739094-0400      sharingd  Nearby stop scanning: scan request of type
16, blob: {length = 0, bytes = 0x}, mask {length = 0, bytes = 0x}, active: 0, duplicates: 0, screen
on: No Scan, screen off: No Scan, locked: 1, rssi: -90, peers: (
) nearby scan mode: 10, adv buf: 0, advbuf mode: 4
default 19:04:49.739645-0400      sharingd  Nearby start scanning with data: scan
request of type 16, blob: {length = 0, bytes = 0x}, mask {length = 0, bytes = 0x}, active: 0,
duplicates: 1, screen on: 300, screen off: 300, locked: 1, rssi: -70, peers: (
) nearby scan mode: 10, adv buf: 0, advbuf mode: 4
default 19:04:49.744927-0400      bluetoothd  Stop scanning for process sharingd (403)
with scan request of type 16, blob: {length = 0, bytes = 0x}, mask {length = 0, bytes = 0x},
active: 0, duplicates: 0, screen on: No Scan, screen off: No Scan, locked: 1, rssi: -90, peers: (
) nearby scan mode: 10, adv buf: 0, advbuf mode: 4
default 19:04:49.745405-0400      bluetoothd  Removing scan request scan request of
type 16, blob: {length = 0, bytes = 0x}, mask {length = 0, bytes = 0x}, active: 0, duplicates: 0,
screen on: No Scan, screen off: No Scan, locked: 1, rssi: -90, peers: (
) nearby scan mode: 10, adv buf: 0, advbuf mode: 4 for client F54B6626-2FF9-45D8-9EBD-
CB5313D9F4D5
default 19:04:49.745620-0400      bluetoothd  Passively scanning for devices of types: 9
15 12 5 (Window: 30/Interval: 300)
default 19:04:49.745728-0400      bluetoothd  About to scan for type: 9 - rssi: -90 - range:
0 - payload: {length = 22, bytes = 0x0000000000000000000000000000000000000000000000000000000000000000} -
mask: {length = 22, bytes = 0x0000000000000000000000000000000000000000000000000000000000000000} - peers:
0
default 19:04:49.745824-0400      bluetoothd  About to scan for type: 15 - rssi: -70 -
range: 0 - payload: {length = 22, bytes =

```

```
0x0000000000000000000000000000000000000000000000000000000000000000} - mask: {length = 22, bytes =  
0x0000000000000000000000000000000000000000000000000000000000000000} - peers: 0  
default 19:04:49.746001-0400      bluetoothd    About to scan for type: 12 - rssi: -90 -  
range: 0 - payload: {length = 22, bytes =  
0x0000000000000000000000000000000000000000000000000000000000000000} - mask: {length = 22, bytes =  
0x0000000000000000000000000000000000000000000000000000000000000000} - peers: 2  
default 19:04:49.746094-0400      bluetoothd    About to scan for type: 5 - rssi: -80 - range:  
0 - payload: {length = 22, bytes = 0x0000000000000000000000000000000000000000000000000000000000000000} -  
mask: {length = 22, bytes = 0x0000000000000000000000000000000000000000000000000000000000000000} - peers:  
0  
default 19:04:49.746877-0400      bluetoothd    Scan options changed: 1  
default 19:04:49.748192-0400      bluetoothd    Start scanning for process sharingd (403)  
with scan request of type 16, blob: {length = 0, bytes = 0x}, mask {length = 0, bytes = 0x},  
active: 0, duplicates: 1, screen on: 300, screen off: 300, locked: 1, rssi: -70, peers: (  
) nearby scan mode: 10, adv buf: 0, advbuf mode: 4  
default 19:04:49.748236-0400      bluetoothd    Adding scan request called  
default 19:04:49.748349-0400      bluetoothd    Adding scan request scan request of type  
16, blob: {length = 22, bytes = 0x0000000000000000000000000000000000000000000000000000000000000000},  
mask {length = 22, bytes = 0x0000000000000000000000000000000000000000000000000000000000000000}, active:  
0, duplicates: 1, screen on: 300, screen off: 300, locked: 1, rssi: -70, peers: (  
) nearby scan mode: 10, adv buf: 0, advbuf mode: 4 for client F54B6626-2FF9-45D8-9EBD-  
CB5313D9F4D5  
default 19:04:49.748491-0400      bluetoothd    Passively scanning for devices of types: 9  
15 16 12 5 (Window: 30/Interval: 300)  
default 19:04:49.748552-0400      bluetoothd    About to scan for type: 9 - rssi: -90 - range:  
0 - payload: {length = 22, bytes = 0x0000000000000000000000000000000000000000000000000000000000000000} -  
mask: {length = 22, bytes = 0x0000000000000000000000000000000000000000000000000000000000000000} - peers:  
0  
default 19:04:49.748610-0400      bluetoothd    About to scan for type: 15 - rssi: -70 -  
range: 0 - payload: {length = 22, bytes =  
0x0000000000000000000000000000000000000000000000000000000000000000} - mask: {length = 22, bytes =  
0x0000000000000000000000000000000000000000000000000000000000000000} - peers: 0  
default 19:04:49.748665-0400      bluetoothd    About to scan for type: 16 - rssi: -70 -  
range: 0 - payload: {length = 22, bytes =  
0x0000000000000000000000000000000000000000000000000000000000000000} - mask: {length = 22, bytes =  
0x0000000000000000000000000000000000000000000000000000000000000000} - peers: 0  
default 19:04:49.748718-0400      bluetoothd    About to scan for type: 12 - rssi: -90 -  
range: 0 - payload: {length = 22, bytes =  
0x0000000000000000000000000000000000000000000000000000000000000000} - mask: {length = 22, bytes =  
0x0000000000000000000000000000000000000000000000000000000000000000} - peers: 2  
default 19:04:49.748773-0400      bluetoothd    About to scan for type: 5 - rssi: -80 - range:  
0 - payload: {length = 22, bytes = 0x0000000000000000000000000000000000000000000000000000000000000000} -  
mask: {length = 22, bytes = 0x0000000000000000000000000000000000000000000000000000000000000000} - peers:  
0  
default 19:04:49.749340-0400      bluetoothd    Scan options changed: 1  
error 19:04:49.756104-0400        bluetoothd    ScanManager: device doesn't exist for  
peer: 72EAE38E-B99A-4C86-BFAF-61DCBA30E824  
error 19:04:49.772026-0400        bluetoothd    ScanManager: device doesn't exist for  
peer: 72EAE38E-B99A-4C86-BFAF-61DCBA30E824  
default 19:04:50.637679-0400      identityservicesd    Saving database.  
default 19:04:50.637813-0400      identityservicesd    PublicIdentityCache Destroying  
database.  
default 19:04:50.644493-0400      identityservicesd    PublicIdentityCache Closed  
database.
```

```
default 19:04:50.643827-0400      kernel tx_flush:1028: xid 1214566 tx stats: # 2540 finish  
2555 enter 166 wait 22 1193us close 22us flush 1874us  
default 19:04:50.812833-0400      sharingd Distance changed: Unknown -> Far,  
SFBLEDevice ID 06120521-c0c7-44c0-a4fc-02000e60d728, RSSI -69 (-62)t~F, Ch 37, AdvD  
<171c9fbaf4>, Nm 'iPhone', Paired yes, Cnx no  
default 19:04:50.814071-0400      rapportd Person changed: RPPerson ID $ic*ud, FI  
0x3 <iCloud Me>, Px Far, AcLv Screen, 1 device(s) <'iPhone'>, 0x4 <Prox>  
default 19:04:50.814781-0400      contextstored RPPeopleDiscovery  
personChangedHandler invoked  
default 19:04:50.814893-0400      contextstored setUserProximityLevel Proximity Level: 3  
_enabled = 1 and _previousLevel = 2  
default 19:04:50.819250-0400      powerd Proximity state change from Around ->  
Away.  
default 19:04:50.820081-0400      powerd Denying sensor tracking due to proximity  
state:Away.  
default 19:04:50.993860-0400      sharingd NearbyAction: Starting scan: blob <>/<>,  
devices 0, rate Normal, RSSI -70, dups yes, cache no, tracked 0, force yes, stop yes  
default 19:04:50.994148-0400      sharingd Nearby stop scanning: scan request of type  
15, blob: {length = 0, bytes = 0x}, mask {length = 0, bytes = 0x}, active: 0, duplicates: 0, screen  
on: No Scan, screen off: No Scan, locked: 1, rssi: -90, peers: (  
) nearby scan mode: 10, adv buf: 0, adverbuf mode: 4  
default 19:04:50.994523-0400      sharingd Nearby start scanning with data: scan  
request of type 15, blob: {length = 0, bytes = 0x}, mask {length = 0, bytes = 0x}, active: 0,  
duplicates: 1, screen on: 300, screen off: 966, locked: 1, rssi: -70, peers: (  
) nearby scan mode: 10, adv buf: 0, adverbuf mode: 4  
default 19:04:50.995202-0400      bluetoothd Stop scanning for process sharingd (403)  
with scan request of type 15, blob: {length = 0, bytes = 0x}, mask {length = 0, bytes = 0x},  
active: 0, duplicates: 0, screen on: No Scan, screen off: No Scan, locked: 1, rssi: -90, peers: (  
) nearby scan mode: 10, adv buf: 0, adverbuf mode: 4  
default 19:04:50.995372-0400      bluetoothd Removing scan request scan request of  
type 15, blob: {length = 0, bytes = 0x}, mask {length = 0, bytes = 0x}, active: 0, duplicates: 0,  
screen on: No Scan, screen off: No Scan, locked: 1, rssi: -90, peers: (  
) nearby scan mode: 10, adv buf: 0, adverbuf mode: 4 for client F54B6626-2FF9-45D8-9EBD-  
CB5313D9F4D5  
default 19:04:50.995599-0400      bluetoothd Passively scanning for devices of types: 9  
16 12 5 (Window: 30/Interval: 300)  
default 19:04:50.995740-0400      bluetoothd About to scan for type: 9 - rssi: -90 - range:  
0 - payload: {length = 22, bytes = 0x0000000000000000000000000000000000000000000000000000000} -  
mask: {length = 22, bytes = 0x0000000000000000000000000000000000000000000000000000000} - peers:  
0  
default 19:04:50.995887-0400      bluetoothd About to scan for type: 16 - rssi: -70 -  
range: 0 - payload: {length = 22, bytes =  
0x0000000000000000000000000000000000000000000000000000000} - mask: {length = 22, bytes =  
0x0000000000000000000000000000000000000000000000000000000} - peers: 0  
default 19:04:50.996045-0400      bluetoothd About to scan for type: 12 - rssi: -90 -  
range: 0 - payload: {length = 22, bytes =  
0x0000000000000000000000000000000000000000000000000000000} - mask: {length = 22, bytes =  
0x0000000000000000000000000000000000000000000000000000000} - peers: 2  
default 19:04:50.996249-0400      bluetoothd About to scan for type: 5 - rssi: -80 - range:  
0 - payload: {length = 22, bytes = 0x0000000000000000000000000000000000000000000000000000000} -  
mask: {length = 22, bytes = 0x0000000000000000000000000000000000000000000000000000000} - peers:  
0  
default 19:04:50.996933-0400      bluetoothd Scan options changed: 1
```

```

default 19:04:50.998172-0400      bluetoothd      Start scanning for process sharingd (403)
with scan request of type 15, blob: {length = 0, bytes = 0x}, mask {length = 0, bytes = 0x},
active: 0, duplicates: 1, screen on: 300, screen off: 966, locked: 1, rssi: -70, peers: (
) nearby scan mode: 10, adv buf: 0, advbuf mode: 4
default 19:04:50.998238-0400      bluetoothd      Adding scan request called
default 19:04:50.998373-0400      bluetoothd      Adding scan request scan request of type
15, blob: {length = 22, bytes = 0x0000000000000000000000000000000000000000000000000000000000000000},
mask {length = 22, bytes = 0x0000000000000000000000000000000000000000000000000000000000000000}, active:
0, duplicates: 1, screen on: 300, screen off: 966, locked: 1, rssi: -70, peers: (
) nearby scan mode: 10, adv buf: 0, advbuf mode: 4 for client F54B6626-2FF9-45D8-9EBD-
CB5313D9F4D5
default 19:04:50.998614-0400      bluetoothd      Passively scanning for devices of types: 9
15 16 12 5 (Window: 30/Interval: 300)
default 19:04:50.998709-0400      bluetoothd      About to scan for type: 9 - rssi: -90 - range:
0 - payload: {length = 22, bytes = 0x0000000000000000000000000000000000000000000000000000000000000000} -
mask: {length = 22, bytes = 0x0000000000000000000000000000000000000000000000000000000000000000} - peers:
0
default 19:04:50.998811-0400      bluetoothd      About to scan for type: 15 - rssi: -70 -
range: 0 - payload: {length = 22, bytes =
0x0000000000000000000000000000000000000000000000000000000000000000} - mask: {length = 22, bytes =
0x0000000000000000000000000000000000000000000000000000000000000000} - peers: 0
default 19:04:50.998876-0400      bluetoothd      About to scan for type: 16 - rssi: -70 -
range: 0 - payload: {length = 22, bytes =
0x0000000000000000000000000000000000000000000000000000000000000000} - mask: {length = 22, bytes =
0x0000000000000000000000000000000000000000000000000000000000000000} - peers: 0
default 19:04:50.998939-0400      bluetoothd      About to scan for type: 12 - rssi: -90 -
range: 0 - payload: {length = 22, bytes =
0x0000000000000000000000000000000000000000000000000000000000000000} - mask: {length = 22, bytes =
0x0000000000000000000000000000000000000000000000000000000000000000} - peers: 2
default 19:04:50.998991-0400      bluetoothd      About to scan for type: 5 - rssi: -80 - range:
0 - payload: {length = 22, bytes = 0x0000000000000000000000000000000000000000000000000000000000000000} -
mask: {length = 22, bytes = 0x0000000000000000000000000000000000000000000000000000000000000000} - peers:
0
default 19:04:51.999551-0400      bluetoothd      Scan options changed: 1
error 19:04:51.007770-0400      bluetoothd      ScanManager: device doesn't exist for
peer: 72EAE38E-B99A-4C86-BFAF-61DCBA30E824
error 19:04:51.024760-0400      bluetoothd      ScanManager: device doesn't exist for
peer: 72EAE38E-B99A-4C86-BFAF-61DCBA30E824
default 19:04:51.227638-0400      com.apple.WebKit.WebContent      Current memory
footprint: 346 MB
default 19:04:51.815574-0400      AirPlayXPCHelper      <<<< TimeSyncClock >>>>
figTimeSyncClock_Monitor: nowMonClock: 7914.236894; lastMonClock: 7903.936749;
nowMonNet: 7914.237 (0x8d85905d86800005); lastMonNet: 7903.937
(0x8d85905d86800005); nowMonRef: 7914.237; lasMontRef: 7903.937; lastSynthAnchor:
7914.237; lastGM: 0x8d85905d86800005; offset 0.000; lastRefTimelineAnchor: 7914.237
default 19:04:51.941438-0400      kernel Sandbox: com.apple.WebKit(1914) allow mach-
lookup com.apple.diagnosticsd
default 19:04:51.941603-0400      com.apple.WebKit.WebContent      Current memory
footprint: 80 MB
default 19:04:51.961133-0400      Finder LSEExceptions shared instance invalidated for
timeout.
default 19:04:52.114048-0400      Console           LSEExceptions shared instance invalidated
for timeout.

```

```

default 19:04:53.829129-0400      hidd  [HID] [MT] dispatchEvent Dispatching event with 4
children, _eventMask=0x64 _childEventMask=0x46 Cancel=0 Touching=1 inRange=1
default 19:04:54.091156-0400      hidd  [HID] [MT] dispatchEvent Dispatching event with 4
children, _eventMask=0x60 _childEventMask=0x262 Cancel=0 Touching=1 inRange=1
default 19:04:54.089973-0400      kernel _sendCommandGated (ep: 3): Sending USB buffer
size: 17408 command: <private> [Repeated 6 times]
default 19:04:54.096295-0400      kernel _dataReceiveCompletion: (epIndex: 3, _state: 1)
message received: hasBuffer: 1 messageLength: 8 dataLength: 176 waitForAck: 0 [Repeated 6
times]
default 19:04:54.096797-0400      sharingd Posted com.apple.sharing.DeviceSetup:
{ "deviceId" : "0BC321E3-BF38-4130-8FCD-43E2AAA93817", "needsSetup" : true, }
default 19:04:54.097168-0400      sharingd Ignoring unpaired proximity Repair with
SFBLEDevice ID 0bc321e3-bf38-4130-8fcd-43e2aaa93817, RSSI -69 (-68)T*F, Ch 37, AdvD
<c00a03ccaf00440b>, Nm '?', Repair, Paired no, Cnx no, NeedsSetup, Problems 0x20008 <
HomeKit CDP >
default 19:04:54.098319-0400      sharingd Fast scan cancel: 'Triggered'
default 19:04:53.205951-0400      kernel [iBridge]: _dataReceiveCompletion: (epIndex: 3,
_state: 1) message received: hasBuffer: 1 messageLength: 8 dataLength: 104 waitForAck: 0
[Repeated 6 times]
default 19:04:53.210427-0400      kernel [iBridge]: _sendCommandGated (ep: 3): Sending
USB buffer size: 17408 command: 0x80308840 [Repeated 6 times]
default 19:04:54.706255-0400      hidd  [HID] [MT] dispatchEvent Dispatching event with 3
children, _eventMask=0x64 _childEventMask=0x46 Cancel=0 Touching=1 inRange=1
default 19:04:54.737093-0400      hidd  [HID] [MT] dispatchEvent Dispatching event with 2
children, _eventMask=0x42 _childEventMask=0x42 Cancel=0 Touching=0 inRange=1
default 19:04:56.062961-0400      com.apple.WebKit.WebContent CDN - initialize client
context retry
default 19:04:56.063054-0400      com.apple.WebKit.WebContent CDN - client
setup_remote_port
default 19:04:56.063368-0400      kernel Sandbox: 2 duplicate reports for
com.apple.WebKit allow mach-lookup com.apple.diagnosticd
default 19:04:56.063127-0400      com.apple.WebKit.WebContent CDN - Bootstrap
Port: 4867
error 19:04:56.063386-0400      kernel Sandbox: com.apple.WebKit(2645) deny(1) mach-
lookup com.apple.CoreDisplay.Notification
default 19:04:56.063652-0400      com.apple.WebKit.WebContent CDN -
setup_remote_port: bootstrap_look_up() => unknown error code (1100)
default 19:04:56.066278-0400      com.apple.WebKit.WebContent CDN - initialize client
context retry
default 19:04:56.066474-0400      com.apple.WebKit.WebContent CDN - client
setup_remote_port
default 19:04:56.066611-0400      com.apple.WebKit.WebContent CDN - Bootstrap
Port: 5123
default 19:04:56.067205-0400      com.apple.WebKit.WebContent CDN -
setup_remote_port: bootstrap_look_up() => unknown error code (1100)
default 19:04:56.270860-0400      hidd  [HID] [MT] dispatchEvent Dispatching event with 2
children, _eventMask=0x21 _childEventMask=0x3 Cancel=0 Touching=0 inRange=0
default 19:04:57.587781-0400      trustd could not disable pinning: not an internal release
default 19:04:57.587821-0400      trustd could not enable test hierarchy: no UAT pinning
preferences set
default 19:04:57.890180-0400      kernel Starting poll type 4
default 19:04:57.890192-0400      kernel Restarting poll type 4
default 19:04:57.944417-0400      kernel SmartBattery: finished polling type 4

```

```

default 19:04:57.945800-0400      powerd      Battery time remaining
posted(0x1000000004904b0) Time:1200 Source:AC
default 19:04:57.945899-0400      powerd      posted 'com.apple.system.powersources'
default 19:04:57.946221-0400      SystemUIServer      powerManagementUpdated
default 19:04:57.947129-0400      SystemUIServer      BME updateMenu: <CFArray
0x600002b02ec0 [0x7fff8b886b60]>{type = immutable, count = 1, values = (
    0 : {
        "Battery Provides Time Remaining" = 1;
        BatteryHealth = Good;
        BatteryHealthCondition = "";
        Current = "-1";
        "Current Capacity" = 100;
        DesignCycleCount = 1000;
        "Hardware Serial Number" = D867387G0U7HDTDAH;
        "Is Charged" = 1;
        "Is Charging" = 0;
        "Is Present" = 1;
        "Max Capacity" = 100;
        Name = "InternalBattery-0";
        "Power Source ID" = 7864419;
        "Power Source State" = "AC Power";
        "Time to Empty" = 0;
        "Time to Full Charge" = 0;
        "Transport Type" = Internal;
        Type = InternalBattery;
    }
})
default 19:04:58.615834-0400      deleted      totalAvailable ENTRY, info:
default 19:04:58.615875-0400      deleted      CACHE_DELETE_ID :
com.apple.cache_delete
default 19:04:58.616020-0400      deleted      CACHE_DELETE_VOLUME : <private>
default 19:04:58.616147-0400      deleted      caller has NOT requested a forceRefresh
(CACHE_DELETE_NO_CACHE = NO, or is not present)
default 19:04:58.617044-0400      diskarbitrationd      <private>
default 19:04:58.617105-0400      diskarbitrationd      <private>
default 19:04:58.617149-0400      diskarbitrationd      <private>
default 19:04:58.617821-0400      diskarbitrationd      <private>
default 19:04:58.618071-0400      diskarbitrationd      <private>
default 19:04:58.621833-0400      diskarbitrationd      <private>
default 19:04:58.623009-0400      diskarbitrationd      <private>
default 19:04:58.623579-0400      diskarbitrationd      <private>
default 19:04:58.625365-0400      diskarbitrationd      <private>
default 19:04:58.625655-0400      diskarbitrationd      <private>
default 19:04:58.626029-0400      diskarbitrationd      <private>
error 19:04:58.626981-0400      deleted      unable to create
CacheDeleteDaemonVolume for <private>
default 19:04:58.627105-0400      diskarbitrationd      <private>
default 19:04:58.628035-0400      diskarbitrationd      <private>
default 19:04:58.628679-0400      diskarbitrationd      <private>
default 19:04:58.631263-0400      diskarbitrationd      <private>
default 19:04:58.633040-0400      diskarbitrationd      <private>
default 19:04:58.633577-0400      deleted      totalAvailable thresholds for
"<CacheDeleteDaemonVolume> PRIMARY at: /System/Volumes/Data [apfs] freespace:
15177056256":

```

default 19:04:58.633919-0400 250685575168	deleted	CACHE_DELETE_VOLUME_SIZE :
default 19:04:58.634131-0400 3221225472	deleted	VERY_LOW_DISK_THRESHOLD :
default 19:04:58.634223-0400 12348030976	deleted	DESIRED_DISK_THRESHOLD :
default 19:04:58.634277-0400 11811160064	deleted	NEAR_LOW_DISK_THRESHOLD :
default 19:04:58.634346-0400	deleted	LOW_DISK_THRESHOLD : 10737418240
default 19:04:58.634378-0400	deleted	Siblings of <private> = <private>
default 19:04:58.634628-0400	deleted	Returning cached results, and
asynchronously refreshing any stale results		
default 19:04:58.635561-0400	diskarbitrationd	<private>
default 19:04:58.635863-0400	deleted	removing filtered services: {(
default 19:04:58.635898-0400	deleted	User specified
CACHE_DELETE_URGENCY: 3		
default 19:04:58.635925-0400	deleted	User specified
CACHE_DELETE_URGENCY_LIMIT: 3		
default 19:04:58.636075-0400	deleted	PurgeableOperation _startOperation, info: {
"CACHE_DELETE_ID" = "com.apple.cache_delete";		
"CACHE_DELETE_NO_CACHE" = 1;		
"CACHE_DELETE_URGENCY" = 3;		
"CACHE_DELETE_URGENCY_LIMIT" = 3;		
"CACHE_DELETE_VOLUME" = "/System/Volumes/Data";		
}		
default 19:04:58.636228-0400	deleted	dequeuePurge <private> [0x7fbc4c706e50]
no purges queued		
default 19:04:58.636712-0400	deleted	Connecting to <private>
default 19:04:58.638479-0400	deleted_helper	[0] fsPurgeable type:
CACHE_DELETE_TOTAL_FSPURGEABLE, count: 0 bytes for 0 files		
default 19:04:58.638513-0400	deleted_helper	[1] fsPurgeable type:
com.apple.photolibraryd.cacheDelete, count: 0 bytes for 0 files		
default 19:04:58.638539-0400	deleted_helper	[2] fsPurgeable type:
com.apple.MUSIC, count: 0 bytes for 0 files		
default 19:04:58.638566-0400	deleted_helper	[3] fsPurgeable type:
com.apple.MailCacheDelete, count: 0 bytes for 0 files		
default 19:04:58.638591-0400	deleted_helper	[4] fsPurgeable type:
com.apple.fspurgeable_document, count: 0 bytes for 0 files		
default 19:04:58.638612-0400	deleted_helper	[5] fsPurgeable type:
com.apple.fspurgeable_data, count: 0 bytes for 0 files		
default 19:04:58.638637-0400	deleted_helper	[6] fsPurgeable type:
com.apple.PODCAST, count: 0 bytes for 0 files		
default 19:04:58.638663-0400	deleted_helper	[7] fsPurgeable type:
com.apple.VIDEO, count: 0 bytes for 0 files		
default 19:04:58.638689-0400	deleted_helper	[8] fsPurgeable type:
com.apple.MOVIE, count: 0 bytes for 0 files		
default 19:04:58.638716-0400	deleted_helper	[9] fsPurgeable type:
com.apple.imagent.cache-delete, count: 0 bytes for 0 files		
default 19:04:58.638745-0400	deleted_helper	[10] fsPurgeable type:
com.apple.ibooks.CacheDeleteExtension, count: 0 bytes for 0 files		
default 19:04:58.638773-0400	deleted_helper	fsPurgeable: <private>
default 19:04:58.638456-0400	kernel	handle_get_purgeable_stats:8636: total purgeable
file count: 0 total purgeable size: 0		


```

default 19:04:58.639343-0400      deleted      <private>: Successful Request
default 19:04:58.639483-0400      deleted      <private> servicePurgeable returned
default 19:04:58.639525-0400      deleted      dequeuePurge <private> [0x7fbc4c706e50]
no purges queued
default 19:04:58.639682-0400      deleted      com.apple.deleted_helper took 0.003214
seconds, returned: {
    "CACHE_DELETE_AMOUNT" = 0;
    "CACHE_DELETE_ITEMIZED_PURGEABLE" = {
        "CACHE_DELETE_TOTAL_FSPURGEABLE" = 0;
        "com.apple.MOVIE" = 0;
        "com.apple.MUSIC" = 0;
        "com.apple.MailCacheDelete" = 0;
        "com.apple.PODCAST" = 0;
        "com.apple.VIDEO" = 0;
        "com.apple.fspurgeable_data" = 0;
        "com.apple.fspurgeable_document" = 0;
        "com.apple.ibooks.CacheDeleteExtension" = 0;
        "com.apple.imagent.cache-delete" = 0;
        "com.apple.photolibraryd.cacheDelete" = 0;
    };
}
default 19:04:58.640075-0400      deleted      Updating service info amount: 0, serviceID:
com.apple.deleted_helper, volume: <private>, urgency: 3 pushed: FALSE
default 19:04:58.640759-0400      diskarbitrationd      <private>
default 19:04:58.641365-0400      diskarbitrationd      <private>
default 19:04:58.642268-0400      diskarbitrationd      <private>
default 19:04:58.654439-0400      deleted      Updating service info amount: 0, serviceID:
<private>, volume: <private>, urgency: 3 pushed: FALSE
default 19:04:58.655047-0400      diskarbitrationd      <private>
default 19:04:58.655643-0400      diskarbitrationd      <private>
default 19:04:58.656188-0400      diskarbitrationd      <private>
default 19:04:58.666733-0400      deleted      Updating service info amount: 0, serviceID:
<private>, volume: <private>, urgency: 3 pushed: FALSE
default 19:04:58.667264-0400      diskarbitrationd      <private>
default 19:04:58.667895-0400      diskarbitrationd      <private>
default 19:04:58.668421-0400      diskarbitrationd      <private>
default 19:04:58.678834-0400      deleted      Updating service info amount: 0, serviceID:
<private>, volume: <private>, urgency: 3 pushed: FALSE
default 19:04:58.679308-0400      diskarbitrationd      <private>
default 19:04:58.679830-0400      diskarbitrationd      <private>
default 19:04:58.680394-0400      diskarbitrationd      <private>
default 19:04:58.684094-0400      CalendarAgent      Connection 75: is being canceled
default 19:04:58.684322-0400      CalendarAgent      [C75 07D78045-086F-4809-
A2AE-65BA9B91F951 Hostname#a8da784f:443 tcp, url hash: bc05d2e0, tls] cancel
default 19:04:58.684438-0400      CalendarAgent      [C75 07D78045-086F-4809-
A2AE-65BA9B91F951 Hostname#a8da784f:443 tcp, url hash: bc05d2e0, tls] cancelled
[C75.1 49FF4A28-B64C-49C8-958C-FB8C46852361 192.168.0.19:51031<-
>IPv4#34592bf0:443]
    Connected Path: satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns
    Duration: 60.087s, DNS @0.000s took 0.031s, TCP @0.031s took 0.036s, TLS took
0.156s
    bytes in/out: 8291/5924, packets in/out: 8/6, rtt: 0.036s, retransmitted packets: 0, out-
of-order packets: 0

```

default 19:04:58.684484-0400 CalendarAgent 0.000s [C75
 37339FB4-7397-465E-9B04-C1CB78DAD537 Hostname#a8da784f:443 resolver path=satisfied
 (Path is satisfied), interface: en0, ipv4, ipv6, dns] path:start
 default 19:04:58.684524-0400 CalendarAgent 0.000s [C75
 37339FB4-7397-465E-9B04-C1CB78DAD537 Hostname#a8da784f:443 resolver path=satisfied
 (Path is satisfied), interface: en0, ipv4, ipv6, dns] path:satisfied
 default 19:04:58.684561-0400 CalendarAgent 0.000s [C75
 37339FB4-7397-465E-9B04-C1CB78DAD537 Hostname#a8da784f:443 resolver path=satisfied
 (Path is satisfied), interface: en0, ipv4, ipv6, dns] resolver:start_dns
 default 19:04:58.684597-0400 CalendarAgent 0.031s [C75
 37339FB4-7397-465E-9B04-C1CB78DAD537 Hostname#a8da784f:443 resolver path=satisfied
 (Path is satisfied), interface: en0, ipv4, ipv6, dns] resolver:receive_dns
 default 19:04:58.684637-0400 CalendarAgent 0.031s [C75.1 49FF4A28-
 B64C-49C8-958C-FB8C46852361 192.168.0.19:51031<->IPv4#34592bf0:443 socket-flow
 path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] path:start
 default 19:04:58.684672-0400 CalendarAgent 0.031s [C75.1 49FF4A28-
 B64C-49C8-958C-FB8C46852361 192.168.0.19:51031<->IPv4#34592bf0:443 socket-flow
 path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] path:satisfied
 default 19:04:58.684705-0400 CalendarAgent 0.031s [C75.1 49FF4A28-
 B64C-49C8-958C-FB8C46852361 192.168.0.19:51031<->IPv4#34592bf0:443 socket-flow
 path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:start_connect
 default 19:04:58.684742-0400 CalendarAgent 0.039s [C75
 37339FB4-7397-465E-9B04-C1CB78DAD537 Hostname#a8da784f:443 resolver path=satisfied
 (Path is satisfied), interface: en0, ipv4, ipv6, dns] resolver:receive_dns
 default 19:04:58.684779-0400 CalendarAgent 0.067s [C75.1 49FF4A28-
 B64C-49C8-958C-FB8C46852361 192.168.0.19:51031<->IPv4#34592bf0:443 socket-flow
 path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:finish_transport
 default 19:04:58.684815-0400 CalendarAgent 0.067s [C75
 37339FB4-7397-465E-9B04-C1CB78DAD537 Hostname#a8da784f:443 resolver path=satisfied
 (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:finish_transport
 default 19:04:58.684853-0400 CalendarAgent 0.223s [C75.1 49FF4A28-
 B64C-49C8-958C-FB8C46852361 192.168.0.19:51031<->IPv4#34592bf0:443 socket-flow
 path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:finish_connect
 default 19:04:58.684885-0400 CalendarAgent 0.223s [C75
 37339FB4-7397-465E-9B04-C1CB78DAD537 Hostname#a8da784f:443 resolver path=satisfied
 (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:finish_connect
 default 19:04:58.684928-0400 CalendarAgent 0.223s [C75.1 49FF4A28-
 B64C-49C8-958C-FB8C46852361 192.168.0.19:51031<->IPv4#34592bf0:443 socket-flow
 path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:changed_viability
 default 19:04:58.684962-0400 CalendarAgent 0.223s [C75
 37339FB4-7397-465E-9B04-C1CB78DAD537 Hostname#a8da784f:443 resolver path=satisfied
 (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:changed_viability
 default 19:04:58.684989-0400 CalendarAgent 60.087s [C75] path:cancel
 default 19:04:58.685934-0400 CalendarAgent
 boringssl_context_message_handler(2258) [C75.1:2][0x7fae37ecf010] Writing SSL3_RT_ALERT
 2 bytes
 default 19:04:58.685978-0400 CalendarAgent
 boringssl_context_handle_warning_alert(1893) [C75.1:2][0x7fae37ecf010] write alert, level:
 warning, description: close notify
 default 19:04:58.686012-0400 CalendarAgent boringssl_session_disconnect(504)
 [C75.1:2][0x7fae37ecf010] SSL_shutdown 0
 default 19:04:58.686047-0400 CalendarAgent nw_flow_disconnected [C75.1
 IPv4#34592bf0:443 cancelled socket-flow ((null))] Output protocol disconnected

default 19:04:58.686924-0400 CalendarAgent
nw_connection_report_state_with_handler_on_nw_queue [C75] reporting state cancelled
default 19:04:58.686980-0400 CalendarAgent Connection 73: is being canceled
default 19:04:58.687026-0400 CalendarAgent [C73
6D1F40F8-0653-4512-9318-8C299532EAC6 Hostname#eecdbb33:443 tcp, url hash:
acbce2cb, tls] cancel
default 19:04:58.687109-0400 CalendarAgent [C73
6D1F40F8-0653-4512-9318-8C299532EAC6 Hostname#eecdbb33:443 tcp, url hash:
acbce2cb, tls] cancelled
[C73.1 73736F1C-D170-4212-BD48-22FE45E49163
2605:a000:c307:3100:48e6:4d30:3cab:51f4.51027<->IPv6#90474588.443]
Connected Path: satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns
Duration: 60.127s, DNS @0.000s took 0.001s, TCP @0.002s took 0.052s, TLS took
0.206s
bytes in/out: 13599/878, packets in/out: 11/3, rtt: 0.049s, retransmitted packets: 0, out-
of-order packets: 3
default 19:04:58.687151-0400 CalendarAgent 0.000s [C73 8768A0BA-
A883-4A0F-881A-86F185146899 Hostname#eecdbb33:443 resolver path=satisfied (Path is
satisfied), interface: en0, ipv4, ipv6, dns] path:start
default 19:04:58.687190-0400 CalendarAgent 0.000s [C73 8768A0BA-
A883-4A0F-881A-86F185146899 Hostname#eecdbb33:443 resolver path=satisfied (Path is
satisfied), interface: en0, ipv4, ipv6, dns] path:satisfied
default 19:04:58.687226-0400 CalendarAgent 0.000s [C73 8768A0BA-
A883-4A0F-881A-86F185146899 Hostname#eecdbb33:443 resolver path=satisfied (Path is
satisfied), interface: en0, ipv4, ipv6, dns] resolver:start_dns
default 19:04:58.687261-0400 CalendarAgent 0.001s [C73 8768A0BA-
A883-4A0F-881A-86F185146899 Hostname#eecdbb33:443 resolver path=satisfied (Path is
satisfied), interface: en0, ipv4, ipv6, dns] resolver:receive_dns
default 19:04:58.687319-0400 CalendarAgent 0.002s [C73.1 73736F1C-
D170-4212-BD48-22FE45E49163 2605:a000:c307:3100:48e6:4d30:3cab:51f4.51027<-
>IPv6#90474588.443 socket-flow path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6,
dns] path:start
default 19:04:58.687361-0400 CalendarAgent 0.002s [C73.1 73736F1C-
D170-4212-BD48-22FE45E49163 2605:a000:c307:3100:48e6:4d30:3cab:51f4.51027<-
>IPv6#90474588.443 socket-flow path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6,
dns] path:satisfied
default 19:04:58.687422-0400 CalendarAgent 0.002s [C73.1 73736F1C-
D170-4212-BD48-22FE45E49163 2605:a000:c307:3100:48e6:4d30:3cab:51f4.51027<-
>IPv6#90474588.443 socket-flow path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6,
dns] flow:start_connect
default 19:04:58.687474-0400 CalendarAgent 0.023s [C73 8768A0BA-
A883-4A0F-881A-86F185146899 Hostname#eecdbb33:443 resolver path=satisfied (Path is
satisfied), interface: en0, ipv4, ipv6, dns] resolver:receive_dns
default 19:04:58.687534-0400 CalendarAgent 0.024s [C73 8768A0BA-
A883-4A0F-881A-86F185146899 Hostname#eecdbb33:443 resolver path=satisfied (Path is
satisfied), interface: en0, ipv4, ipv6, dns] resolver:receive_dns
default 19:04:58.687576-0400 CalendarAgent 0.054s [C73.1 73736F1C-
D170-4212-BD48-22FE45E49163 2605:a000:c307:3100:48e6:4d30:3cab:51f4.51027<-
>IPv6#90474588.443 socket-flow path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6,
dns] flow:finish_transport
default 19:04:58.687633-0400 CalendarAgent 0.054s [C73 8768A0BA-
A883-4A0F-881A-86F185146899 Hostname#eecdbb33:443 resolver path=satisfied (Path is
satisfied), interface: en0, ipv4, ipv6, dns] flow:finish_transport

default 19:04:58.687685-0400 CalendarAgent 0.260s [C73.1 73736F1C-D170-4212-BD48-22FE45E49163 2605:a000:c307:3100:48e6:4d30:3cab:51f4.51027<->IPv6#90474588.443 socket-flow path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:finish_connect

default 19:04:58.687733-0400 CalendarAgent 0.260s [C73 8768A0BA-A883-4A0F-881A-86F185146899 Hostname#eecdbb33:443 resolver path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:finish_connect

default 19:04:58.687793-0400 CalendarAgent 0.260s [C73.1 73736F1C-D170-4212-BD48-22FE45E49163 2605:a000:c307:3100:48e6:4d30:3cab:51f4.51027<->IPv6#90474588.443 socket-flow path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:changed_viability

default 19:04:58.687834-0400 CalendarAgent 0.260s [C73 8768A0BA-A883-4A0F-881A-86F185146899 Hostname#eecdbb33:443 resolver path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:changed_viability

default 19:04:58.687887-0400 CalendarAgent 60.127s [C73] path:cancel

default 19:04:58.688178-0400 CalendarAgent boringssl_context_message_handler(2258) [C73.1:2][0x7fae3b5944c0] Writing SSL3_RT_ALERT 2 bytes

default 19:04:58.688241-0400 CalendarAgent boringssl_context_handle_warning_alert(1893) [C73.1:2][0x7fae3b5944c0] write alert, level: warning, description: close notify

default 19:04:58.688268-0400 CalendarAgent boringssl_session_disconnect(504) [C73.1:2][0x7fae3b5944c0] SSL_shutdown 0

default 19:04:58.688298-0400 CalendarAgent nw_flow_disconnected [C73.1 IPv6#90474588.443 cancelled socket-flow ((null))] Output protocol disconnected

default 19:04:58.689745-0400 CalendarAgent nw_connection_report_state_with_handler_on_nw_queue [C73] reporting state cancelled

default 19:04:58.689799-0400 CalendarAgent Connection 74: is being canceled

default 19:04:58.689841-0400 CalendarAgent [C74 E8791BBC-BDA8-4564-8D93-701F22497564 Hostname#a3b90f93:443 tcp, url hash: 4bfe7333, tls] cancel

default 19:04:58.689922-0400 CalendarAgent [C74 E8791BBC-BDA8-4564-8D93-701F22497564 Hostname#a3b90f93:443 tcp, url hash: 4bfe7333, tls] cancelled

[C74.1 45F12938-982C-45CD-8718-DA077283999E 2605:a000:c307:3100:48e6:4d30:3cab:51f4.51028<->IPv6#adfc0b55.443] Connected Path: satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns Duration: 60.098s, DNS @0.000s took 0.001s, TCP @0.001s took 0.030s, TLS took 0.060s bytes in/out: 21757/7692, packets in/out: 23/13, rtt: 0.028s, retransmitted packets: 0, out-of-order packets: 0

default 19:04:58.689961-0400 CalendarAgent 0.000s [C74 BCF6A8CF-CB94-4A1B-8258-B38768170AB2 Hostname#a3b90f93:443 resolver path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] path:start

default 19:04:58.689997-0400 CalendarAgent 0.000s [C74 BCF6A8CF-CB94-4A1B-8258-B38768170AB2 Hostname#a3b90f93:443 resolver path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] path:satisfied

default 19:04:58.690032-0400 CalendarAgent 0.000s [C74 BCF6A8CF-CB94-4A1B-8258-B38768170AB2 Hostname#a3b90f93:443 resolver path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] resolver:start_dns

default 19:04:58.690067-0400 CalendarAgent 0.001s [C74 BCF6A8CF-CB94-4A1B-8258-B38768170AB2 Hostname#a3b90f93:443 resolver path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] resolver:receive_dns

default 19:04:58.690110-0400 CalendarAgent 0.001s [C74.1 45F12938-982C-45CD-8718-DA077283999E

2605:a000:c307:3100:48e6:4d30:3cab:51f4.51028<->IPv6#adfc0b55.443 socket-flow
 path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] path:start
 default 19:04:58.690146-0400 CalendarAgent 0.001s [C74.1
 45F12938-982C-45CD-8718-DA077283999E
 2605:a000:c307:3100:48e6:4d30:3cab:51f4.51028<->IPv6#adfc0b55.443 socket-flow
 path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] path:satisfied
 default 19:04:58.690181-0400 CalendarAgent 0.001s [C74.1
 45F12938-982C-45CD-8718-DA077283999E
 2605:a000:c307:3100:48e6:4d30:3cab:51f4.51028<->IPv6#adfc0b55.443 socket-flow
 path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:start_connect
 default 19:04:58.690217-0400 CalendarAgent 0.029s [C74 BCF6A8CF-
 CB94-4A1B-8258-B38768170AB2 Hostname#a3b90f93:443 resolver path=satisfied (Path is
 satisfied), interface: en0, ipv4, ipv6, dns] resolver:receive_dns
 default 19:04:58.690253-0400 CalendarAgent 0.031s [C74.1
 45F12938-982C-45CD-8718-DA077283999E
 2605:a000:c307:3100:48e6:4d30:3cab:51f4.51028<->IPv6#adfc0b55.443 socket-flow
 path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:finish_transport
 default 19:04:58.690288-0400 CalendarAgent 0.031s [C74 BCF6A8CF-
 CB94-4A1B-8258-B38768170AB2 Hostname#a3b90f93:443 resolver path=satisfied (Path is
 satisfied), interface: en0, ipv4, ipv6, dns] flow:finish_transport
 default 19:04:58.690324-0400 CalendarAgent 0.091s [C74.1
 45F12938-982C-45CD-8718-DA077283999E
 2605:a000:c307:3100:48e6:4d30:3cab:51f4.51028<->IPv6#adfc0b55.443 socket-flow
 path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:finish_connect
 default 19:04:58.690370-0400 CalendarAgent 0.091s [C74 BCF6A8CF-
 CB94-4A1B-8258-B38768170AB2 Hostname#a3b90f93:443 resolver path=satisfied (Path is
 satisfied), interface: en0, ipv4, ipv6, dns] flow:finish_connect
 default 19:04:58.690431-0400 CalendarAgent 0.091s [C74.1
 45F12938-982C-45CD-8718-DA077283999E
 2605:a000:c307:3100:48e6:4d30:3cab:51f4.51028<->IPv6#adfc0b55.443 socket-flow
 path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:changed_viability
 default 19:04:58.690473-0400 CalendarAgent 0.091s [C74 BCF6A8CF-
 CB94-4A1B-8258-B38768170AB2 Hostname#a3b90f93:443 resolver path=satisfied (Path is
 satisfied), interface: en0, ipv4, ipv6, dns] flow:changed_viability
 default 19:04:58.690502-0400 CalendarAgent 60.098s [C74] path:cancel
 default 19:04:58.690702-0400 CalendarAgent
 boringssl_context_message_handler(2258) [C74.1:2][0x7fae3b374020] Writing
 SSL3_RT_ALERT 2 bytes
 default 19:04:58.690733-0400 CalendarAgent
 boringssl_context_handle_warning_alert(1893) [C74.1:2][0x7fae3b374020] write alert, level:
 warning, description: close notify
 default 19:04:58.690788-0400 CalendarAgent boringssl_session_disconnect(504)
 [C74.1:2][0x7fae3b374020] SSL_shutdown 0
 default 19:04:58.690817-0400 CalendarAgent nw_flow_disconnected [C74.1
 IPv6#adfc0b55.443 cancelled socket-flow ((null))] Output protocol disconnected
 default 19:04:58.691150-0400 CalendarAgent
 nw_connection_report_state_with_handler_on_nw_queue [C74] reporting state cancelled
 default 19:04:58.691196-0400 CalendarAgent Connection 79: is being canceled
 default 19:04:58.691237-0400 CalendarAgent [C79 27498A39-B51B-4C40-AB65-
 E89CC7755DF4 Hostname#a3b90f93:443 tcp, url hash: dfaea9ef, tls] cancel
 default 19:04:58.691346-0400 CalendarAgent [C79 27498A39-B51B-4C40-AB65-
 E89CC7755DF4 Hostname#a3b90f93:443 tcp, url hash: dfaea9ef, tls] cancelled
 [C79.1 C75005DA-A8D5-4B80-A094-25493E95AF8F
 2605:a000:c307:3100:48e6:4d30:3cab:51f4.51034<->IPv6#74b2a7d1.443]

Connected Path: satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns
Duration: 59.986s, DNS @0.000s took 0.000s, TCP @0.040s took 0.028s, TLS took 0.055s
bytes in/out: 17051/6049, packets in/out: 19/9, rtt: 0.030s, retransmitted packets: 0, out-of-order packets: 4

default 19:04:58.691395-0400	CalendarAgent	0.000s [C79 BCF6A8CF-CB94-4A1B-8258-B38768170AB2 Hostname#a3b90f93:443 resolver path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] path:start
default 19:04:58.691435-0400	CalendarAgent	0.000s [C79 BCF6A8CF-CB94-4A1B-8258-B38768170AB2 Hostname#a3b90f93:443 resolver path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] path:satisfied
default 19:04:58.691469-0400	CalendarAgent	0.000s [C79 BCF6A8CF-CB94-4A1B-8258-B38768170AB2 Hostname#a3b90f93:443 resolver path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] resolver:start_dns
default 19:04:58.691505-0400	CalendarAgent	0.000s [C79 BCF6A8CF-CB94-4A1B-8258-B38768170AB2 Hostname#a3b90f93:443 resolver path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] resolver:receive_dns
default 19:04:58.691545-0400	CalendarAgent	0.000s [C79.1 C75005DA-A8D5-4B80-A094-25493E95AF8F 2605:a000:c307:3100:48e6:4d30:3cab:51f4.51034<->IPv6#74b2a7d1.443 socket-flow path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] path:start
default 19:04:58.691582-0400	CalendarAgent	0.000s [C79.1 C75005DA-A8D5-4B80-A094-25493E95AF8F 2605:a000:c307:3100:48e6:4d30:3cab:51f4.51034<->IPv6#74b2a7d1.443 socket-flow path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] path:satisfied
default 19:04:58.691618-0400	CalendarAgent	0.040s [C79.1 C75005DA-A8D5-4B80-A094-25493E95AF8F 2605:a000:c307:3100:48e6:4d30:3cab:51f4.51034<->IPv6#74b2a7d1.443 socket-flow path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:start_connect
default 19:04:58.691654-0400	CalendarAgent	0.068s [C79.1 C75005DA-A8D5-4B80-A094-25493E95AF8F 2605:a000:c307:3100:48e6:4d30:3cab:51f4.51034<->IPv6#74b2a7d1.443 socket-flow path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:finish_transport
default 19:04:58.691692-0400	CalendarAgent	0.068s [C79 BCF6A8CF-CB94-4A1B-8258-B38768170AB2 Hostname#a3b90f93:443 resolver path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:finish_transport
default 19:04:58.691730-0400	CalendarAgent	0.123s [C79.1 C75005DA-A8D5-4B80-A094-25493E95AF8F 2605:a000:c307:3100:48e6:4d30:3cab:51f4.51034<->IPv6#74b2a7d1.443 socket-flow path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:finish_connect
default 19:04:58.691765-0400	CalendarAgent	0.123s [C79 BCF6A8CF-CB94-4A1B-8258-B38768170AB2 Hostname#a3b90f93:443 resolver path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:finish_connect
default 19:04:58.691802-0400	CalendarAgent	0.123s [C79.1 C75005DA-A8D5-4B80-A094-25493E95AF8F 2605:a000:c307:3100:48e6:4d30:3cab:51f4.51034<->IPv6#74b2a7d1.443 socket-flow path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:changed_viability
default 19:04:58.691838-0400	CalendarAgent	0.123s [C79 BCF6A8CF-CB94-4A1B-8258-B38768170AB2 Hostname#a3b90f93:443 resolver path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:changed_viability
default 19:04:58.691864-0400	CalendarAgent	59.986s [C79] path:cancel
default 19:04:58.692071-0400	CalendarAgent	

boringssl_context_message_handler(2258) [C79.1:2][0x7fae3b261b90] Writing SSL3_RT_ALERT 2 bytes

```

default 19:04:58.692104-0400      CalendarAgent
boringssl_context_handle_warning_alert(1893) [C79.1:2][0x7fae3b261b90] write alert, level:
warning, description: close notify
default 19:04:58.692132-0400      CalendarAgent      boringssl_session_disconnect(504)
[C79.1:2][0x7fae3b261b90] SSL_shutdown 0
default 19:04:58.692162-0400      CalendarAgent      nw_flow_disconnected [C79.1
IPv6#74b2a7d1.443 cancelled socket-flow ((null))] Output protocol disconnected
default 19:04:58.692292-0400      CalendarAgent
nw_connection_report_state_with_handler_on_nw_queue [C79] reporting state cancelled
default 19:04:58.692342-0400      CalendarAgent      Connection 77: is being canceled
default 19:04:58.692385-0400      CalendarAgent      [C77 996D33FB-0CF8-4C1A-8BB7-
D9BDCBF056B2 Hostname#a3b90f93:443 tcp, url hash: 69a6c90c, tls] cancel
default 19:04:58.692460-0400      CalendarAgent      [C77 996D33FB-0CF8-4C1A-8BB7-
D9BDCBF056B2 Hostname#a3b90f93:443 tcp, url hash: 69a6c90c, tls] cancelled
[C77.2 22C42DD1-3992-4CA5-AC1A-CEAB94E5429D 192.168.0.19:51037<-
>IPv4#be7f5c69:443]
    Connected Path: satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns
    Duration: 60.007s, DNS @0.000s took 0.000s, TCP @0.251s took 0.025s, TLS took
0.044s
    bytes in/out: 7813/3504, packets in/out: 7/5, rtt: 0.023s, retransmitted packets: 0, out-
of-order packets: 0
default 19:04:58.692501-0400      CalendarAgent      0.000s [C77 BCF6A8CF-
CB94-4A1B-8258-B38768170AB2 Hostname#a3b90f93:443 resolver path=satisfied (Path is
satisfied), interface: en0, ipv4, ipv6, dns] path:start
default 19:04:58.692538-0400      CalendarAgent      0.000s [C77 BCF6A8CF-
CB94-4A1B-8258-B38768170AB2 Hostname#a3b90f93:443 resolver path=satisfied (Path is
satisfied), interface: en0, ipv4, ipv6, dns] path:satisfied
default 19:04:58.692574-0400      CalendarAgent      0.000s [C77 BCF6A8CF-
CB94-4A1B-8258-B38768170AB2 Hostname#a3b90f93:443 resolver path=satisfied (Path is
satisfied), interface: en0, ipv4, ipv6, dns] resolver:start_dns
default 19:04:58.692648-0400      CalendarAgent      0.000s [C77 BCF6A8CF-
CB94-4A1B-8258-B38768170AB2 Hostname#a3b90f93:443 resolver path=satisfied (Path is
satisfied), interface: en0, ipv4, ipv6, dns] resolver:receive_dns
default 19:04:58.692760-0400      CalendarAgent      0.000s [C77.1
00000000-0000-0000-0000-000000000000
2605:a000:c307:3100:48e6:4d30:3cab:51f4.51033<->IPv6#74b2a7d1.443 socket-flow
path=(null)] path:start
default 19:04:58.692821-0400      CalendarAgent      0.000s [C77.1
00000000-0000-0000-0000-000000000000
2605:a000:c307:3100:48e6:4d30:3cab:51f4.51033<->IPv6#74b2a7d1.443 socket-flow
path=(null)] path:satisfied
default 19:04:58.692877-0400      CalendarAgent      0.000s [C77.1
00000000-0000-0000-0000-000000000000
2605:a000:c307:3100:48e6:4d30:3cab:51f4.51033<->IPv6#74b2a7d1.443 socket-flow
path=(null)] flow:start_connect
default 19:04:58.692918-0400      CalendarAgent      0.251s [C77.2
22C42DD1-3992-4CA5-AC1A-CEAB94E5429D 192.168.0.19:51037<->IPv4#be7f5c69:443
socket-flow path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] path:start
default 19:04:58.692955-0400      CalendarAgent      0.251s [C77.2
22C42DD1-3992-4CA5-AC1A-CEAB94E5429D 192.168.0.19:51037<->IPv4#be7f5c69:443
socket-flow path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] path:satisfied
default 19:04:58.692991-0400      CalendarAgent      0.251s [C77.2
22C42DD1-3992-4CA5-AC1A-CEAB94E5429D 192.168.0.19:51037<->IPv4#be7f5c69:443
socket-flow path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:start_connect

```

default 19:04:58.693028-0400 CalendarAgent 0.276s [C77.2
22C42DD1-3992-4CA5-AC1A-CEAB94E5429D 192.168.0.19:51037<->IPv4#be7f5c69:443
socket-flow path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns]
flow:finish_transport
default 19:04:58.693064-0400 CalendarAgent 0.276s [C77 BCF6A8CF-
CB94-4A1B-8258-B38768170AB2 Hostname#a3b90f93:443 resolver path=satisfied (Path is
satisfied), interface: en0, ipv4, ipv6, dns] flow:finish_transport
default 19:04:58.693104-0400 CalendarAgent 0.320s [C77.2
22C42DD1-3992-4CA5-AC1A-CEAB94E5429D 192.168.0.19:51037<->IPv4#be7f5c69:443
socket-flow path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:finish_connect
default 19:04:58.693137-0400 CalendarAgent 0.320s [C77 BCF6A8CF-
CB94-4A1B-8258-B38768170AB2 Hostname#a3b90f93:443 resolver path=satisfied (Path is
satisfied), interface: en0, ipv4, ipv6, dns] flow:finish_connect
default 19:04:58.693182-0400 CalendarAgent 0.320s [C77.2
22C42DD1-3992-4CA5-AC1A-CEAB94E5429D 192.168.0.19:51037<->IPv4#be7f5c69:443
socket-flow path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns]
flow:changed_viability
default 19:04:58.693219-0400 CalendarAgent 0.320s [C77 BCF6A8CF-
CB94-4A1B-8258-B38768170AB2 Hostname#a3b90f93:443 resolver path=satisfied (Path is
satisfied), interface: en0, ipv4, ipv6, dns] flow:changed_viability
default 19:04:58.693248-0400 CalendarAgent 60.007s [C77] path:cancel
default 19:04:58.693516-0400 CalendarAgent
boringssl_context_message_handler(2258) [C77.2:2][0x7fae3b8c0ba0] Writing
SSL3_RT_ALERT 2 bytes
default 19:04:58.693548-0400 CalendarAgent
boringssl_context_handle_warning_alert(1893) [C77.2:2][0x7fae3b8c0ba0] write alert, level:
warning, description: close notify
default 19:04:58.693576-0400 CalendarAgent boringssl_session_disconnect(504)
[C77.2:2][0x7fae3b8c0ba0] SSL_shutdown 0
default 19:04:58.693617-0400 CalendarAgent nw_flow_disconnected [C77.2
IPv4#be7f5c69:443 cancelled socket-flow ((null))] Output protocol disconnected
default 19:04:58.693725-0400 CalendarAgent
nw_connection_report_state_with_handler_on_nw_queue [C77] reporting state cancelled
default 19:04:58.693768-0400 CalendarAgent Connection 76: is being canceled
default 19:04:58.693846-0400 CalendarAgent [C76 DA12FF4F-9421-4D4C-8E69-
E54C11857C76 Hostname#a3b90f93:443 tcp, url hash: 2e35f325, tls] cancel
default 19:04:58.693922-0400 CalendarAgent [C76 DA12FF4F-9421-4D4C-8E69-
E54C11857C76 Hostname#a3b90f93:443 tcp, url hash: 2e35f325, tls] cancelled
[C76.2 22C42DD1-3992-4CA5-AC1A-CEAB94E5429D 192.168.0.19:51036<-
>IPv4#be7f5c69:443]
Connected Path: satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns
Duration: 60.009s, DNS @0.000s took 0.000s, TCP @0.251s took 0.026s, TLS took
0.052s
bytes in/out: 17032/3455, packets in/out: 14/5, rtt: 0.039s, retransmitted packets: 0,
out-of-order packets: 0
default 19:04:58.693963-0400 CalendarAgent 0.000s [C76 BCF6A8CF-
CB94-4A1B-8258-B38768170AB2 Hostname#a3b90f93:443 resolver path=satisfied (Path is
satisfied), interface: en0, ipv4, ipv6, dns] path:start
default 19:04:58.693999-0400 CalendarAgent 0.000s [C76 BCF6A8CF-
CB94-4A1B-8258-B38768170AB2 Hostname#a3b90f93:443 resolver path=satisfied (Path is
satisfied), interface: en0, ipv4, ipv6, dns] path:satisfied
default 19:04:58.694036-0400 CalendarAgent 0.000s [C76 BCF6A8CF-
CB94-4A1B-8258-B38768170AB2 Hostname#a3b90f93:443 resolver path=satisfied (Path is
satisfied), interface: en0, ipv4, ipv6, dns] resolver:start_dns

default 19:04:58.694071-0400 CalendarAgent 0.000s [C76 BCF6A8CF-CB94-4A1B-8258-B38768170AB2 Hostname#a3b90f93:443 resolver path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] resolver:receive_dns
default 19:04:58.694145-0400 CalendarAgent 0.000s [C76.1
00000000-0000-0000-0000-000000000000
2605:a000:c307:3100:48e6:4d30:3cab:51f4.51032<->IPv6#74b2a7d1.443 socket-flow
path=(null)] path:start
default 19:04:58.694204-0400 CalendarAgent 0.000s [C76.1
00000000-0000-0000-0000-000000000000
2605:a000:c307:3100:48e6:4d30:3cab:51f4.51032<->IPv6#74b2a7d1.443 socket-flow
path=(null)] path:satisfied
default 19:04:58.694259-0400 CalendarAgent 0.000s [C76.1
00000000-0000-0000-0000-000000000000
2605:a000:c307:3100:48e6:4d30:3cab:51f4.51032<->IPv6#74b2a7d1.443 socket-flow
path=(null)] flow:start_connect
default 19:04:58.694318-0400 CalendarAgent 0.251s [C76.2
22C42DD1-3992-4CA5-AC1A-CEAB94E5429D 192.168.0.19:51036<->IPv4#be7f5c69:443
socket-flow path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] path:start
default 19:04:58.694355-0400 CalendarAgent 0.251s [C76.2
22C42DD1-3992-4CA5-AC1A-CEAB94E5429D 192.168.0.19:51036<->IPv4#be7f5c69:443
socket-flow path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] path:satisfied
default 19:04:58.694396-0400 CalendarAgent 0.251s [C76.2
22C42DD1-3992-4CA5-AC1A-CEAB94E5429D 192.168.0.19:51036<->IPv4#be7f5c69:443
socket-flow path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:start_connect
default 19:04:58.694432-0400 CalendarAgent 0.277s [C76.2
22C42DD1-3992-4CA5-AC1A-CEAB94E5429D 192.168.0.19:51036<->IPv4#be7f5c69:443
socket-flow path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns]
flow:finish_transport
default 19:04:58.694495-0400 CalendarAgent 0.277s [C76 BCF6A8CF-CB94-4A1B-8258-B38768170AB2 Hostname#a3b90f93:443 resolver path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:finish_transport
default 19:04:58.694541-0400 CalendarAgent 0.329s [C76.2
22C42DD1-3992-4CA5-AC1A-CEAB94E5429D 192.168.0.19:51036<->IPv4#be7f5c69:443
socket-flow path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:finish_connect
default 19:04:58.694580-0400 CalendarAgent 0.329s [C76 BCF6A8CF-CB94-4A1B-8258-B38768170AB2 Hostname#a3b90f93:443 resolver path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:finish_connect
default 19:04:58.694618-0400 CalendarAgent 0.329s [C76.2
22C42DD1-3992-4CA5-AC1A-CEAB94E5429D 192.168.0.19:51036<->IPv4#be7f5c69:443
socket-flow path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns]
flow:changed_viability
default 19:04:58.694655-0400 CalendarAgent 0.329s [C76 BCF6A8CF-CB94-4A1B-8258-B38768170AB2 Hostname#a3b90f93:443 resolver path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:changed_viability
default 19:04:58.694684-0400 CalendarAgent 60.009s [C76] path:cancel
default 19:04:58.695058-0400 CalendarAgent
boringssl_context_message_handler(2258) [C76.2:2][0x7fae3b8be850] Writing
SSL3_RT_ALERT 2 bytes
default 19:04:58.695120-0400 CalendarAgent
boringssl_context_handle_warning_alert(1893) [C76.2:2][0x7fae3b8be850] write alert, level:
warning, description: close notify
default 19:04:58.695151-0400 CalendarAgent boringssl_session_disconnect(504)
[C76.2:2][0x7fae3b8be850] SSL_shutdown 0

default 19:04:58.695182-0400 CalendarAgent nw_flow_disconnected [C76.2
IPv4#be7f5c69:443 cancelled socket-flow ((null))] Output protocol disconnected
default 19:04:58.695275-0400 CalendarAgent
nw_connection_report_state_with_handler_on_nw_queue [C76] reporting state cancelled
default 19:04:58.695324-0400 CalendarAgent Connection 78: is being canceled
default 19:04:58.695367-0400 CalendarAgent [C78 10CA6880-1F88-43BD-B9BF-
AB1E189C998C Hostname#a9ecf54f:443 tcp, url hash: c78e4b00, tls] cancel
default 19:04:58.695442-0400 CalendarAgent [C78 10CA6880-1F88-43BD-B9BF-
AB1E189C998C Hostname#a9ecf54f:443 tcp, url hash: c78e4b00, tls] cancelled
[C78.1 59BE2F52-1BAB-43EC-A4B2-639C5F981B32
2605:a000:c307:3100:48e6:4d30:3cab:51f4.51035<->IPv6#3bed7e8d.443]
Connected Path: satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns
Duration: 59.991s, DNS @0.000s took 0.047s, TCP @0.047s took 0.026s, TLS took
0.030s
bytes in/out: 21637/9706, packets in/out: 26/15, rtt: 0.032s, retransmitted packets: 0,
out-of-order packets: 0
default 19:04:58.695485-0400 CalendarAgent 0.000s [C78
08E98743-5852-477A-8BFA-AD81FD54739D Hostname#a9ecf54f:443 resolver path=satisfied
(Path is satisfied), interface: en0, ipv4, ipv6, dns] path:start
default 19:04:58.695521-0400 CalendarAgent 0.000s [C78
08E98743-5852-477A-8BFA-AD81FD54739D Hostname#a9ecf54f:443 resolver path=satisfied
(Path is satisfied), interface: en0, ipv4, ipv6, dns] path:satisfied
default 19:04:58.695557-0400 CalendarAgent 0.000s [C78
08E98743-5852-477A-8BFA-AD81FD54739D Hostname#a9ecf54f:443 resolver path=satisfied
(Path is satisfied), interface: en0, ipv4, ipv6, dns] resolver:start_dns
default 19:04:58.695590-0400 CalendarAgent 0.047s [C78
08E98743-5852-477A-8BFA-AD81FD54739D Hostname#a9ecf54f:443 resolver path=satisfied
(Path is satisfied), interface: en0, ipv4, ipv6, dns] resolver:receive_dns
default 19:04:58.695637-0400 CalendarAgent 0.047s [C78.1
59BE2F52-1BAB-43EC-A4B2-639C5F981B32
2605:a000:c307:3100:48e6:4d30:3cab:51f4.51035<->IPv6#3bed7e8d.443 socket-flow
path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] path:start
default 19:04:58.695674-0400 CalendarAgent 0.047s [C78.1
59BE2F52-1BAB-43EC-A4B2-639C5F981B32
2605:a000:c307:3100:48e6:4d30:3cab:51f4.51035<->IPv6#3bed7e8d.443 socket-flow
path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] path:satisfied
default 19:04:58.695710-0400 CalendarAgent 0.047s [C78.1
59BE2F52-1BAB-43EC-A4B2-639C5F981B32
2605:a000:c307:3100:48e6:4d30:3cab:51f4.51035<->IPv6#3bed7e8d.443 socket-flow
path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:start_connect
default 19:04:58.695745-0400 CalendarAgent 0.073s [C78.1
59BE2F52-1BAB-43EC-A4B2-639C5F981B32
2605:a000:c307:3100:48e6:4d30:3cab:51f4.51035<->IPv6#3bed7e8d.443 socket-flow
path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:finish_transport
default 19:04:58.695781-0400 CalendarAgent 0.073s [C78
08E98743-5852-477A-8BFA-AD81FD54739D Hostname#a9ecf54f:443 resolver path=satisfied
(Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:finish_transport
default 19:04:58.695818-0400 CalendarAgent 0.103s [C78.1
59BE2F52-1BAB-43EC-A4B2-639C5F981B32
2605:a000:c307:3100:48e6:4d30:3cab:51f4.51035<->IPv6#3bed7e8d.443 socket-flow
path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:finish_connect
default 19:04:58.695852-0400 CalendarAgent 0.103s [C78
08E98743-5852-477A-8BFA-AD81FD54739D Hostname#a9ecf54f:443 resolver path=satisfied
(Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:finish_connect

default 19:04:58.695907-0400 CalendarAgent 0.103s [C78.1
59BE2F52-1BAB-43EC-A4B2-639C5F981B32
2605:a000:c307:3100:48e6:4d30:3cab:51f4.51035<->IPv6#3bed7e8d.443 socket-flow
path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:changed_viability
default 19:04:58.695943-0400 CalendarAgent 0.103s [C78
08E98743-5852-477A-8BFA-AD81FD54739D Hostname#a9ecf54f:443 resolver path=satisfied
(Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:changed_viability
default 19:04:58.695986-0400 CalendarAgent 59.991s [C78] path:cancel
default 19:04:58.696355-0400 CalendarAgent
boringssl_context_message_handler(2258) [C78.1:2][0x7fae3b2be690] Writing
SSL3_RT_ALERT 2 bytes
default 19:04:58.696387-0400 CalendarAgent
boringssl_context_handle_warning_alert(1893) [C78.1:2][0x7fae3b2be690] write alert, level:
warning, description: close notify
default 19:04:58.696415-0400 CalendarAgent boringssl_session_disconnect(504)
[C78.1:2][0x7fae3b2be690] SSL_shutdown 0
default 19:04:58.696446-0400 CalendarAgent nw_flow_disconnected [C78.1
IPv6#3bed7e8d.443 cancelled socket-flow ((null))] Output protocol disconnected
default 19:04:58.696845-0400 CalendarAgent
nw_connection_report_state_with_handler_on_nw_queue [C78] reporting state cancelled
default 19:04:58.697276-0400 CalendarAgent Connection 75: destroyed
default 19:04:58.697364-0400 CalendarAgent
nw_protocol_boringssl_remove_input_handler(1012) [C75.1:2][0x7fae37ecf010]
nw_protocol_boringssl_remove_input_handler forced true
default 19:04:58.697402-0400 CalendarAgent
nw_protocol_boringssl_remove_input_handler(1030) [C75.1:2][0x7fae37ecf010] Transferring
nw_protocol_boringssl_t handle back into ARC for autorelease
default 19:04:58.697801-0400 CalendarAgent Connection 73: destroyed
default 19:04:58.697837-0400 CalendarAgent
nw_protocol_boringssl_remove_input_handler(1012) [C73.1:2][0x7fae3b5944c0]
nw_protocol_boringssl_remove_input_handler forced true
default 19:04:58.697870-0400 CalendarAgent
nw_protocol_boringssl_remove_input_handler(1030) [C73.1:2][0x7fae3b5944c0] Transferring
nw_protocol_boringssl_t handle back into ARC for autorelease
default 19:04:58.698231-0400 CalendarAgent Connection 74: destroyed
default 19:04:58.698266-0400 CalendarAgent
nw_protocol_boringssl_remove_input_handler(1012) [C74.1:2][0x7fae3b374020]
nw_protocol_boringssl_remove_input_handler forced true
default 19:04:58.698301-0400 CalendarAgent
nw_protocol_boringssl_remove_input_handler(1030) [C74.1:2][0x7fae3b374020] Transferring
nw_protocol_boringssl_t handle back into ARC for autorelease
default 19:04:58.698690-0400 CalendarAgent Connection 79: destroyed
default 19:04:58.698733-0400 CalendarAgent
nw_protocol_boringssl_remove_input_handler(1012) [C79.1:2][0x7fae3b261b90]
nw_protocol_boringssl_remove_input_handler forced true
default 19:04:58.698767-0400 CalendarAgent
nw_protocol_boringssl_remove_input_handler(1030) [C79.1:2][0x7fae3b261b90] Transferring
nw_protocol_boringssl_t handle back into ARC for autorelease
default 19:04:58.699224-0400 CalendarAgent Connection 77: destroyed
default 19:04:58.699265-0400 CalendarAgent
nw_protocol_boringssl_remove_input_handler(1012) [C77.2:2][0x7fae3b8c0ba0]
nw_protocol_boringssl_remove_input_handler forced true

```

default 19:04:58.699302-0400      CalendarAgent
nw_protocol_boringssl_remove_input_handler(1030) [C77.2:2][0x7fae3b8c0ba0] Transferring
nw_protocol_boringssl_t handle back into ARC for autorelease
default 19:04:58.699685-0400      CalendarAgent      Connection 76: destroyed
default 19:04:58.699723-0400      CalendarAgent
nw_protocol_boringssl_remove_input_handler(1012) [C76.2:2][0x7fae3b8be850]
nw_protocol_boringssl_remove_input_handler forced true
default 19:04:58.699758-0400      CalendarAgent
nw_protocol_boringssl_remove_input_handler(1030) [C76.2:2][0x7fae3b8be850] Transferring
nw_protocol_boringssl_t handle back into ARC for autorelease
default 19:04:58.700232-0400      CalendarAgent      Connection 78: destroyed
default 19:04:58.700272-0400      CalendarAgent
nw_protocol_boringssl_remove_input_handler(1012) [C78.1:2][0x7fae3b2be690]
nw_protocol_boringssl_remove_input_handler forced true
default 19:04:58.700309-0400      CalendarAgent
nw_protocol_boringssl_remove_input_handler(1030) [C78.1:2][0x7fae3b2be690] Transferring
nw_protocol_boringssl_t handle back into ARC for autorelease
default 19:04:58.701350-0400      deleted      Updating service info amount: 0, serviceID:
<private>, volume: <private>, urgency: 3 pushed: FALSE
default 19:04:58.701913-0400      diskarbitrationd      <private>
default 19:04:58.702526-0400      diskarbitrationd      <private>
default 19:04:58.702990-0400      diskarbitrationd      <private>
default 19:04:58.704328-0400      syspolicyd      Connection 3: is being canceled
default 19:04:58.704601-0400      syspolicyd      [C3 39A005FD-84E2-4ABC-
A17E-87469C0FD274 Hostname#9633a010:443 tcp, url hash: 8925d19a, tls] cancel
default 19:04:58.704756-0400      syspolicyd      [C3 39A005FD-84E2-4ABC-
A17E-87469C0FD274 Hostname#9633a010:443 tcp, url hash: 8925d19a, tls] cancelled
[C3.1 BD463597-5F61-43DD-B24E-1DCF9E4E12B2 192.168.0.19:51030<-
>IPv4#8b16f341:443]
      Connected Path: satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns
      Duration: 60.131s, DNS @0.000s took 0.051s, TCP @0.051s took 0.033s, TLS took
0.046s
      bytes in/out: 8032/1198, packets in/out: 8/4, rtt: 0.030s, retransmitted packets: 0, out-
of-order packets: 0
default 19:04:58.704875-0400      syspolicyd      0.000s [C3 E9F0BBB7-62AE-4200-
A3D4-355F7CFE1AE5 Hostname#9633a010:443 resolver path=satisfied (Path is satisfied),
interface: en0, ipv4, ipv6, dns] path:start
default 19:04:58.704938-0400      syspolicyd      0.000s [C3 E9F0BBB7-62AE-4200-
A3D4-355F7CFE1AE5 Hostname#9633a010:443 resolver path=satisfied (Path is satisfied),
interface: en0, ipv4, ipv6, dns] path:satisfied
default 19:04:58.705034-0400      syspolicyd      0.000s [C3 E9F0BBB7-62AE-4200-
A3D4-355F7CFE1AE5 Hostname#9633a010:443 resolver path=satisfied (Path is satisfied),
interface: en0, ipv4, ipv6, dns] resolver:start_dns
default 19:04:58.705142-0400      syspolicyd      0.051s [C3 E9F0BBB7-62AE-4200-
A3D4-355F7CFE1AE5 Hostname#9633a010:443 resolver path=satisfied (Path is satisfied),
interface: en0, ipv4, ipv6, dns] resolver:receive_dns
default 19:04:58.705185-0400      syspolicyd      0.051s [C3.1 BD463597-5F61-43DD-
B24E-1DCF9E4E12B2 192.168.0.19:51030<->IPv4#8b16f341:443 socket-flow path=satisfied
(Path is satisfied), interface: en0, ipv4, ipv6, dns] path:start
default 19:04:58.705240-0400      syspolicyd      0.051s [C3.1 BD463597-5F61-43DD-
B24E-1DCF9E4E12B2 192.168.0.19:51030<->IPv4#8b16f341:443 socket-flow path=satisfied
(Path is satisfied), interface: en0, ipv4, ipv6, dns] path:satisfied

```

default 19:04:58.705286-0400 syspolicyd 0.051s [C3.1 BD463597-5F61-43DD-B24E-1DCF9E4E12B2 192.168.0.19:51030<->IPv4#8b16f341:443 socket-flow path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:start_connect
 default 19:04:58.705327-0400 syspolicyd 0.058s [C3 E9F0BBB7-62AE-4200-A3D4-355F7CFE1AE5 Hostname#9633a010:443 resolver path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] resolver:receive_dns
 default 19:04:58.705363-0400 syspolicyd 0.069s [C3 E9F0BBB7-62AE-4200-A3D4-355F7CFE1AE5 Hostname#9633a010:443 resolver path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] resolver:receive_dns
 default 19:04:58.705401-0400 syspolicyd 0.084s [C3.1 BD463597-5F61-43DD-B24E-1DCF9E4E12B2 192.168.0.19:51030<->IPv4#8b16f341:443 socket-flow path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:finish_transport
 default 19:04:58.705436-0400 syspolicyd 0.084s [C3 E9F0BBB7-62AE-4200-A3D4-355F7CFE1AE5 Hostname#9633a010:443 resolver path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:finish_transport
 default 19:04:58.705476-0400 syspolicyd 0.130s [C3.1 BD463597-5F61-43DD-B24E-1DCF9E4E12B2 192.168.0.19:51030<->IPv4#8b16f341:443 socket-flow path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:finish_connect
 default 19:04:58.705511-0400 syspolicyd 0.130s [C3 E9F0BBB7-62AE-4200-A3D4-355F7CFE1AE5 Hostname#9633a010:443 resolver path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:finish_connect
 default 19:04:58.705545-0400 syspolicyd 0.130s [C3.1 BD463597-5F61-43DD-B24E-1DCF9E4E12B2 192.168.0.19:51030<->IPv4#8b16f341:443 socket-flow path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:changed_viability
 default 19:04:58.705589-0400 syspolicyd 0.130s [C3 E9F0BBB7-62AE-4200-A3D4-355F7CFE1AE5 Hostname#9633a010:443 resolver path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:changed_viability
 default 19:04:58.705615-0400 syspolicyd 60.131s [C3] path:cancel
 default 19:04:58.705888-0400 syspolicyd boringssl_context_message_handler(2258) [C3.1:2][0x7fe7a33a36e0] Writing SSL3_RT_ALERT 2 bytes
 default 19:04:58.705920-0400 syspolicyd boringssl_context_handle_warning_alert(1893) [C3.1:2][0x7fe7a33a36e0] write alert, level: warning, description: close notify
 default 19:04:58.705950-0400 syspolicyd boringssl_session_disconnect(504) [C3.1:2][0x7fe7a33a36e0] SSL_shutdown 0
 default 19:04:58.705981-0400 syspolicyd nw_flow_disconnected [C3.1 IPv4#8b16f341:443 cancelled socket-flow ((null))] Output protocol disconnected
 default 19:04:58.706612-0400 syspolicyd nw_connection_report_state_with_handler_on_nw_queue [C3] reporting state cancelled
 default 19:04:58.706732-0400 syspolicyd Connection 3: destroyed
 default 19:04:58.706773-0400 syspolicyd nw_protocol_boringssl_remove_input_handler(1012) [C3.1:2][0x7fe7a33a36e0] nw_protocol_boringssl_remove_input_handler forced true
 default 19:04:58.706809-0400 syspolicyd nw_protocol_boringssl_remove_input_handler(1030) [C3.1:2][0x7fe7a33a36e0] Transferring nw_protocol_boringssl_t handle back into ARC for autorelease
 default 19:04:58.716188-0400 deleted Updating service info amount: 0, serviceID: <private>, volume: <private>, urgency: 3 pushed: FALSE
 default 19:04:58.716766-0400 diskarbitrationd <private>
 default 19:04:58.717499-0400 diskarbitrationd <private>
 default 19:04:58.718120-0400 diskarbitrationd <private>
 default 19:04:58.721609-0400 symptomsd defusing ticker tickerFatal having seen progress by flow for CalendarAgent, rxbytes 22677 duration 59.969 seconds started at time: Tue Jun 16 19:03:58 2020

default 19:04:58.729242-0400 deleted Updating service info amount: 0, serviceID:
 <private>, volume: <private>, urgency: 3 pushed: FALSE
 default 19:04:58.729901-0400 diskarbitrationd <private>
 default 19:04:58.730495-0400 diskarbitrationd <private>
 default 19:04:58.731075-0400 diskarbitrationd <private>
 default 19:04:58.734447-0400 symptomsd defusing ticker tickerFatal having seen
 progress by flow for CalendarAgent, rxbytes 22717 duration 60.141 seconds started at time:
 Tue Jun 16 19:03:57 2020
 default 19:04:58.735085-0400 symptomsd defusing ticker tickerFatal having seen
 progress by flow for CalendarAgent, rxbytes 17851 duration 59.989 seconds started at time:
 Tue Jun 16 19:03:58 2020
 default 19:04:58.742150-0400 deleted Updating service info amount: 0, serviceID:
 <private>, volume: <private>, urgency: 3 pushed: FALSE
 default 19:04:58.742733-0400 diskarbitrationd <private>
 default 19:04:58.743326-0400 diskarbitrationd <private>
 default 19:04:58.743861-0400 diskarbitrationd <private>
 default 19:04:58.747014-0400 symptomsd defusing ticker tickerFatal having seen
 progress by flow for syspolicyd, rxbytes 8392 duration 60.121 seconds started at time: Tue Jun
 16 19:03:58 2020
 default 19:04:58.754790-0400 deleted Updating service info amount: 0, serviceID:
 <private>, volume: <private>, urgency: 3 pushed: FALSE
 default 19:04:58.755373-0400 diskarbitrationd <private>
 default 19:04:58.755943-0400 diskarbitrationd <private>
 default 19:04:58.756458-0400 diskarbitrationd <private>
 default 19:04:58.767054-0400 deleted Updating service info amount: 0, serviceID:
 <private>, volume: <private>, urgency: 3 pushed: FALSE
 default 19:04:58.767513-0400 diskarbitrationd <private>
 default 19:04:58.768073-0400 diskarbitrationd <private>
 default 19:04:58.768642-0400 diskarbitrationd <private>
 default 19:04:58.779067-0400 deleted Updating service info amount: 0, serviceID:
 <private>, volume: <private>, urgency: 3 pushed: FALSE
 default 19:04:58.779536-0400 diskarbitrationd <private>
 default 19:04:58.780190-0400 diskarbitrationd <private>
 default 19:04:58.780761-0400 diskarbitrationd <private>
 default 19:04:58.796051-0400 deleted com.apple.deleted_helper APFS Purgeable
 update ET: 0.161062, results:
 default 19:04:58.796087-0400 deleted CACHE_DELETE_ID :
 com.apple.cache_delete
 default 19:04:58.796127-0400 deleted com.apple.fspurgeable_data : 0
 default 19:04:58.796183-0400 deleted
 com.apple.quicklook.ThumbnailsAgent.CacheDelete : 9651377
 default 19:04:58.796468-0400 deleted com.apple.VIDEO : 0
 default 19:04:58.796509-0400 deleted com.apple.PODCAST : 0
 default 19:04:58.796550-0400 deleted CACHE_DELETE_ELAPSED_TIME :
 0.003948434
 default 19:04:58.796586-0400 deleted com.apple.TMCacheDelete : 0
 default 19:04:58.796618-0400 deleted com.apple.mobileassetd.cache-
 delete : 0
 default 19:04:58.796652-0400 deleted
 com.apple.ReportMemoryException.CacheDelete : 0
 default 19:04:58.796684-0400 deleted
 com.apple.metadata.mds.cachedelete : 1105920
 default 19:04:58.796717-0400 deleted CACHE_DELETE_URGENCY : 3

default 19:04:58.796751-0400	deleted	
com.apple.ibooks.CacheDeleteExtension : 0		
default 19:04:58.796786-0400	deleted	com.apple.commerce.cachedelete :
0		
default 19:04:58.796819-0400	deleted	
CACHE_DELETE_TOTAL_FSPURGEABLE : 0		
default 19:04:58.796853-0400	deleted	
com.apple.AssetCache.builtin.CacheDelete : 73728		com.apple.bird.cache-delete : 0
default 19:04:58.796885-0400	deleted	
default 19:04:58.796919-0400	deleted	
com.apple.Music.MusicCacheExtension : 0		CACHE_DELETE_VOLUME : /
default 19:04:58.796951-0400	deleted	
default 19:04:58.796998-0400	deleted	
CACHE_DELETE_URGENCY_LIMIT : 3		
default 19:04:58.797054-0400	deleted	com.apple.MailCacheDelete : 0
default 19:04:58.797127-0400	deleted	com.apple.TV.TVCacheExtension : 0
default 19:04:58.797173-0400	deleted	com.apple.replayd-cache-delete :
64		
default 19:04:58.797211-0400	deleted	com.apple.MOVIE : 0
default 19:04:58.797250-0400	deleted	com.apple.MUSIC : 0
default 19:04:58.797291-0400	deleted	com.apple.logd.cachedelete :
36748576		
default 19:04:58.797410-0400	deleted	
CACHE_DELETE_ITEMIZED_NONPURGEABLE : {		
"com.apple.bird.cache-delete" = 8098582528;		
"com.apple.logd.cachedelete" = 220200960;		
}		
default 19:04:58.797498-0400	deleted	com.apple.imagent.cache-delete : 0
default 19:04:58.797539-0400	deleted	com.apple.FileProvider.cache-delete
: 0		
default 19:04:58.797626-0400	deleted	
com.apple.Safari.CacheDeleteExtension : 0		
default 19:04:58.797712-0400	deleted	
CACHE_DELETE_NONPURGEABLE_AMOUNT : 8318783488		
default 19:04:58.797796-0400	deleted	com.apple.fspurgeable_document :
0		
default 19:04:58.797887-0400	deleted	com.apple.desktoppicture.cache-
delete : 0		
default 19:04:58.797991-0400	deleted	
CACHE_DELETE_TOTAL_AVAILABLE : 760791569		CACHE_DELETE_NO_CACHE : 1
default 19:04:58.798047-0400	deleted	
default 19:04:58.798089-0400	deleted	
com.apple.system_installd.CacheDelete : 0		com.apple.installd.CacheDelete : 0
default 19:04:58.798172-0400	deleted	
default 19:04:58.798279-0400	deleted	
com.apple.photolibraryd.cacheDelete : 0		com.apple.symptomsd-
default 19:04:58.798340-0400	deleted	
diag.CacheDelete : 0		
default 19:04:58.798379-0400	deleted	
com.apple.osanalytics.user.cachedelete : 0		
default 19:04:58.798417-0400	deleted	
com.apple.coresymbolicationd.cache-delete : 713211904		com.apple.nsurlsessiond-
default 19:04:58.798450-0400	deleted	
cachedelete : 0		

```

default 19:04:58.798777-0400      deleted      PurgeableSpace result: {
  "CACHE_DELETE_ELAPSED_TIME" = "0.003948434";
  "CACHE_DELETE_ID" = "com.apple.cache_delete";
  "CACHE_DELETE_ITEMIZED_NONPURGEABLE" = {
    "com.apple.bird.cache-delete" = 8098582528;
    "com.apple.logd.cachedelete" = 220200960;
  };
  "CACHE_DELETE_NONPURGEABLE_AMOUNT" = 8318783488;
  "CACHE_DELETE_NO_CACHE" = 1;
  "CACHE_DELETE_TOTAL_AVAILABLE" = 760791569;
  "CACHE_DELETE_TOTAL_FSPURGEABLE" = 0;
  "CACHE_DELETE_URGENCY" = 3;
  "CACHE_DELETE_URGENCY_LIMIT" = 3;
  "CACHE_DELETE_VOLUME" = "/";
  "com.apple.AssetCache.builtin.CacheDelete" = 73728;
  "com.apple.FileProvider.cache-delete" = 0;
  "com.apple.MOVIE" = 0;
  "com.apple.MUSIC" = 0;
  "com.apple.MailCacheDelete" = 0;
  "com.apple.Music.MusicCacheExtension" = 0;
  "com.apple.PODCAST" = 0;
  "com.apple.ReportMemoryException.CacheDelete" = 0;
  "com.apple.Safari.CacheDeleteExtension" = 0;
  "com.apple.TMCacheDelete" = 0;
  "com.apple.TV.TVCacheExtension" = 0;
  "com.apple.VIDEO" = 0;
default 19:04:58.799808-0400      diskarbitrationd      <private>
default 19:04:58.800400-0400      diskarbitrationd      <private>
default 19:04:58.800616-0400      deleted      Pruning stale results for (
  "<CacheDeleteDaemonVolume> PRIMARY at: /System/Volumes/Data [apfs] freespace:
15177056256"
)
default 19:04:58.800978-0400      diskarbitrationd      <private>
default 19:04:58.801497-0400      diskarbitrationd      <private>
default 19:04:58.801713-0400      deleted      Refreshing results for (
  "<CacheDeleteDaemonVolume> PRIMARY at: /System/Volumes/Data [apfs] freespace:
15177056256"
)
default 19:04:58.802100-0400      diskarbitrationd      <private>
default 19:04:58.802362-0400      deleted      removing filtered services: {(
)}
default 19:04:58.802395-0400      deleted      User specified
CACHE_DELETE_URGENCY: 3
default 19:04:58.802419-0400      deleted      User specified
CACHE_DELETE_URGENCY_LIMIT: 3
default 19:04:58.802628-0400      deleted      PurgeableOperation _startOperation, info: {
  "CACHE_DELETE_ID" = "com.apple.cache_delete";
  "CACHE_DELETE_URGENCY" = 3;
  "CACHE_DELETE_URGENCY_LIMIT" = 3;
  "CACHE_DELETE_VOLUME" = "/System/Volumes/Data";
}
default 19:04:58.806246-0400      diskarbitrationd      <private>
default 19:04:58.806432-0400      deleted      <<<Purgeable Result: 760791569 bytes on:
"/System/Volumes/Data"

```


default 19:04:58.806466-0400	deleted	com.apple.fspurgeable_data : 0
default 19:04:58.806495-0400	deleted	com.apple.PODCAST : 0
default 19:04:58.806523-0400	deleted	
com.apple.quicklook.ThumbnailsAgent.CacheDelete : 9651377		
default 19:04:58.806550-0400	deleted	com.apple.VIDEO : 0
default 19:04:58.806576-0400	deleted	com.apple.TMCacheDelete : 0
default 19:04:58.806627-0400	deleted	com.apple.mobileassetd.cache-delete : 0
default 19:04:58.806655-0400	deleted	
com.apple.ReportMemoryException.CacheDelete : 0		
default 19:04:58.806744-0400	deleted	com.apple.metadata.mds.cachedelete :
1105920		
default 19:04:58.806771-0400	deleted	com.apple.ibooks.CacheDeleteExtension :
0		
default 19:04:58.806819-0400	deleted	com.apple.commerce.cachedelete : 0
default 19:04:58.806847-0400	deleted	CACHE_DELETE_TOTAL_FSPURGEABLE :
0		
default 19:04:58.806891-0400	deleted	com.apple.AssetCache.builtin.CacheDelete
: 73728		
default 19:04:58.806919-0400	deleted	com.apple.bird.cache-delete : 0
default 19:04:58.806943-0400	deleted	com.apple.Music.MusicCacheExtension : 0
default 19:04:58.806993-0400	deleted	CACHE_DELETE_VOLUME : /System/
Volumes/Data		
default 19:04:58.807020-0400	deleted	com.apple.MailCacheDelete : 0
default 19:04:58.807046-0400	deleted	com.apple.TV.TVCacheExtension : 0
default 19:04:58.807092-0400	deleted	com.apple.replayd-cache-delete : 64
default 19:04:58.807140-0400	deleted	com.apple.MOVIE : 0
default 19:04:58.807202-0400	deleted	com.apple.MUSIC : 0
default 19:04:58.807266-0400	deleted	com.apple.logd.cachedelete : 36748576
default 19:04:58.807328-0400	deleted	
CACHE_DELETE_ITEMIZED_NONPURGEABLE : {		
"com.apple.bird.cache-delete" = 8098582528;		
"com.apple.logd.cachedelete" = 220200960;		
}		
default 19:04:58.807358-0400	deleted	com.apple.imagent.cache-delete : 0
default 19:04:58.807420-0400	deleted	com.apple.FileProvider.cache-delete : 0
default 19:04:58.807446-0400	deleted	com.apple.Safari.CacheDeleteExtension : 0
default 19:04:58.807502-0400	deleted	
CACHE_DELETE_NONPURGEABLE_AMOUNT : 8318783488		
default 19:04:58.807565-0400	deleted	com.apple.fspurgeable_document : 0
default 19:04:58.807595-0400	deleted	com.apple.desktoppicture.cache-delete : 0
default 19:04:58.807671-0400	deleted	CACHE_DELETE_TOTAL_AVAILABLE :
760791569		
default 19:04:58.807701-0400	deleted	com.apple.system_installd.CacheDelete : 0
default 19:04:58.807749-0400	deleted	CACHE_DELETE_FREESPACE :
15177056256		
default 19:04:58.807779-0400	deleted	com.apple.installd.CacheDelete : 0
default 19:04:58.807996-0400	deleted	com.apple.photolibraryd.cacheDelete : 0
default 19:04:58.808027-0400	deleted	com.apple.osanalytics.user.cachedelete : 0
default 19:04:58.808101-0400	deleted	com.apple.symptomsd-diag.CacheDelete :
0		
default 19:04:58.808130-0400	deleted	com.apple.coresymbolicationd.cache-
delete : 713211904		
default 19:04:58.808202-0400	deleted	com.apple.nsurlsessiond-cachedelete : 0

```

default 19:04:58.808231-0400    deleted    Purgeable Result>>> (760791569 bytes on:
"/System/Volumes/Data")
default 19:04:58.837109-0400    diskarbitrationd    <private>
default 19:04:58.838273-0400    diskarbitrationd    <private>
default 19:04:58.850090-0400    deleted    dequeuePurge <private> [0x7fbc4c706e50]
no purges queued
default 19:04:58.850250-0400    deleted    Connecting to <private>
default 19:04:58.851846-0400    kernel    handle_get_purgeable_stats:8636: total purgeable
file count: 0 total purgeable size: 0
default 19:04:58.851876-0400    deleted_helper    [0] fsPurgeable type:
CACHE_DELETE_TOTAL_FSPURGEABLE, count: 0 bytes for 0 files
default 19:04:58.851914-0400    deleted_helper    [1] fsPurgeable type:
com.apple.photolibraryd.cacheDelete, count: 0 bytes for 0 files
default 19:04:58.851950-0400    deleted_helper    [2] fsPurgeable type:
com.apple.MUSIC, count: 0 bytes for 0 files
default 19:04:58.851986-0400    deleted_helper    [3] fsPurgeable type:
com.apple.MailCacheDelete, count: 0 bytes for 0 files
default 19:04:58.852021-0400    deleted_helper    [4] fsPurgeable type:
com.apple.fspurgeable_document, count: 0 bytes for 0 files
default 19:04:58.852057-0400    deleted_helper    [5] fsPurgeable type:
com.apple.fspurgeable_data, count: 0 bytes for 0 files
default 19:04:58.852093-0400    deleted_helper    [6] fsPurgeable type:
com.apple.PODCAST, count: 0 bytes for 0 files
default 19:04:58.852128-0400    deleted_helper    [7] fsPurgeable type:
com.apple.VIDEO, count: 0 bytes for 0 files
default 19:04:58.852164-0400    deleted_helper    [8] fsPurgeable type:
com.apple.MOVIE, count: 0 bytes for 0 files
default 19:04:58.852200-0400    deleted_helper    [9] fsPurgeable type:
com.apple.imagent.cache-delete, count: 0 bytes for 0 files
default 19:04:58.852691-0400    deleted    <private>: Successful Request
default 19:04:58.852233-0400    deleted_helper    [10] fsPurgeable type:
com.apple.ibooks.CacheDeleteExtension, count: 0 bytes for 0 files
default 19:04:58.852374-0400    deleted_helper    fsPurgeable: <private>
default 19:04:58.852998-0400    deleted    <private> servicePurgeable returned
default 19:04:58.853038-0400    deleted    dequeuePurge <private> [0x7fbc4c706e50]
no purges queued
default 19:04:58.853307-0400    deleted    com.apple.deleted_helper took 0.002878
seconds, returned: {
    "CACHE_DELETE_AMOUNT" = 0;
    "CACHE_DELETE_ITEMIZED_PURGEABLE" = {
        "CACHE_DELETE_TOTAL_FSPURGEABLE" = 0;
        "com.apple.MOVIE" = 0;
        "com.apple.MUSIC" = 0;
        "com.apple.MailCacheDelete" = 0;
        "com.apple.PODCAST" = 0;
        "com.apple.VIDEO" = 0;
        "com.apple.fspurgeable_data" = 0;
        "com.apple.fspurgeable_document" = 0;
        "com.apple.ibooks.CacheDeleteExtension" = 0;
        "com.apple.imagent.cache-delete" = 0;
        "com.apple.photolibraryd.cacheDelete" = 0;
    };
}

```

default 19:04:58.853583-0400 deleted Updating service info amount: 0, serviceID:
<private>, volume: <private>, urgency: 3 pushed: FALSE
default 19:04:58.854341-0400 diskarbitrationd <private>
default 19:04:58.855276-0400 diskarbitrationd <private>
default 19:04:58.855871-0400 diskarbitrationd <private>
default 19:04:58.877895-0400 deleted Updating service info amount: 0, serviceID:
<private>, volume: <private>, urgency: 3 pushed: FALSE
default 19:04:58.878864-0400 diskarbitrationd <private>
default 19:04:58.879765-0400 diskarbitrationd <private>
default 19:04:58.880605-0400 diskarbitrationd <private>
default 19:04:58.902230-0400 deleted Updating service info amount: 0, serviceID:
<private>, volume: <private>, urgency: 3 pushed: FALSE
default 19:04:58.903114-0400 diskarbitrationd <private>
default 19:04:58.904148-0400 diskarbitrationd <private>
default 19:04:58.905184-0400 diskarbitrationd <private>
default 19:04:58.928950-0400 deleted Updating service info amount: 0, serviceID:
<private>, volume: <private>, urgency: 3 pushed: FALSE
default 19:04:58.929959-0400 diskarbitrationd <private>
default 19:04:58.931040-0400 diskarbitrationd <private>
default 19:04:58.932135-0400 diskarbitrationd <private>
default 19:04:58.956219-0400 deleted Updating service info amount: 0, serviceID:
<private>, volume: <private>, urgency: 3 pushed: FALSE
default 19:04:58.957186-0400 diskarbitrationd <private>
default 19:04:58.958255-0400 diskarbitrationd <private>
default 19:04:58.959306-0400 diskarbitrationd <private>
default 19:04:58.983443-0400 deleted Updating service info amount: 0, serviceID:
<private>, volume: <private>, urgency: 3 pushed: FALSE
default 19:04:58.984297-0400 diskarbitrationd <private>
default 19:04:58.985421-0400 diskarbitrationd <private>
default 19:04:58.986557-0400 diskarbitrationd <private>
default 19:04:58.989382-0400 symptomsd defusing ticker tickerFatal having seen
progress by flow for CalendarAgent, rxbytes 8133 duration 60.052 seconds started at time: Tue
Jun 16 19:03:58 2020
default 19:04:59.011790-0400 deleted Updating service info amount: 0, serviceID:
<private>, volume: <private>, urgency: 3 pushed: FALSE
default 19:04:59.012798-0400 diskarbitrationd <private>
default 19:04:59.014117-0400 diskarbitrationd <private>
default 19:04:59.015206-0400 diskarbitrationd <private>
default 19:04:59.036887-0400 symptomsd defusing ticker tickerFatal having seen
progress by flow for CalendarAgent, rxbytes 8651 duration 60.407 seconds started at time: Tue
Jun 16 19:03:58 2020
default 19:04:59.040271-0400 deleted Updating service info amount: 0, serviceID:
<private>, volume: <private>, urgency: 3 pushed: FALSE
default 19:04:59.041310-0400 diskarbitrationd <private>
default 19:04:59.042551-0400 diskarbitrationd <private>
default 19:04:59.043680-0400 diskarbitrationd <private>
default 19:04:59.068742-0400 deleted Updating service info amount: 0, serviceID:
<private>, volume: <private>, urgency: 3 pushed: FALSE
default 19:04:59.070117-0400 diskarbitrationd <private>
default 19:04:59.071485-0400 diskarbitrationd <private>
default 19:04:59.072474-0400 diskarbitrationd <private>
default 19:04:59.090462-0400 deleted Updating service info amount: 0, serviceID:
<private>, volume: <private>, urgency: 3 pushed: FALSE
default 19:04:59.091234-0400 diskarbitrationd <private>

```

default 19:04:59.092308-0400    diskarbitrationd    <private>
default 19:04:59.093250-0400    diskarbitrationd    <private>
default 19:04:59.100447-0400    symptomsd    defusing ticker tickerFatal having seen
progress by flow for CalendarAgent, rxbytes 14079 duration 60.538 seconds started at time:
Tue Jun 16 19:03:58 2020
default 19:04:59.111979-0400    symptomsd    defusing ticker tickerFatal having seen
progress by flow for CalendarAgent, rxbytes 17632 duration 60.175 seconds started at time:
Tue Jun 16 19:03:58 2020
default 19:04:59.116060-0400    deleted    Updating service info amount: 0, serviceID:
<private>, volume: <private>, urgency: 3 pushed: FALSE
default 19:04:59.116950-0400    diskarbitrationd    <private>
default 19:04:59.117805-0400    diskarbitrationd    <private>
default 19:04:59.118665-0400    diskarbitrationd    <private>
default 19:04:59.152937-0400    deleted    Purgeable update results:
default 19:04:59.153003-0400    deleted    CACHE_DELETE_ID :
com.apple.cache_delete
default 19:04:59.153067-0400    deleted    com.apple.fspurgeable_data : 0
default 19:04:59.153139-0400    deleted
com.apple.quicklook.ThumbnailsAgent.CacheDelete : 9651377
default 19:04:59.153181-0400    deleted    com.apple.VIDEO : 0
default 19:04:59.153220-0400    deleted    com.apple.PODCAST : 0
default 19:04:59.153266-0400    deleted    CACHE_DELETE_ELAPSED_TIME :
0.051194114
default 19:04:59.153307-0400    deleted    com.apple.TMCacheDelete : 0
default 19:04:59.153346-0400    deleted    com.apple.mobileassetd.cache-delete : 0
default 19:04:59.153383-0400    deleted
com.apple.ReportMemoryException.CacheDelete : 0
default 19:04:59.153422-0400    deleted    com.apple.metadata.mds.cachedelete :
1105920
default 19:04:59.153460-0400    deleted    CACHE_DELETE_URGENCY : 3
default 19:04:59.153537-0400    deleted    com.apple.ibooks.CacheDeleteExtension :
0
default 19:04:59.153634-0400    deleted    com.apple.commerce.cachedelete : 0
default 19:04:59.153686-0400    deleted    CACHE_DELETE_TOTAL_FSPURGEABLE :
0
default 19:04:59.153758-0400    deleted    com.apple.AssetCache.builtin.CacheDelete
: 73728
default 19:04:59.153832-0400    deleted    com.apple.bird.cache-delete : 0
default 19:04:59.153923-0400    deleted    com.apple.Music.MusicCacheExtension : 0
default 19:04:59.154016-0400    deleted    CACHE_DELETE_VOLUME : /
default 19:04:59.154112-0400    deleted    CACHE_DELETE_URGENCY_LIMIT : 3
default 19:04:59.154150-0400    deleted    com.apple.MailCacheDelete : 0
default 19:04:59.154203-0400    deleted    com.apple.TV.TVCacheExtension : 0
default 19:04:59.154262-0400    deleted    com.apple.replayd-cache-delete : 64
default 19:04:59.154328-0400    deleted    com.apple.MOVIE : 0
default 19:04:59.154386-0400    deleted    com.apple.MUSIC : 0
default 19:04:59.154448-0400    deleted    com.apple.logd.cachedelete : 36748576
default 19:04:59.154565-0400    deleted
CACHE_DELETE_ITEMIZED_NONPURGEABLE : {
    "com.apple.bird.cache-delete" = 8098582528;
    "com.apple.logd.cachedelete" = 220200960;
}
default 19:04:59.154601-0400    deleted    com.apple.imagent.cache-delete : 0
default 19:04:59.154630-0400    deleted    com.apple.FileProvider.cache-delete : 0

```

```

default 19:04:59.154706-0400    deleted    com.apple.Safari.CacheDeleteExtension : 0
default 19:04:59.154738-0400    deleted
CACHE_DELETE_NONPURGEABLE_AMOUNT : 8318783488
default 19:04:59.154804-0400    deleted    com.apple.fspurgeable_document : 0
default 19:04:59.154841-0400    deleted    com.apple.desktoppicture.cache-delete : 0
default 19:04:59.154902-0400    deleted    CACHE_DELETE_TOTAL_AVAILABLE :
760791569
default 19:04:59.154939-0400    deleted    com.apple.system_installd.CacheDelete : 0
default 19:04:59.154989-0400    deleted    com.apple.installd.CacheDelete : 0
default 19:04:59.155035-0400    deleted    com.apple.photolibraryd.cacheDelete : 0
default 19:04:59.155069-0400    deleted    com.apple.symptomsd-diag.CacheDelete :
0
default 19:04:59.155100-0400    deleted    com.apple.osanalytics.user.cachedelete : 0
default 19:04:59.155162-0400    deleted    com.apple.coresymbolicationd.cache-
delete : 713211904
default 19:04:59.155220-0400    deleted    com.apple.nsurlsessiond-cachedelete : 0
default 19:04:59.155611-0400    deleted    PurgeableSpace result: {
    "CACHE_DELETE_ELAPSED_TIME" = "0.051194114";
    "CACHE_DELETE_ID" = "com.apple.cache_delete";
    "CACHE_DELETE_ITEMIZED_NONPURGEABLE" = {
        "com.apple.bird.cache-delete" = 8098582528;
        "com.apple.logd.cachedelete" = 220200960;
    };
    "CACHE_DELETE_NONPURGEABLE_AMOUNT" = 8318783488;
    "CACHE_DELETE_TOTAL_AVAILABLE" = 760791569;
    "CACHE_DELETE_TOTAL_FSPURGEABLE" = 0;
    "CACHE_DELETE_URGENCY" = 3;
    "CACHE_DELETE_URGENCY_LIMIT" = 3;
    "CACHE_DELETE_VOLUME" = "/";
    "com.apple.AssetCache.builtin.CacheDelete" = 73728;
    "com.apple.FileProvider.cache-delete" = 0;
    "com.apple.MOVIE" = 0;
    "com.apple.MUSIC" = 0;
    "com.apple.MailCacheDelete" = 0;
    "com.apple.Music.MusicCacheExtension" = 0;
    "com.apple.PODCAST" = 0;
    "com.apple.ReportMemoryException.CacheDelete" = 0;
    "com.apple.Safari.CacheDeleteExtension" = 0;
    "com.apple.TMCacheDelete" = 0;
    "com.apple.TV.TVCacheExtension" = 0;
    "com.apple.VIDEO" = 0;
    "com.apple.bird.cache-delete"
default 19:04:59.473879-0400    apsd    <private>: Outstanding data received: <private>
(length 319)
default 19:04:59.473997-0400    apsd    <private>: Stream processing: complete yes,
invalid no, length parsed 319, parameters <private>
default 19:04:59.474253-0400    apsd    <private>: Message for topic <private> for user
<private> piggybacking on push wake
default 19:04:59.474309-0400    apsd    <private>: Message has token <private>
(tokenName <private>)
default 19:04:59.474493-0400    apsd    <private>: Received message for enabled topic
'<private>' onInterface: NonCellular with payload '<private>' with priority 5
default 19:04:59.475089-0400    apsd    <private> asked to store incoming message
<private> with guid <private> environment <private>

```

default 19:04:59.475243-0400 apsd <private> deleting low-priority incoming messages for topic <private> environment production

default 19:04:59.475337-0400 apsd APSMessageStore - APSIncomingMessageRecordDeleteMessagesForTopic <private> 1 environment production

default 19:04:59.475888-0400 apsd APSMessageStore - New message record [<private>] has ID [21438].

default 19:04:59.476001-0400 apsd <private>: Sending acknowledgement message with response 0 and messageID <private> (1472756500)

default 19:04:59.477509-0400 apsd Task <private>: Returning YES

default 19:04:59.478250-0400 apsd <private>: Admission allowed for <private>

default 19:04:59.478336-0400 apsd <private> _notifyForIncomingMessage <private> with guid <private>

default 19:04:59.478760-0400 apsd <private>: Stream processing: complete no, invalid no, length parsed 0, parameters (null)

default 19:04:59.479516-0400 apsd Dispatching low priority message on server: <private>

default 19:04:59.479880-0400 apsd Looking up connection on peer: 40f10c90 found <private>

default 19:04:59.482518-0400 cloudphotod <private> Delivering message from apsd: <private> 1472756500 <private>

default 19:04:59.482882-0400 cloudphotod <private> responding with an ack for message with guid <private>

default 19:04:59.483201-0400 apsd Looking up connection on peer: 40f10c90 found <private>

default 19:04:59.483012-0400 cloudphotod <private> making delegate (<private>) calls to deliver message 1472756500 <private> for topic <private>

default 19:04:59.483405-0400 apsd <private> informed that <private> acknowledges incoming message with guid <private> tracingUUID (null)

default 19:04:59.483427-0400 cloudphotod <private> calling <private> connection:didReceiveIncomingMessage:

default 19:04:59.483622-0400 apsd APSMessageStore - APSIncomingMessageRecordDeleteMessageForGUID <private>

default 19:04:59.487893-0400 cloudphotod <private> returned from <private> connection:didReceiveIncomingMessage:

default 19:04:59.488090-0400 cloudphotod Notified that we need to update all scopes

default 19:04:59.488205-0400 cloudphotod We are asked to schedule a sync session from pull-scopes

default 19:04:59.488383-0400 cloudphotod Scheduling a sync session in 0s for at least pull-scopes

default 19:04:59.659996-0400 cloudphotod Waiting for sync manager to restart [session #2] now at least from pull-scopes

default 19:04:59.662750-0400 cloudphotod pull-scopes will be attempted in [session #2]

default 19:04:59.665298-0400 cloudphotod Launching <private>

default 19:04:59.665590-0400 cloudphotod Creating CloudKit rescheduler for <private>

default 19:04:59.666163-0400 cloudphotod Unregistering activity with identifier com.apple.cloudphotod.sync.discretionary

default 19:04:59.666743-0400 cloudphotod _xpc_activity_unregister: <private>, 18446744073709551615, true

default 19:04:59.666963-0400 cloudphotod Acquiring activity with identifier com.apple.cloudphotod.sync.discretionary-when-background

default 19:04:59.667041-0400 cloudphotod xpc_activity_register: com.apple.cloudphotod.sync.discretionary-when-background, criteria: dictionary

default 19:04:59.667114-0400 cloudphotod _xpc_activity_register: <private>, 0

default 19:04:59.667201-0400 cloudphotod xpc_activity_set_criteria: <private>, dict
 default 19:04:59.667315-0400 cloudphotod xpc_activity_set_criteria, lower half:
 <private>, dict
 default 19:04:59.667387-0400 cloudphotod _xpc_activity_set_criteria: <private>, dict
 default 19:04:59.667486-0400 cloudphotod _xpc_activity_set_criteria: xpc_set_event
 <private>, 1
 default 19:04:59.667762-0400 cloudphotod xpc_activity_set_criteria: <private>, setting
 state now to 1
 default 19:04:59.667859-0400 cloudphotod _xpc_activity_set_state: <private>, 1
 default 19:04:59.669744-0400 UserEventAgent Creating XPC Activity:
 com.apple.cloudphotod.sync.discretionary-when-background
 default 19:04:59.670202-0400 UserEventAgent SUBMITTING: <private>
 default 19:04:59.670288-0400 UserEventAgent Establish daemon connection;
 interrupted: 0
 default 19:04:59.670599-0400 UserEventAgent Registered XPC Activity:
 com.apple.cloudphotod.sync.discretionary-when-background
 default 19:04:59.673065-0400 dasd Submitted Activity:
 501:com.apple.cloudphotod.sync.discretionary-when-background:27D9A3 at priority 30
 <private>
 default 19:04:59.674088-0400 dasd 501:com.apple.cloudphotod.sync.discretionary-
 when-background:27D9A3:[
 {name: ApplicationPolicy, policyWeight: 25.000, response: {Decision: Can Proceed,
 Score: 0.01}}
 {name: DeviceActivityPolicy, policyWeight: 2.000, response: {Decision: Can Proceed,
 Score: 0.89}}
 {name: MemoryPressurePolicy, policyWeight: 5.000, response: {Decision: Can Proceed,
 Score: 0.50, Rationale: {[memoryPressure]: Required:2.00, Observed:1.00},]}
] sumScores:42.436029, denominator:69.910000, FinalDecision: Can Proceed FinalScore:
 0.607009}
 default 19:04:59.674149-0400 dasd '501:com.apple.cloudphotod.sync.discretionary-
 when-background:27D9A3' DecisionToRun: 1 (Bypasses Predictions)
 default 19:04:59.674189-0400 dasd Running <private> immediately on submission
 default 19:04:59.674274-0400 dasd With <private> ...Tasks pre-running in group
 [com.apple.dasd.defaultNetwork] are 1!
 default 19:04:59.674348-0400 dasd Running activities : <private>
 default 19:04:59.674406-0400 dasd Activity <private> has delayed start
 default 19:04:59.674678-0400 dasd Reporting photos activity no longer blocked:
 501:com.apple.cloudphotod.sync.discretionary-when-background:27D9A3 (was 0)
 default 19:04:59.674818-0400 UserEventAgent REQUESTING START: <private>
 default 19:04:59.743467-0400 kernel Sandbox: 1 duplicate report for com.apple.WebKit
 deny(1) mach-lookup com.apple.CoreDisplay.Notification
 default 19:04:59.743654-0400 sharingd NearbyInfo: Starting scan: blob <>/<>,
 devices 0, rate Normal, RSSI -70, dups yes, cache no, tracked 0, force yes, stop yes
 error 19:04:59.743488-0400 kernel Sandbox: bluetoothd(162) deny(1) mach-lookup
 com.apple.server.bluetooth
 default 19:04:59.744009-0400 sharingd Nearby stop scanning: scan request of type
 16, blob: {length = 0, bytes = 0x}, mask {length = 0, bytes = 0x}, active: 0, duplicates: 0, screen
 on: No Scan, screen off: No Scan, locked: 1, rssi: -90, peers: (
) nearby scan mode: 10, adv buf: 0, advbuf mode: 4
 default 19:04:59.744251-0400 sharingd Nearby start scanning with data: scan
 request of type 16, blob: {length = 0, bytes = 0x}, mask {length = 0, bytes = 0x}, active: 0,
 duplicates: 1, screen on: 300, screen off: 300, locked: 1, rssi: -70, peers: (
) nearby scan mode: 10, adv buf: 0, advbuf mode: 4

```
default 19:04:59.744723-0400      bluetoothd      Stop scanning for process sharingd (403)
with scan request of type 16, blob: {length = 0, bytes = 0x}, mask {length = 0, bytes = 0x},
active: 0, duplicates: 0, screen on: No Scan, screen off: No Scan, locked: 1, rssi: -90, peers: (
 ) nearby scan mode: 10, adv buf: 0, adverb mode: 4
default 19:04:59.744910-0400      bluetoothd      Removing scan request scan request of
type 16, blob: {length = 0, bytes = 0x}, mask {length = 0, bytes = 0x}, active: 0, duplicates: 0,
screen on: No Scan, screen off: No Scan, locked: 1, rssi: -90, peers: (
 ) nearby scan mode: 10, adv buf: 0, adverb mode: 4 for client F54B6626-2FF9-45D8-9EBD-
CB5313D9F4D5
default 19:04:59.744992-0400      UserEventAgent Initiating XPC Activity:
com.apple.cloudphotod.sync.discretionary-when-background
default 19:04:59.745255-0400      bluetoothd      Passively scanning for devices of types: 9
15 12 5 (Window: 30/Interval: 300)
default 19:04:59.745410-0400      bluetoothd      About to scan for type: 9 - rssi: -90 - range:
0 - payload: {length = 22, bytes = 0x00000000000000000000000000000000} -
mask: {length = 22, bytes = 0x00000000000000000000000000000000} - peers:
0
default 19:04:59.745665-0400      bluetoothd      About to scan for type: 15 - rssi: -70 -
range: 0 - payload: {length = 22, bytes =
0x00000000000000000000000000000000} - mask: {length = 22, bytes =
0x00000000000000000000000000000000} - peers: 0
default 19:04:59.745824-0400      bluetoothd      About to scan for type: 12 - rssi: -90 -
range: 0 - payload: {length = 22, bytes =
0x00000000000000000000000000000000} - mask: {length = 22, bytes =
0x00000000000000000000000000000000} - peers: 2
default 19:04:59.745955-0400      bluetoothd      About to scan for type: 5 - rssi: -80 - range:
0 - payload: {length = 22, bytes = 0x00000000000000000000000000000000} -
mask: {length = 22, bytes = 0x00000000000000000000000000000000} - peers:
0
default 19:04:59.746781-0400      cloudphotod     _xpc_activity_dispatch: beginning dispatch,
activity name <private>, seqno 1
default 19:04:59.746898-0400      bluetoothd      Scan options changed: 1
default 19:04:59.747874-0400      cloudphotod     _xpc_activity_dispatch: <private>; found a
activity with matching seqno 1
default 19:04:59.748101-0400      cloudphotod     _xpc_activity_dispatch: lower half, activity
name <private>, seqno from top half was 1
default 19:04:59.748543-0400      bluetoothd      Start scanning for process sharingd (403)
with scan request of type 16, blob: {length = 0, bytes = 0x}, mask {length = 0, bytes = 0x},
active: 0, duplicates: 1, screen on: 300, screen off: 300, locked: 1, rssi: -70, peers: (
 ) nearby scan mode: 10, adv buf: 0, adverb mode: 4
default 19:04:59.748544-0400      cloudphotod     _xpc_activity_set_state: <private>, 2
default 19:04:59.748637-0400      bluetoothd      Adding scan request called
default 19:04:59.748812-0400      bluetoothd      Adding scan request scan request of type
16, blob: {length = 22, bytes = 0x00000000000000000000000000000000},
mask {length = 22, bytes = 0x00000000000000000000000000000000}, active:
0, duplicates: 1, screen on: 300, screen off: 300, locked: 1, rssi: -70, peers: (
 ) nearby scan mode: 10, adv buf: 0, adverb mode: 4 for client F54B6626-2FF9-45D8-9EBD-
CB5313D9F4D5
default 19:04:59.749027-0400      bluetoothd      Passively scanning for devices of types: 9
15 16 12 5 (Window: 30/Interval: 300)
default 19:04:59.749299-0400      bluetoothd      About to scan for type: 9 - rssi: -90 - range:
0 - payload: {length = 22, bytes = 0x00000000000000000000000000000000} -
mask: {length = 22, bytes = 0x00000000000000000000000000000000} - peers:
0
```


default 19:04:59.749394-0400 bluetoothd About to scan for type: 15 - rssi: -70 - range: 0 - payload: {length = 22, bytes = 0x00} - mask: {length = 22, bytes = 0x00} - peers: 0
default 19:04:59.749485-0400 bluetoothd About to scan for type: 16 - rssi: -70 - range: 0 - payload: {length = 22, bytes = 0x00} - mask: {length = 22, bytes = 0x00} - peers: 0
default 19:04:59.749572-0400 bluetoothd About to scan for type: 12 - rssi: -90 - range: 0 - payload: {length = 22, bytes = 0x00} - mask: {length = 22, bytes = 0x00} - peers: 2
default 19:04:59.750307-0400 UserEventAgent Running XPC Activity (PID 2447):
<private>
default 19:04:59.749660-0400 bluetoothd About to scan for type: 5 - rssi: -80 - range: 0 - payload: {length = 22, bytes = 0x00} - mask: {length = 22, bytes = 0x00} - peers: 0
default 19:04:59.751008-0400 bluetoothd Scan options changed: 1
default 19:04:59.751878-0400 UserEventAgent STARTING: <private>
default 19:04:59.751941-0400 UserEventAgent Establish daemon connection;
interrupted: 0
default 19:04:59.752186-0400 cloudphotod __XPC_ACTIVITY_CALLING_HANDLER__: <private>, current state 2, pending state 0
default 19:04:59.752227-0400 cloudphotod Acquired activity with identifier com.apple.cloudphotod.sync.discretionary-when-background (took 0.085s)
default 19:04:59.752270-0400 cloudphotod _xpc_activity_set_state: <private>, 4
default 19:04:59.752598-0400 dasd STARTING activity
501:com.apple.cloudphotod.sync.discretionary-when-background:27D9A3 <private>!
default 19:04:59.752701-0400 dasd With <private> ...Tasks running in group [com.apple.dasd.defaultNetwork] are 1!
default 19:04:59.753756-0400 dasd 501:com.apple.cloudphotod.sync.discretionary-when-background:27D9A3:[
 {name: ApplicationPolicy, policyWeight: 25.000, response: {Decision: Can Proceed, Score: 0.01}}
 {name: DeviceActivityPolicy, policyWeight: 2.000, response: {Decision: Can Proceed, Score: 0.89}}
 {name: MemoryPressurePolicy, policyWeight: 5.000, response: {Decision: Can Proceed, Score: 0.50, Rationale: {[memoryPressure]: Required:2.00, Observed:1.00},}}
] sumScores:42.436029, denominator:69.910000, FinalDecision: Can Proceed FinalScore: 0.607009}
error 19:04:59.756968-0400 bluetoothd ScanManager: device doesn't exist for peer: 72EAE38E-B99A-4C86-BFAF-61DCBA30E824
default 19:04:59.758506-0400 cloudd [Operation 0x7fb4cecec1e0] Initialized with context 0x7fb4cef65d60. Background: 1, cellular: 0, QOS: 0x11
default 19:04:59.760826-0400 cloudd [Operation 0x7fb4cecec1e0] Starting operation
default 19:04:59.762887-0400 cloudd [Operation 0x7fb4cecec1e0] Request 0x7fb4cef36d10 set on operation
error 19:04:59.768158-0400 bluetoothd ScanManager: device doesn't exist for peer: 72EAE38E-B99A-4C86-BFAF-61DCBA30E824
default 19:04:59.768678-0400 cloudd [Request 0x7fb4cef36d10] Performing
default 19:04:59.769007-0400 cloudd [Request 0x7fb4cef36d10] Getting URL for the user partition
default 19:04:59.769139-0400 cloudd [Request 0x7fb4cef36d10] Getting configuration

default 19:04:59.769397-0400 IDs
default 19:04:59.769731-0400
default 19:04:59.770015-0400
default 19:04:59.770159-0400
Background=1, cellular=0
default 19:04:59.772722-0400
session <private> with identifier <private>
default 19:04:59.787312-0400
default 19:04:59.788072-0400
for bundle id: <private>
default 19:04:59.788198-0400
<private>
default 19:04:59.794905-0400
D426B97B1D78> is for <<private>>. <<private>> using resource timeout: 604800.000000, request timeout: 60.000000 allowsCellularAccess: 1, allowsExpensiveAccess: 1 [0]
_sourceApplicationBundleIdentifier: <private>, _sourceApplicationSecondaryIdentifier: (null)
default 19:04:59.795089-0400
<private> with identifier <private>
default 19:04:59.795300-0400
<087CE394-A8CE-497D-A0BC-D426B97B1D78>
default 19:04:59.797559-0400
F6AB5B00238B>.<1> dataTaskWithRequest: <private>
default 19:04:59.797947-0400
for <private> is discretionary (opt-in: 1)
default 19:04:59.798142-0400
F6AB5B00238B>.<1> is for <<private>>. <<private>>.<1>
default 19:04:59.798263-0400
F6AB5B00238B>.<1> enqueueing
default 19:04:59.798472-0400
addTask:<C2SessionTask: 0x7fb4cee94490>
withDescription:CKDFetchDatabaseChangesURLRequest
requestUUID:ABEA7936-69F2-4063-8C7C-4693BA156789 request:<NSMutableURLRequest: 0x7fb4cef6c2a0> { URL: https://gateway.icloud.com:443/ckdatabase/api/client/zone/sync }
default 19:04:59.798568-0400
setTask:BackgroundDataTask <1FB137E5-2786-4111-99A0-F6AB5B00238B>.<1>
default 19:04:59.798655-0400
(CKDFetchDatabaseChangesURLRequest
requestUUID:ABEA7936-69F2-4063-8C7C-4693BA156789). nsurlsessionCached (F).
configurationName
(route=gateway.icloud.com:outOfProcess=T:allowExpensive=F:powerNap=T:adaptive=T:app=com.apple.Photos:disc=T:duet=noBudgeting:retry=F:pool=com.apple.cloudkit.BackgroundConnectionPool).
default 19:04:59.798886-0400
F6AB5B00238B>.<1> resuming, QOS(0x11) Voucher <private>
default 19:04:59.798969-0400
default 19:04:59.799280-0400
[3532F49C-2FCC-47AC-8080-B99A177DE371] (reporting strategy default)>
default 19:04:59.799340-0400
[3532F49C-2FCC-47AC-8080-B99A177DE371] (reporting strategy default)> on Task
<1FB137E5-2786-4111-99A0-F6AB5B00238B>.<1> was not selected for reporting
default 19:04:59.799808-0400
F6AB5B00238B>.<1> resumeTaskWithIdentifier, props <private>

default 19:04:59.799844-0400 nsurlsessiond Task <1FB137E5-2786-4111-99A0-F6AB5B00238B>.<1> resuming, QOS(0x11)
 default 19:04:59.800010-0400 nsurlsessiond Task <1FB137E5-2786-4111-99A0-F6AB5B00238B>.<1> initialized appleIDAuthenticator, status codes = <private>
 default 19:04:59.800079-0400 nsurlsessiond Create activity <nw_activity [3532F49C-2FCC-47AC-8080-B99A177DE371] (lightweight)>
 default 19:04:59.800268-0400 nsurlsessiond Task <1FB137E5-2786-4111-99A0-F6AB5B00238B>.<1> resuming
 default 19:04:59.800318-0400 nsurlsessiond Task <1FB137E5-2786-4111-99A0-F6AB5B00238B>.<1> has not requested a begin delay
 default 19:04:59.800349-0400 nsurlsessiond Task <1FB137E5-2786-4111-99A0-F6AB5B00238B>.<1> skipping delayed request callback - delegate not implemented
 default 19:04:59.800384-0400 nsurlsessiond Task <1FB137E5-2786-4111-99A0-F6AB5B00238B>.<1> will begin
 default 19:04:59.800417-0400 nsurlsessiond Task <1FB137E5-2786-4111-99A0-F6AB5B00238B>.<1> resuming, QOS(0x11) Voucher <private>
 default 19:04:59.800482-0400 nsurlsessiond [Telemetry]: Activity <nw_activity 0:0 [3532F49C-2FCC-47AC-8080-B99A177DE371] (lightweight) (reporting strategy default)> on Task <1FB137E5-2786-4111-99A0-F6AB5B00238B>.<1> was not selected for reporting
 default 19:04:59.800884-0400 nsurlsessiond Task <1FB137E5-2786-4111-99A0-F6AB5B00238B>.<1> {strength 0, tls 4, ct 0, sub 0, sig 1, ciphers 0, bundle 1, builtin 0}
 default 19:04:59.801019-0400 nsurlsessiond Connection 0: working for activity <private>
 default 19:04:59.801975-0400 nsurlsessiond Connection 40: enabling TLS
 default 19:04:59.802006-0400 nsurlsessiond CCDS: requirements <private>
 DASActivityProperties <private>
 default 19:04:59.802057-0400 nsurlsessiond activity [0x7fe887722600]: poolPriority 650
 default 19:04:59.802124-0400 nsurlsessiond activity [0x7fe887722600] <private>
 submitted to pool <private>
 default 19:04:59.802412-0400 nsurlsessiond SUBMITTING: <private>
 default 19:04:59.802459-0400 nsurlsessiond Connection 40: submitted
 activity(0x7fe887722600)
 default 19:04:59.802664-0400 nsurlsessiond Task <1FB137E5-2786-4111-99A0-F6AB5B00238B>.<1> setting up Connection 40
 default 19:04:59.802746-0400 nsurlsessiond [C40] Starting activity <nw_activity 0:0 [3532F49C-2FCC-47AC-8080-B99A177DE371] (lightweight) (reporting strategy default)>
 default 19:04:59.802794-0400 nsurlsessiond STARTING: <private>
 default 19:04:59.802845-0400 nsurlsessiond Connection 40: activity(0x7fe887722600)
 start handler called
 default 19:04:59.802884-0400 nsurlsessiond Connection 40: starting, TC(0x64)
 default 19:04:59.802931-0400 nsurlsessiond [C40 098C14E7-FFE9-4FE9-BBBD-756C2535094B Hostname#7a8acbf8:443 tcp, bundle id: com.apple.Photos, url hash: 1369462a, traffic class: 100, expected workload: 1000, tls, indefinite, no expensive, no cellular]
 start
 default 19:04:59.803505-0400 nsurlsessiond
 nw_connection_report_state_with_handler_on_nw_queue [C40] reporting state preparing
 default 19:04:59.805177-0400 mDNSResponder [R3731]
 DNSServiceCreateDelegateConnection START PID[359](<private>)
 default 19:04:59.805216-0400 mDNSResponder [R3731]
 DNSServiceCreateDelegateConnection START PID[359](nsurlsessiond)
 default 19:04:59.805460-0400 mDNSResponder [R3732]
 DNSServiceGetAddrInfo(E808D000, 0, 0, <private>) START PID[0]0
 default 19:04:59.805525-0400 mDNSResponder [R3732->Q27909]
 GetServerForQuestion: 0x7fa2a4838c00 DNS server (0x7fa2a4708ab0) <private>:53 (Penalty Time Left 0) (Scope None:0x0:-1) for <private> (AAAA)

default 19:04:59.805600-0400 mDNSResponder [R3732->Q33100]
GetServerForQuestion: 0x7fa2a4839200 DNS server (0x7fa2a4708ab0) <private>:53 (Penalty Time Left 0) (Scope None:0x0:-1) for <private> (Addr)
default 19:04:59.805900-0400 mDNSResponder [R3732->Q27909]
DNSServiceGetAddrInfo(<private>, AAAA) RESULT ADD interface 0: (immortal)<private>
default 19:04:59.805923-0400 mDNSResponder [R3732->Q27909]
AnswerQuestionByFollowingCNAME: 0x7fa2a4838c00 <private> (AAAA) following CNAME referral 0 for <private>
default 19:04:59.805954-0400 mDNSResponder [R3732->Q33314]
GetServerForQuestion: 0x7fa2a4838c00 DNS server (0x7fa2a4708ab0) <private>:53 (Penalty Time Left 0) (Scope None:0x0:-1) for <private> (AAAA)
default 19:04:59.805990-0400 mDNSResponder [R3732->Q33100]
DNSServiceGetAddrInfo(<private>, Addr) RESULT ADD interface 0: (immortal)<private>
default 19:04:59.806005-0400 mDNSResponder [R3732->Q33100]
AnswerQuestionByFollowingCNAME: 0x7fa2a4839200 <private> (Addr) following CNAME referral 0 for <private>
default 19:04:59.806022-0400 mDNSResponder [R3732->Q25560]
GetServerForQuestion: 0x7fa2a4839200 DNS server (0x7fa2a4708ab0) <private>:53 (Penalty Time Left 0) (Scope None:0x0:-1) for <private> (Addr)
default 19:04:59.806168-0400 mDNSResponder [R3732->Q33314]
DNSServiceGetAddrInfo(<private>, AAAA) RESULT ADD interface 0: (ghost)<private>
default 19:04:59.806216-0400 mDNSResponder [R3732->Q33314]
DNSServiceGetAddrInfo(<private>, AAAA) RESULT ADD interface 0: (ghost)<private>
default 19:04:59.806269-0400 mDNSResponder [R3732->Q33314]
DNSServiceGetAddrInfo(<private>, AAAA) RESULT ADD interface 0: (ghost)<private>
default 19:04:59.806322-0400 mDNSResponder [R3732->Q33314]
DNSServiceGetAddrInfo(<private>, AAAA) RESULT ADD interface 0: (ghost)<private>
default 19:04:59.806372-0400 mDNSResponder [R3732->Q33314]
DNSServiceGetAddrInfo(<private>, AAAA) RESULT ADD interface 0: (ghost)<private>
default 19:04:59.806422-0400 mDNSResponder [R3732->Q33314]
DNSServiceGetAddrInfo(<private>, AAAA) RESULT ADD interface 0: (ghost)<private>
default 19:04:59.806479-0400 mDNSResponder [R3732->Q33314]
DNSServiceGetAddrInfo(<private>, AAAA) RESULT ADD interface 0: (ghost)<private>
default 19:04:59.806548-0400 mDNSResponder [R3732->Q33314]
DNSServiceGetAddrInfo(<private>, AAAA) RESULT ADD interface 0: (ghost)<private>
default 19:04:59.806612-0400 mDNSResponder [R3732->Q33314]
AnswerNewQuestion: Restarting original question 0x7fa2a4838c00 firstExpiredQname <private> for allowExpiredAnswers question
default 19:04:59.806651-0400 mDNSResponder [R3732->Q47238]
GetServerForQuestion: 0x7fa2a4838c00 DNS server (0x7fa2a4708ab0) <private>:53 (Penalty Time Left 0) (Scope None:0x0:-1) for <private> (AAAA)
default 19:04:59.806708-0400 mDNSResponder [R3732->Q25560]
DNSServiceGetAddrInfo(<private>, Addr) RESULT ADD interface 0: (ghost)<private>
default 19:04:59.806754-0400 mDNSResponder [R3732->Q25560]
DNSServiceGetAddrInfo(<private>, Addr) RESULT ADD interface 0: (ghost)<private>
default 19:04:59.806791-0400 mDNSResponder [R3732->Q25560]
DNSServiceGetAddrInfo(<private>, Addr) RESULT ADD interface 0: (ghost)<private>
default 19:04:59.806835-0400 mDNSResponder [R3732->Q25560]
DNSServiceGetAddrInfo(<private>, Addr) RESULT ADD interface 0: (ghost)<private>
default 19:04:59.806890-0400 mDNSResponder [R3732->Q25560]
DNSServiceGetAddrInfo(<private>, Addr) RESULT ADD interface 0: (ghost)<private>
default 19:04:59.806936-0400 mDNSResponder [R3732->Q25560]
DNSServiceGetAddrInfo(<private>, Addr) RESULT ADD interface 0: (ghost)<private>

default 19:04:59.806989-0400 mDNSResponder [R3732->Q25560]
 DNSServiceGetAddrInfo(<private>, Addr) RESULT ADD interface 0: (ghost)<private>
 default 19:04:59.807019-0400 mDNSResponder [R3732->Q25560]
 DNSServiceGetAddrInfo(<private>, Addr) RESULT ADD interface 0: (ghost)<private>
 default 19:04:59.807060-0400 mDNSResponder [R3732->Q25560]
 AnswerNewQuestion: Restarting original question 0x7fa2a4839200 firstExpiredQname
 <private> for allowExpiredAnswers question
 default 19:04:59.807105-0400 mDNSResponder [R3732->Q50032]
 GetServerForQuestion: 0x7fa2a4839200 DNS server (0x7fa2a4708ab0) <private>:53 (Penalty
 Time Left 0) (Scope None:0x0:-1) for <private> (Addr)
 default 19:04:59.807356-0400 mDNSResponder [Q47238] Sent UDP DNS Message
 42 bytes from <private>:58279 to <private>:53 via en0 (0x5)
 default 19:04:59.807387-0400 mDNSResponder [Q47238] DNS Query (42) (flags
 0100) RCODE: NoErr (0) RD:<private> 0/0/0 <private>
 default 19:04:59.807514-0400 mDNSResponder [Q50032] Sent UDP DNS Message
 42 bytes from <private>:58298 to <private>:53 via en0 (0x5)
 default 19:04:59.807566-0400 mDNSResponder [Q50032] DNS Query (42) (flags
 0100) RCODE: NoErr (0) RD:<private> 0/0/0 <private>
 default 19:04:59.832144-0400 mDNSResponder [Q47238] Received UDP DNS
 Message 266 bytes from <private>:53 to <private>:58279 via en0 (0x5)
 default 19:04:59.832243-0400 mDNSResponder [Q47238] DNS Response (266) (flags
 8180) RCODE: NoErr (0) RD RA:<private> 8/0/0 <private>
 default 19:04:59.832439-0400 mDNSResponder [R3732->Q47238]
 DNSServiceGetAddrInfo(<private>, AAAA) RESULT ADD interface 0: (immortal)<private>
 default 19:04:59.832540-0400 mDNSResponder [R3732->Q47238]
 DNSServiceGetAddrInfo(<private>, AAAA) RESULT ADD interface 0: (immortal)<private>
 default 19:04:59.832617-0400 mDNSResponder [R3732->Q47238]
 DNSServiceGetAddrInfo(<private>, AAAA) RESULT ADD interface 0: (immortal)<private>
 default 19:04:59.832736-0400 mDNSResponder [R3732->Q47238]
 DNSServiceGetAddrInfo(<private>, AAAA) RESULT ADD interface 0: (immortal)<private>
 default 19:04:59.832839-0400 mDNSResponder [R3732->Q47238]
 DNSServiceGetAddrInfo(<private>, AAAA) RESULT ADD interface 0: (immortal)<private>
 default 19:04:59.832984-0400 mDNSResponder [R3732->Q47238]
 DNSServiceGetAddrInfo(<private>, AAAA) RESULT ADD interface 0: (immortal)<private>
 default 19:04:59.833080-0400 mDNSResponder [R3732->Q47238]
 DNSServiceGetAddrInfo(<private>, AAAA) RESULT ADD interface 0: (immortal)<private>
 default 19:04:59.833156-0400 mDNSResponder [R3732->Q47238]
 DNSServiceGetAddrInfo(<private>, AAAA) RESULT ADD interface 0: (immortal)<private>
 default 19:04:59.833326-0400 mDNSResponder [Q50032] Received UDP DNS
 Message 170 bytes from <private>:53 to <private>:58298 via en0 (0x5)
 default 19:04:59.833410-0400 mDNSResponder [Q50032] DNS Response (170) (flags
 8180) RCODE: NoErr (0) RD RA:<private> 8/0/0 <private>
 default 19:04:59.833513-0400 mDNSResponder mDNSCoreReceiveCacheCheck:
 rescuing RR <private>
 default 19:04:59.833679-0400 mDNSResponder [R3732->Q50032]
 DNSServiceGetAddrInfo(<private>, Addr) RESULT ADD interface 0: (immortal)<private>
 default 19:04:59.833761-0400 mDNSResponder [R3732->Q50032]
 DNSServiceGetAddrInfo(<private>, Addr) RESULT ADD interface 0: (immortal)<private>
 default 19:04:59.833969-0400 mDNSResponder [R3732->Q50032]
 DNSServiceGetAddrInfo(<private>, Addr) RESULT ADD interface 0: (immortal)<private>
 default 19:04:59.834088-0400 mDNSResponder [R3732->Q50032]
 DNSServiceGetAddrInfo(<private>, Addr) RESULT ADD interface 0: (immortal)<private>
 default 19:04:59.834404-0400 mDNSResponder [R3732->Q50032]
 DNSServiceGetAddrInfo(<private>, Addr) RESULT ADD interface 0: (immortal)<private>

```

default 19:04:59.834613-0400      mDNSResponder      [R3732->Q50032]
DNSServiceGetAddrInfo(<private>, Addr) RESULT ADD interface 0: (immortal)<private>
default 19:04:59.834933-0400      mDNSResponder      [R3732->Q50032]
DNSServiceGetAddrInfo(<private>, Addr) RESULT ADD interface 0: (immortal)<private>
default 19:04:59.835066-0400      mDNSResponder      [R3732->Q50032]
DNSServiceGetAddrInfo(<private>, Addr) RESULT ADD interface 0: (immortal)<private>
default 19:04:59.852022-0400      mDNSResponder      [R3731]
DNSServiceCreateConnection STOP PID[359](nsurlsessiond)
default 19:04:59.852083-0400      mDNSResponder      [R3732]
DNSServiceGetAddrInfo(<private>) STOP PID[0]()
default 19:04:59.865540-0400      nsurlsessiond      nw_socket_handle_socket_event [C40.1:3]
Socket received CONNECTED event
default 19:04:59.865850-0400      nsurlsessiond      nw_flow_connected [C40.1
IPv6#9f487cac.443 in_progress socket-flow (satisfied (Path is satisfied), interface: en0, ipv4,
ipv6, dns)] Transport protocol connected
default 19:04:59.868267-0400      nsurlsessiond
boringssl_context_set_handshake_config(1471) [0x7fe88747c8b0] set
tls_handshake_config_standard
default 19:04:59.868395-0400      nsurlsessiond      boringssl_context_set_min_version(324)
[0x7fe88747c8b0] set 0x0301
default 19:04:59.868510-0400      nsurlsessiond      boringssl_context_set_max_version(308)
[0x7fe88747c8b0] set 0x0304
default 19:04:59.868674-0400      nsurlsessiond      boringssl_context_set_cipher_suites(843)
[0x7fe88747c8b0] Ciphersuite string:
TLS_AES_128_GCM_SHA256:TLS_AES_256_GCM_SHA384:TLS_CHACHA20_POLY1305_SH
A256:ECDHE-ECDSA-AES256-GCM-SHA384:ECDHE-ECDSA-AES128-GCM-
SHA256:ECDHE-ECDSA-AES256-SHA384:ECDHE-ECDSA-AES128-SHA256:ECDHE-ECDSA-
AES256-SHA:ECDHE-ECDSA-AES128-SHA:ECDHE-ECDSA-CHACHA20-POLY1305:ECDHE-
RSA-AES256-GCM-SHA384:ECDHE-RSA-AES128-GCM-SHA256:ECDHE-RSA-AES256-
SHA384:ECDHE-RSA-AES128-SHA256:ECDHE-RSA-AES256-SHA:ECDHE-RSA-AES128-
SHA:ECDHE-RSA-CHACHA20-POLY1305:AES256-GCM-SHA384:AES128-GCM-
SHA256:AES256-SHA256:AES128-SHA256:AES256-SHA:AES128-SHA:ECDHE-ECDSA-
AES128-SHA:ECDHE-ECDSA-AES256-SHA:ECDHE-RSA-AES128-SHA:ECDHE-RSA-AES256-
SHA:AES256-SHA:AES128-SHA:ECDHE-ECDSA-DES-CBC3-SHA:ECDHE-RSA-DES-CBC3-
SHA:DES-CBC3-SHA
default 19:04:59.868840-0400      nsurlsessiond
boringssl_context_set_remote_address(2551) [0x7fe88747c8b0] Saving remote IPv6 address
default 19:04:59.868942-0400      nsurlsessiond
boringssl_session_install_association_state(1262) [0x7fe88747c8b0] Client session cache miss
default 19:04:59.869071-0400      nsurlsessiond
boringssl_session_set_peer_hostname(1154) [0x7fe88747c8b0] SNI <private>
default 19:04:59.869209-0400      nsurlsessiond      boringssl_context_set_min_version(324)
[C40.1:2][0x7fe88747c8b0] set 0x0301
default 19:04:59.869333-0400      nsurlsessiond      boringssl_context_set_fallback(374)
[C40.1:2][0x7fe88747c8b0] set false
default 19:04:59.869466-0400      nsurlsessiond
boringssl_context_set_session_ticket_enabled(440) [C40.1:2][0x7fe88747c8b0] set false
default 19:04:59.869594-0400      nsurlsessiond      boringssl_context_set_false_start(410)
[C40.1:2][0x7fe88747c8b0] set false
default 19:04:59.869762-0400      nsurlsessiond      boringssl_context_set_enforce_ev(400)
[C40.1:2][0x7fe88747c8b0] set false
default 19:04:59.869851-0400      nsurlsessiond      boringssl_context_set_ats_enforced(1285)
[C40.1:2][0x7fe88747c8b0] set false

```

default 19:04:59.869930-0400 nsurlesessiond
boringssl_context_set_at minimum_rsa_key_size(1294) [C40.1:2][0x7fe88747c8b0] set 0
default 19:04:59.870040-0400 nsurlesessiond
boringssl_context_set_at minimum_ecdsa_key_size(1303) [C40.1:2][0x7fe88747c8b0] set 0
default 19:04:59.870160-0400 nsurlesessiond
boringssl_context_set_at minimum_signature_algorithm(1313) [C40.1:2][0x7fe88747c8b0] set 0
default 19:04:59.870215-0400 nsurlesessiond
boringssl_session_set_peer_hostname(1154) [C40.1:2][0x7fe88747c8b0] SNI <private>
default 19:04:59.870290-0400 nsurlesessiond boringssl_context_set_cipher_suites(843)
[C40.1:2][0x7fe88747c8b0] Ciphersuite string:
TLS_AES_128_GCM_SHA256:TLS_AES_256_GCM_SHA384:TLS_CHACHA20_POLY1305_SHA256:ECDHE-ECDSA-AES256-GCM-SHA384:ECDHE-ECDSA-AES128-GCM-SHA256:ECDHE-ECDSA-AES256-SHA384:ECDHE-ECDSA-AES128-SHA256:ECDHE-ECDSA-AES256-SHA:ECDHE-ECDSA-AES128-SHA:ECDHE-ECDSA-CHACHA20-POLY1305:ECDHE-RSA-AES256-GCM-SHA384:ECDHE-RSA-AES128-GCM-SHA256:ECDHE-RSA-AES256-SHA384:ECDHE-RSA-AES128-SHA256:ECDHE-RSA-AES256-SHA:ECDHE-RSA-AES128-SHA:ECDHE-RSA-CHACHA20-POLY1305:AES256-GCM-SHA384:AES128-GCM-SHA256:AES256-SHA256:AES128-SHA256:AES256-SHA:AES128-SHA:ECDHE-ECDSA-AES128-SHA:ECDHE-ECDSA-AES256-SHA:ECDHE-RSA-AES128-SHA:ECDHE-RSA-AES256-SHA:AES256-SHA:AES128-SHA:ECDHE-ECDSA-DES-CBC3-SHA:ECDHE-RSA-DES-CBC3-SHA:DES-CBC3-SHA
default 19:04:59.870466-0400 nsurlesessiond
nw_protocol_boringssl_begin_connection(497) [C40.1:2][0x7fe88747c8b0] early data disabled
default 19:04:59.870529-0400 nsurlesessiond boringssl_context_info_handler(1970)
[C40.1:2][0x7fe88747c8b0] Client handshake started
default 19:04:59.870723-0400 nsurlesessiond boringssl_context_message_handler(2258)
[C40.1:2][0x7fe88747c8b0] Writing SSL3_RT_HANDSHAKE 512 bytes
default 19:04:59.870780-0400 nsurlesessiond boringssl_context_info_handler(1983)
[C40.1:2][0x7fe88747c8b0] Client handshake state: TLS client enter_early_data
default 19:04:59.870835-0400 nsurlesessiond
boringssl_context_add_handshake_message_pending(578) [C40.1:2][0x7fe88747c8b0] Adding message(1)
default 19:04:59.870954-0400 nsurlesessiond boringssl_context_info_handler(1983)
[C40.1:2][0x7fe88747c8b0] Client handshake state: TLS client read_server_hello
default 19:04:59.871009-0400 nsurlesessiond
boringssl_context_add_handshake_message_pending(578) [C40.1:2][0x7fe88747c8b0] Adding message(2)
default 19:04:59.871079-0400 nsurlesessiond
boringssl_session_handshake_incomplete(170) [C40.1:2][0x7fe88747c8b0] Handshake incomplete: waiting for data to read [2]
default 19:04:59.871140-0400 nsurlesessiond
boringssl_session_handshake_incomplete(170) [C40.1:2][0x7fe88747c8b0] Handshake incomplete: waiting for data to read [2]
default 19:04:59.917193-0400 nsurlesessiond boringssl_context_message_handler(2258)
[C40.1:2][0x7fe88747c8b0] Reading SSL3_RT_HANDSHAKE 122 bytes
default 19:04:59.917298-0400 nsurlesessiond boringssl_context_info_handler(1983)
[C40.1:2][0x7fe88747c8b0] Client handshake state: TLS 1.3 client read_hello_retry_request
default 19:04:59.917365-0400 nsurlesessiond
boringssl_context_add_handshake_message_pending(578) [C40.1:2][0x7fe88747c8b0] Adding message(2)
default 19:04:59.917489-0400 nsurlesessiond boringssl_context_message_handler(2258)
[C40.1:2][0x7fe88747c8b0] Writing SSL3_RT_CHANGE_CIPHER_SPEC 1 bytes

default 19:04:59.917596-0400 nsurldata boringssl_context_info_handler(1983)
 [C40.1:2][0x7fe88747c8b0] Client handshake state: TLS 1.3 client read_server_hello
 default 19:04:59.918085-0400 nsurldata boringssl_context_info_handler(1983)
 [C40.1:2][0x7fe88747c8b0] Client handshake state: TLS 1.3 client read_encrypted_extensions
 default 19:04:59.918159-0400 nsurldata boringssl_context_message_handler(2258)
 [C40.1:2][0x7fe88747c8b0] Reading SSL3_RT_HANDSHAKE 19 bytes
 default 19:04:59.918216-0400 nsurldata boringssl_context_info_handler(1983)
 [C40.1:2][0x7fe88747c8b0] Client handshake state: TLS 1.3 client read_certificate_request
 default 19:04:59.918293-0400 nsurldata
 boringssl_session_handshake_incomplete(170) [C40.1:2][0x7fe88747c8b0] Handshake
 incomplete: waiting for data to read [2]
 default 19:04:59.920034-0400 nsurldata
 boringssl_session_handshake_incomplete(170) [C40.1:2][0x7fe88747c8b0] Handshake
 incomplete: waiting for data to read [2]
 default 19:04:59.922209-0400 nsurldata boringssl_context_message_handler(2258)
 [C40.1:2][0x7fe88747c8b0] Reading SSL3_RT_HANDSHAKE 5881 bytes
 default 19:04:59.922277-0400 nsurldata boringssl_context_info_handler(1983)
 [C40.1:2][0x7fe88747c8b0] Client handshake state: TLS 1.3 client read_server_certificate
 default 19:04:59.922409-0400 nsurldata boringssl_context_info_handler(1983)
 [C40.1:2][0x7fe88747c8b0] Client handshake state: TLS 1.3 client read_server_certificate_verify
 default 19:04:59.922511-0400 nsurldata boringssl_context_message_handler(2258)
 [C40.1:2][0x7fe88747c8b0] Reading SSL3_RT_HANDSHAKE 79 bytes
 default 19:04:59.922702-0400 nsurldata boringssl_context_copy_peer_sct_list(1003)
 [C40.1:2][0x7fe88747c8b0] SSL_get0_signed_cert_timestamp_list returned no SCT extension
 data
 default 19:04:59.922970-0400 nsurldata
 boringssl_helper_create_sec_trust_with_certificates(607) [C40.1:2][0x7fe88747c8b0]
 SecTrustCreateWithCertificates result: 0
 default 19:04:59.923029-0400 nsurldata
 boringssl_helper_create_sec_trust_with_certificates(612) [C40.1:2][0x7fe88747c8b0]
 SecTrustSetOCSPResponse result: 0
 default 19:04:59.923075-0400 nsurldata
 boringssl_helper_create_sec_trust_with_certificates(621) [C40.1:2][0x7fe88747c8b0] No TLS-
 provided SCTs
 default 19:04:59.925055-0400 nsurldata
 boringssl_context_certificate_verify_callback(2071) [C40.1:2][0x7fe88747c8b0] Asyncing for
 verify block
 default 19:04:59.925131-0400 nsurldata
 boringssl_session_handshake_incomplete(170) [C40.1:2][0x7fe88747c8b0] Handshake
 incomplete: certificate evaluation result pending [16]
 default 19:04:59.925208-0400 nsurldata Connection 40: asked to evaluate TLS Trust
 default 19:04:59.925692-0400 nsurldata Task <1FB137E5-2786-4111-99A0-
 F6AB5B00238B>.<1> didReceiveChallenge: <private> protection space: <private> for client
 <private> received auth challenge with type NSURLAuthenticationMethodServerTrust
 default 19:04:59.925774-0400 nsurldata Task <1FB137E5-2786-4111-99A0-
 F6AB5B00238B>.<1> client doesn't implement session-level or task-level auth challenge
 delegate, performing default handling for auth challenge
 default 19:04:59.925836-0400 nsurldata Task <1FB137E5-2786-4111-99A0-
 F6AB5B00238B>.<1> auth completion disp=1 cred=0x0
 default 19:04:59.944650-0400 trustd OCSPResponse: single response has extension(s).
 default 19:04:59.945703-0400 trustd ocsponder: (null) did not include status of
 requested cert
 default 19:04:59.947132-0400 trustd cert[0]: AnchorApple =(path)]> 0
 default 19:04:59.949234-0400 trustd OCSPResponse: single response has extension(s).

default 19:04:59.952305-0400 trustd cert[0]: AnchorApple =(path)]> 0
default 19:04:59.952367-0400 trustd cert[0]: IntermediateMarkerOid =(path)[force]> 0
default 19:04:59.955792-0400 nsurlsessiond Connection 40: TLS Trust result 0
default 19:04:59.955915-0400 nsurlsessiond
boringssl_context_certificate_verify_callback_block_invoke_3(2080) [C40.1:2][0x7fe88747c8b0]
Returning from verify block
default 19:04:59.956021-0400 nsurlsessiond
boringssl_context_certificate_verify_callback(2047) [C40.1:2][0x7fe88747c8b0] Setting trust
result to ssl_verify_ok
default 19:04:59.956438-0400 nsurlsessiond boringssl_context_info_handler(1983)
[C40.1:2][0x7fe88747c8b0] Client handshake state: TLS 1.3 client read_server_finished
default 19:04:59.956478-0400 nsurlsessiond boringssl_context_message_handler(2258)
[C40.1:2][0x7fe88747c8b0] Reading SSL3_RT_HANDSHAKE 36 bytes
default 19:04:59.956523-0400 nsurlsessiond boringssl_context_info_handler(1983)
[C40.1:2][0x7fe88747c8b0] Client handshake state: TLS 1.3 client send_end_of_early_data
default 19:04:59.956569-0400 nsurlsessiond boringssl_context_info_handler(1983)
[C40.1:2][0x7fe88747c8b0] Client handshake state: TLS 1.3 client send_client_certificate
default 19:04:59.956635-0400 nsurlsessiond boringssl_context_info_handler(1983)
[C40.1:2][0x7fe88747c8b0] Client handshake state: TLS 1.3 client complete_second_flight
default 19:04:59.956687-0400 nsurlsessiond boringssl_context_message_handler(2258)
[C40.1:2][0x7fe88747c8b0] Writing SSL3_RT_HANDSHAKE 36 bytes
default 19:04:59.956752-0400 nsurlsessiond boringssl_context_info_handler(1983)
[C40.1:2][0x7fe88747c8b0] Client handshake state: TLS 1.3 client done
default 19:04:59.956849-0400 nsurlsessiond boringssl_context_info_handler(1983)
[C40.1:2][0x7fe88747c8b0] Client handshake state: TLS client finish_client_handshake
default 19:04:59.956892-0400 nsurlsessiond boringssl_context_info_handler(1983)
[C40.1:2][0x7fe88747c8b0] Client handshake state: TLS client done
default 19:04:59.957010-0400 nsurlsessiond boringssl_context_copy_peer_sct_list(1003)
[C40.1:2][0x7fe88747c8b0] SSL_get0_signed_cert_timestamp_list returned no SCT extension
data
default 19:04:59.957154-0400 nsurlsessiond
boringssl_helper_create_sec_trust_with_certificates(607) [C40.1:2][0x7fe88747c8b0]
SecTrustCreateWithCertificates result: 0
default 19:04:59.957184-0400 nsurlsessiond
boringssl_helper_create_sec_trust_with_certificates(612) [C40.1:2][0x7fe88747c8b0]
SecTrustSetOCSPResponse result: 0
default 19:04:59.957221-0400 nsurlsessiond
boringssl_helper_create_sec_trust_with_certificates(621) [C40.1:2][0x7fe88747c8b0] No TLS-
provided SCTs
default 19:04:59.957369-0400 nsurlsessiond
boringssl_context_add_handshake_message_pending(578) [C40.1:2][0x7fe88747c8b0] Adding
message(20)
default 19:04:59.957405-0400 nsurlsessiond boringssl_context_info_handler(1974)
[C40.1:2][0x7fe88747c8b0] Client handshake done
default 19:04:59.957448-0400 nsurlsessiond
nw_protocol_boringssl_signal_connected(701) [C40.1:2][0x7fe88747c8b0] TLS connected
[version(0x0304) ciphersuite(0x1301) group(0x001d) peer_key(0x0403) alpn(h2) resumed(0)
offered_ticket(0) false_started(0) ocsf(0) sct(0)]
default 19:04:59.958398-0400 nsurlsessiond nw_flow_connected [C40.1
IPv6#9f487cac.443 in_progress socket-flow (satisfied (Path is satisfied), interface: en0, ipv4,
ipv6, dns)] Output protocol connected
default 19:04:59.958740-0400 nsurlsessiond
nw_connection_report_state_with_handler_on_nw_queue [C40] reporting state ready
default 19:04:59.958934-0400 nsurlsessiond Connection 40: connected successfully

default 19:04:59.959136-0400 = 0 kernel PMRD: setAggressiveness(0) kPMMinutesToSleep

default 19:04:59.959516-0400 nsurlsessiond Task <1FB137E5-2786-4111-99A0-F6AB5B00238B>.<1> TAKING power assertion.

default 19:04:59.959616-0400 = 0 kernel PMRD: setAggressiveness(0) kPMMinutesToSleep

default 19:04:59.959692-0400 nsurlsessiond Connection 40: TLS handshake complete

default 19:04:59.959845-0400 nsurlsessiond Connection 40: ready C(N) E(N)

default 19:04:59.959949-0400 nsurlsessiond [C40] Ending activity <nw_activity 0:0 [3532F49C-2FCC-47AC-8080-B99A177DE371] (lightweight) (reporting strategy default)>

default 19:04:59.960136-0400 nsurlsessiond new connection to <private> config 0x7fe887704fc0

default 19:04:59.960247-0400 nsurlsessiond Connection 40: working for activity <private>

default 19:04:59.960298-0400 nsurlsessiond Connection 40: working for activity <private>

default 19:04:59.960374-0400 nsurlsessiond Connection 40: received viability advisory(Y)

default 19:04:59.960474-0400 nsurlsessiond Task <1FB137E5-2786-4111-99A0-F6AB5B00238B>.<1> for client <private> _willSendRequestForEstablishedConnection

default 19:04:59.960532-0400 nsurlsessiond Task <1FB137E5-2786-4111-99A0-F6AB5B00238B>.<1> performing will send request callback, request <private>

default 19:04:59.961231-0400 cloudd [Request 0x7fb4cef36d10] requestForEstablishedConnection

default 19:04:59.962637-0400 nsurlsessiond Task <1FB137E5-2786-4111-99A0-F6AB5B00238B>.<1> client responded to will send request callback with request <private> handle <private>

default 19:04:59.962687-0400 nsurlsessiond Created stream with file descriptor: 8

default 19:04:59.962974-0400 nsurlsessiond Task <1FB137E5-2786-4111-99A0-F6AB5B00238B>.<1> background authenticator getting headers for (null) codes <private>

default 19:04:59.963052-0400 nsurlsessiond Task <1FB137E5-2786-4111-99A0-F6AB5B00238B>.<1> getAuthHeadersForResponse for <private> _sendsLaunchEvents=N [_clientApplication supportsWakes]=N

default 19:04:59.963216-0400 cloudd BackgroundDataTask <1FB137E5-2786-4111-99A0-F6AB5B00238B>.<1> getting auth headers for session <private> with identifier <private> outstanding auth tasks <private>

default 19:04:59.963258-0400 cloudd Task <1FB137E5-2786-4111-99A0-F6AB5B00238B>.<1> local authenticator getting headers for (null) codes <private>

default 19:04:59.963305-0400 cloudd Task <1FB137E5-2786-4111-99A0-F6AB5B00238B>.<1> local authenticator will provide headers or request

default 19:04:59.982908-0400 cloudd Task <1FB137E5-2786-4111-99A0-F6AB5B00238B>.<1> authenticator finished cont 1 req (null) headers <private>

default 19:04:59.983014-0400 cloudd BackgroundDataTask <1FB137E5-2786-4111-99A0-F6AB5B00238B>.<1> finished getting auth headers for session <private> with identifier <private>

default 19:04:59.983228-0400 nsurlsessiond Task <1FB137E5-2786-4111-99A0-F6AB5B00238B>.<1> received auth headers for response, continueLoad: 1 authHeaders <private> newRequest (null)

default 19:04:59.983287-0400 nsurlsessiond Task <1FB137E5-2786-4111-99A0-F6AB5B00238B>.<1> authenticator finished cont 1 req (null) headers <private>

default 19:04:59.983378-0400 nsurlsessiond Task <1FB137E5-2786-4111-99A0-F6AB5B00238B>.<1> protocol received continueLoad=1, headers=<private> req=(null)

default 19:04:59.983551-0400 nsurlsessiond Task <1FB137E5-2786-4111-99A0-F6AB5B00238B>.<1> {strength 0, tls 4, ct 0, sub 0, sig 1, ciphers 0, bundle 1, builtin 0}

default 19:04:59.983736-0400 nsurlsessiond Connection 40: working for activity
<private>

default 19:04:59.983818-0400 nsurlsessiond Connection 40: working for activity
<private>

default 19:04:59.984064-0400 nsurlsessiond Task <1FB137E5-2786-4111-99A0-F6AB5B00238B>.<1> now using Connection 40

default 19:04:59.984272-0400 nsurlsessiond [C40] Starting activity <nw_activity 0:0 [3532F49C-2FCC-47AC-8080-B99A177DE371] (lightweight) (reporting strategy default)>

default 19:04:59.985173-0400 nsurlsessiond Task <1FB137E5-2786-4111-99A0-F6AB5B00238B>.<1> sent request, body S 317

default 19:04:59.998414-0400 nsurlsessiond boringssl_context_message_handler(2258) [C40.1:2][0x7fe88747c8b0] Reading SSL3_RT_HANDSHAKE 249 bytes

default 19:04:59.998548-0400 nsurlsessiond boringssl_context_new_session_handler(1117) [C40.1:2][0x7fe88747c8b0] New session available

default 19:04:59.998776-0400 nsurlsessiond boringssl_context_message_handler(2258) [C40.1:2][0x7fe88747c8b0] Reading SSL3_RT_HANDSHAKE 249 bytes

default 19:04:59.998933-0400 nsurlsessiond boringssl_context_new_session_handler(1117) [C40.1:2][0x7fe88747c8b0] New session available

default 19:05:00.063425-0400 nsurlsessiond Task <1FB137E5-2786-4111-99A0-F6AB5B00238B>.<1> received response, status 200 content U

default 19:05:00.063532-0400 nsurlsessiond Task <1FB137E5-2786-4111-99A0-F6AB5B00238B>.<1> done using Connection 40

default 19:05:00.063725-0400 nsurlsessiond [C40] Ending activity <nw_activity 0:0 [3532F49C-2FCC-47AC-8080-B99A177DE371] (lightweight) (reporting strategy default)>

default 19:05:00.064316-0400 nsurlsessiond Task <1FB137E5-2786-4111-99A0-F6AB5B00238B>.<1> response ended

default 19:05:00.064506-0400 nsurlsessiond Task <1FB137E5-2786-4111-99A0-F6AB5B00238B>.<1> didReceiveResponse: <private>, status code: 200

default 19:05:00.064817-0400 nsurlsessiond Task <1FB137E5-2786-4111-99A0-F6AB5B00238B>.<1> summary for task success {transaction_duration_ms=263, response_status=200, connection=40, protocol="h2", domain_lookup_duration_ms=18, connect_duration_ms=136, secure_connection_duration_ms=87, request_start_ms=184, request_duration_ms=0, response_start_ms=262, response_duration_ms=1, request_bytes=1414, response_bytes=594, cache_hit=0}

default 19:05:00.065103-0400 nsurlsessiond Task <1FB137E5-2786-4111-99A0-F6AB5B00238B>.<1> RELEASING power assertion.

default 19:05:00.068460-0400 cloudd [Request 0x7fb4cef36d10] URLSession:dataTask:didReceiveResponse:completionHandler:

default 19:05:00.069190-0400 nsurlsessiond Task <1FB137E5-2786-4111-99A0-F6AB5B00238B>.<1> client responded to didReceiveResponse with disposition 1

default 19:05:00.069327-0400 nsurlsessiond Task <1FB137E5-2786-4111-99A0-F6AB5B00238B>.<1> did receive data (149 of -1 total bytes)

default 19:05:00.069746-0400 cloudd [Request 0x7fb4cef36d10] URLSession:dataTask:didReceiveData:

default 19:05:00.070355-0400 nsurlsessiond Task <1FB137E5-2786-4111-99A0-F6AB5B00238B>.<1> finished successfully

default 19:05:00.070453-0400 nsurlsessiond Task <1FB137E5-2786-4111-99A0-F6AB5B00238B>.<1> completed with error (null) [0]. C(N)

default 19:05:00.070506-0400 nsurlsessiond Task <1FB137E5-2786-4111-99A0-F6AB5B00238B>.<1> for client <private> completed successfully

default 19:05:00.072485-0400 cloudd Task <1FB137E5-2786-4111-99A0-F6AB5B00238B>.<1> finished successfully

default 19:05:00.072796-0400 clouddd <nw_activity 12:3 [3532F49C-2FCC-47AC-8080-B99A177DE371] (reporting strategy default) complete (reason success)> complete with reason 2 (success), duration 273ms

default 19:05:00.073005-0400 clouddd
captureMetricsForTask=CKDFetchDatabaseChangesURLRequest
requestUUID:ABEA7936-69F2-4063-8C7C-4693BA156789:host=gateway.icloud.com:remoteAddress=<private>:localAddress=<private>:connectionUUID=098C14E7-FFE9-4FE9-BBBD-756C2535094B:qualityOfService=utility:reuse=0:i=:protocol=h2:requestHeaderBytes=1079:requestBodyBytes=317:responseHeaderBytes=415:responseBodyBytes=179:err=F:dnsDuration=0.018:tcpStartDelay=0.001:tcpDuration=0.136:sslStartDelay=0.049:sslDuration=0.111:requestStartDelay=0.024:requestDuration=0.000:responseStartDelay=0.078:responseDuration=0.001:transactionDuration=0.080:outOfProcess=T:allowExpensive=F:powerNap=T:app=com.apple.Photos:2app=:pool=com.apple.cloudkit.BackgroundConnectionPool:tlsPinning=T:retryNetworkFailures=F:disc=T:duet=noBudgeting:reqTimeout=60.00:resTimeout=86400.00:appleIdSessionId=com.apple.cloudkit.metricRequest=F

default 19:05:00.073307-0400 clouddd [<private> removeTask:<private>] - withDescription:<private>

default 19:05:00.073404-0400 clouddd [Request 0x7fb4cef36d10] URLSession:task:didCompleteWithError:

default 19:05:00.073672-0400 clouddd [Request 0x7fb4cef36d10] Finishing request with no error

default 19:05:00.076462-0400 nsurlsessiond Task <1FB137E5-2786-4111-99A0-F6AB5B00238B>.<1> client acknowledged completion

default 19:05:00.076803-0400 cloudphotod Scope PrimarySync has changes to pull from the server

default 19:05:00.077900-0400 clouddd [Operation 0x7fb4cee7c130] Initialized with context 0x7fb4cef65d60. Background: 0, cellular: 0, QOS: 0x9

default 19:05:00.079195-0400 clouddd [Operation 0x7fb4cede4290] Initialized with context 0x7fb4cef65d60. Background: 1, cellular: 0, QOS: 0x11

default 19:05:00.079371-0400 clouddd [Operation 0x7fb4cede4290] Starting operation

default 19:05:00.080132-0400 clouddd [Operation 0x7fb4cede4290] Request 0x7fb4cef36d10 set on operation

default 19:05:00.083743-0400 clouddd [Request 0x7fb4cef36d10] Performing

default 19:05:00.083928-0400 clouddd [Request 0x7fb4cef36d10] Getting URL for the user partition

default 19:05:00.083998-0400 clouddd [Request 0x7fb4cef36d10] Getting configuration

default 19:05:00.084083-0400 clouddd [Request 0x7fb4cef36d10] Fetching important user IDs

default 19:05:00.084214-0400 clouddd [Request 0x7fb4cef36d10] Getting device ID

default 19:05:00.084614-0400 clouddd [Request 0x7fb4cef36d10] Getting push token

default 19:05:00.084808-0400 clouddd [Request 0x7fb4cef36d10] Performing request. Background=1, cellular=0

default 19:05:00.087220-0400 nsurlsessiond Task <3CDB4494-1803-4978-8FBA-C80ABEE45E38>.<2> dataTaskWithRequest: <private>

default 19:05:00.087456-0400 nsurlsessiond Task <?>.<0> current discretionary status for <private> is discretionary (opt-in: 1)

default 19:05:00.087613-0400 nsurlsessiond Task <3CDB4494-1803-4978-8FBA-C80ABEE45E38>.<2> is for <<private>>.<<private>>.<2>

default 19:05:00.087748-0400 nsurlsessiond Task <3CDB4494-1803-4978-8FBA-C80ABEE45E38>.<2> enqueueing

default 19:05:00.087925-0400 clouddd [<C2Session: 0x7fb4cef92c90> addTask:<C2SessionTask: 0x7fb4ceea9810> withDescription:CKDFetchDatabaseChangesURLRequest

```

requestUUID:7ED02AA7-1EB1-42FF-B002-8F2204B722AD request:<NSMutableURLRequest:
0x7fb4ceed7220> { URL: https://gateway.icloud.com:443/ckdatabase/api/client/zone/sync }}
default 19:05:00.087982-0400      cloudd [<C2SessionTask: 0x7fb4ceea9810>
setTask:BackgroundDataTask <3CDB4494-1803-4978-8FBA-C80ABEE45E38>.<2>]
default 19:05:00.088085-0400      cloudd created task
(CKDFetchDatabaseChangesURLRequest requestUUID:7ED02AA7-1EB1-42FF-
B002-8F2204B722AD). nsurlsessionCached (T). configurationName
(route=gateway.icloud.com:outOfProcess=T:allowExpensive=F:powerNap=T:adaptive=T:app=c
om.apple.Photos:disc=T:duet=noBudgeting:retry=F:pool=com.apple.cloudkit.BackgroundConn
ectionPool).
default 19:05:00.088248-0400      cloudd Task <3CDB4494-1803-4978-8FBA-
C80ABEE45E38>.<2> resuming, QOS(0x11) Voucher <private>
default 19:05:00.088293-0400      cloudd Create activity <nw_activity 12:3>
default 19:05:00.088547-0400      cloudd Activated <nw_activity 12:3
[E431DBA8-3DC4-4838-9BA0-A171434FDBF5] (reporting strategy default)>
default 19:05:00.088617-0400      cloudd [Telemetry]: Activity <nw_activity 12:3
[E431DBA8-3DC4-4838-9BA0-A171434FDBF5] (reporting strategy default)> on Task
<3CDB4494-1803-4978-8FBA-C80ABEE45E38>.<2> was not selected for reporting
default 19:05:00.089062-0400      nsurlsessiond Task <3CDB4494-1803-4978-8FBA-
C80ABEE45E38>.<2> resumeTaskWithIdentifier, props <private>
default 19:05:00.089107-0400      nsurlsessiond Task <3CDB4494-1803-4978-8FBA-
C80ABEE45E38>.<2> resuming, QOS(0x11)
default 19:05:00.089238-0400      nsurlsessiond Task <3CDB4494-1803-4978-8FBA-
C80ABEE45E38>.<2> initialized appleIDAuthenticator, status codes = <private>
default 19:05:00.089284-0400      nsurlsessiond Create activity <nw_activity
[E431DBA8-3DC4-4838-9BA0-A171434FDBF5] (lightweight)>
default 19:05:00.089402-0400      nsurlsessiond Task <3CDB4494-1803-4978-8FBA-
C80ABEE45E38>.<2> resuming
default 19:05:00.089437-0400      nsurlsessiond Task <3CDB4494-1803-4978-8FBA-
C80ABEE45E38>.<2> has not requested a begin delay
default 19:05:00.089463-0400      nsurlsessiond Task <3CDB4494-1803-4978-8FBA-
C80ABEE45E38>.<2> skipping delayed request callback - delegate not implemented
default 19:05:00.089494-0400      nsurlsessiond Task <3CDB4494-1803-4978-8FBA-
C80ABEE45E38>.<2> will begin
default 19:05:00.089524-0400      nsurlsessiond Task <3CDB4494-1803-4978-8FBA-
C80ABEE45E38>.<2> resuming, QOS(0x11) Voucher <private>
default 19:05:00.089562-0400      nsurlsessiond [Telemetry]: Activity <nw_activity 0:0
[E431DBA8-3DC4-4838-9BA0-A171434FDBF5] (lightweight) (reporting strategy default)> on
Task <3CDB4494-1803-4978-8FBA-C80ABEE45E38>.<2> was not selected for reporting
default 19:05:00.090110-0400      nsurlsessiond Task <3CDB4494-1803-4978-8FBA-
C80ABEE45E38>.<2> {strength 0, tls 4, ct 0, sub 0, sig 1, ciphers 0, bundle 1, builtin 0}
default 19:05:00.090970-0400      nsurlsessiond Task <3CDB4494-1803-4978-8FBA-
C80ABEE45E38>.<2> TAKING power assertion.
default 19:05:00.091041-0400      nsurlsessiond Connection 40: working for activity
<private>
default 19:05:00.091082-0400      nsurlsessiond Connection 40: working for activity
<private>
default 19:05:00.092355-0400      nsurlsessiond Task <3CDB4494-1803-4978-8FBA-
C80ABEE45E38>.<2> for client <private> _willSendRequestForEstablishedConnection
default 19:05:00.092466-0400      nsurlsessiond Task <3CDB4494-1803-4978-8FBA-
C80ABEE45E38>.<2> performing will send request callback, request <private>
default 19:05:00.093836-0400      cloudd [Request 0x7fb4cef36d10]
requestForEstablishedConnection

```

default 19:05:00.095678-0400 nsurlsessiond Task <3CDB4494-1803-4978-8FBA-C80ABEE45E38>.<2> client responded to will send request callback with request <private> handle <private>

default 19:05:00.095793-0400 nsurlsessiond Created stream with file descriptor: 8

default 19:05:00.096128-0400 nsurlsessiond Task <3CDB4494-1803-4978-8FBA-C80ABEE45E38>.<2> background authenticator getting headers for (null) codes <private>

default 19:05:00.096178-0400 nsurlsessiond Task <3CDB4494-1803-4978-8FBA-C80ABEE45E38>.<2> getAuthHeadersForResponse for <private> _sendsLaunchEvents=N [_clientApplication supportsWakes]=N

default 19:05:00.096391-0400 cloudd BackgroundDataTask <3CDB4494-1803-4978-8FBA-C80ABEE45E38>.<2> getting auth headers for session <private> with identifier <private> outstanding auth tasks <private>

default 19:05:00.096426-0400 cloudd Task <3CDB4494-1803-4978-8FBA-C80ABEE45E38>.<2> local authenticator getting headers for (null) codes <private>

default 19:05:00.096551-0400 cloudd Task <3CDB4494-1803-4978-8FBA-C80ABEE45E38>.<2> local authenticator will provide headers or request

default 19:05:00.100781-0400 nsurlsessiond Task <3CDB4494-1803-4978-8FBA-C80ABEE45E38>.<2> received auth headers for response, continueLoad: 1 authHeaders <private> newRequest (null)

default 19:05:00.100478-0400 cloudd Task <3CDB4494-1803-4978-8FBA-C80ABEE45E38>.<2> authenticator finished cont 1 req (null) headers <private>

default 19:05:00.100884-0400 nsurlsessiond Task <3CDB4494-1803-4978-8FBA-C80ABEE45E38>.<2> authenticator finished cont 1 req (null) headers <private>

default 19:05:00.100953-0400 nsurlsessiond Task <3CDB4494-1803-4978-8FBA-C80ABEE45E38>.<2> protocol received continueLoad=1, headers=<private> req=(null)

default 19:05:00.100595-0400 cloudd BackgroundDataTask <3CDB4494-1803-4978-8FBA-C80ABEE45E38>.<2> finished getting auth headers for session <private> with identifier <private>

default 19:05:00.101072-0400 nsurlsessiond Task <3CDB4494-1803-4978-8FBA-C80ABEE45E38>.<2> {strength 0, tls 4, ct 0, sub 0, sig 1, ciphers 0, bundle 1, builtin 0}

default 19:05:00.101217-0400 nsurlsessiond Connection 40: working for activity <private>

default 19:05:00.101346-0400 nsurlsessiond Connection 40: working for activity <private>

default 19:05:00.101563-0400 nsurlsessiond Task <3CDB4494-1803-4978-8FBA-C80ABEE45E38>.<2> now using Connection 40

default 19:05:00.101764-0400 nsurlsessiond [C40] Starting activity <nw_activity 0:0 [E431DBA8-3DC4-4838-9BA0-A171434FDBF5] (lightweight) (reporting strategy default)>

default 19:05:00.102174-0400 nsurlsessiond Task <3CDB4494-1803-4978-8FBA-C80ABEE45E38>.<2> sent request, body S 316

default 19:05:00.173892-0400 nsurlsessiond Task <3CDB4494-1803-4978-8FBA-C80ABEE45E38>.<2> received response, status 200 content U

default 19:05:00.174474-0400 nsurlsessiond Task <3CDB4494-1803-4978-8FBA-C80ABEE45E38>.<2> didReceiveResponse: <private>, status code: 200

default 19:05:00.174807-0400 nsurlsessiond Task <3CDB4494-1803-4978-8FBA-C80ABEE45E38>.<2> done using Connection 40

default 19:05:00.174952-0400 nsurlsessiond [C40] Ending activity <nw_activity 0:0 [E431DBA8-3DC4-4838-9BA0-A171434FDBF5] (lightweight) (reporting strategy default)>

default 19:05:00.178612-0400 cloudd [Request 0x7fb4cef36d10] URLSession:dataTask:didReceiveResponse:completionHandler:

default 19:05:00.179687-0400 nsurlsessiond Task <3CDB4494-1803-4978-8FBA-C80ABEE45E38>.<2> client responded to didReceiveResponse with disposition 1

default 19:05:00.179932-0400 nsurlsessiond Task <3CDB4494-1803-4978-8FBA-C80ABEE45E38>.<2> did receive data (70 of -1 total bytes)

default 19:05:00.179940-0400 nsurlsessiond Task <3CDB4494-1803-4978-8FBA-C80ABEE45E38>.<2> response ended

default 19:05:00.180226-0400 nsurlsessiond Task <3CDB4494-1803-4978-8FBA-C80ABEE45E38>.<2> summary for task success {transaction_duration_ms=90, response_status=200, connection=40, reused=1, request_start_ms=11, request_duration_ms=0, response_start_ms=83, response_duration_ms=6, request_bytes=489, response_bytes=520, cache_hit=0}

default 19:05:00.180625-0400 nsurlsessiond Task <3CDB4494-1803-4978-8FBA-C80ABEE45E38>.<2> RELEASING power assertion.

default 19:05:00.180963-0400 clouddd [Request 0x7fb4cef36d10]
URLSession:dataTask:didReceiveData:

default 19:05:00.181624-0400 nsurlsessiond Task <3CDB4494-1803-4978-8FBA-C80ABEE45E38>.<2> finished successfully

default 19:05:00.181730-0400 nsurlsessiond Task <3CDB4494-1803-4978-8FBA-C80ABEE45E38>.<2> completed with error (null) [0]. C(N)

default 19:05:00.181787-0400 nsurlsessiond Task <3CDB4494-1803-4978-8FBA-C80ABEE45E38>.<2> for client <private> completed successfully

default 19:05:00.183417-0400 clouddd Task <3CDB4494-1803-4978-8FBA-C80ABEE45E38>.<2> finished successfully

default 19:05:00.183419-0400 clouddd <nw_activity 12:3 [E431DBA8-3DC4-4838-9BA0-A171434FDBF5] (reporting strategy default) complete (reason success)> complete with reason 2 (success), duration 95ms

default 19:05:00.183634-0400 clouddd
captureMetricsForTask=CKDFetchDatabaseChangesURLRequest
requestUUID:7ED02AA7-1EB1-42FF-B002-8F2204B722AD:host=gateway.icloud.com:remoteAddress=<private>;localAddress=<private>;connectionUUID=098C14E7-FFE9-4FE9-BBBD-756C2535094B:qualityOfService=utility:reuse=1;i=:protocol=h2:requestHeaderBytes=164:requestBodyBytes=316:responseHeaderBytes=412:responseBodyBytes=108:err=F:dnsDuration=-1.000:tcpStartDelay=-1.000:tcpDuration=-1.000:sslStartDelay=-1.000:sslDuration=-1.000:requestStartDelay=-1.000:requestDuration=0.000:responseStartDelay=0.072:responseDuration=0.006:transactionDuration=0.078:outOfProcess=T:allowExpensive=F:powerNap=T:app=com.apple.Photos:2app=:pool=com.apple.cloudkit.BackgroundConnectionPool:tlsPinning=T:retryNetworkFailures=F:disc=T:duet=noBudgeting:reqTimeout=60.00:resTimeout=86400.00:appleIdSessionId=com.apple.cloudkit:metricRequest=F

default 19:05:00.183818-0400 clouddd [<private> removeTask:<private>] - withDescription:<private>

default 19:05:00.183893-0400 clouddd [Request 0x7fb4cef36d10]
URLSession:task:didCompleteWithError:

default 19:05:00.184089-0400 clouddd [Request 0x7fb4cef36d10] Finishing request with no error

default 19:05:00.185250-0400 nsurlsessiond Task <3CDB4494-1803-4978-8FBA-C80ABEE45E38>.<2> client acknowledged completion

default 19:05:00.187844-0400 cloudphotod Finishing updating scope list with 0 new scopes, 0 deletes scopes and 1 modified scopes

default 19:05:00.188179-0400 clouddd [Operation 0x7fb4cee7c130] Initialized with context 0x7fb4cef65d60. Background: 0, cellular: 0, QOS: 0x9

default 19:05:00.188680-0400 cloudphotod scope-update will be attempted in [session #2]

default 19:05:00.189399-0400 cloudphotod Launching CPLScopeUpdateTask for 1 scopes

default 19:05:00.191513-0400 clouddd [Operation 0x7fb4d210c3e0] Initialized with context 0x7fb4cef65d60. Background: 1, cellular: 0, QOS: 0x11

default 19:05:00.191680-0400 clouddd [Operation 0x7fb4d210c3e0] Starting operation

default 19:05:00.192192-0400 cloudd [Operation 0x7fb4d210c3e0] Operation transitioning from state 1 (cancelled=0, stop=0, error=0)

default 19:05:00.199305-0400 cloudd [Operation 0x7fb4d210c3e0] Request 0x7fb4cec76260 set on operation

default 19:05:00.203318-0400 cloudd [Request 0x7fb4cec76260] Performing

default 19:05:00.203325-0400 cloudd [Operation 0x7fb4d210c3e0] Operation is now in state 2

default 19:05:00.203514-0400 cloudd [Request 0x7fb4cec76260] Getting URL for the user partition

default 19:05:00.203609-0400 cloudd [Request 0x7fb4cec76260] Getting configuration

default 19:05:00.203725-0400 cloudd [Request 0x7fb4cec76260] Fetching important user IDs

default 19:05:00.203912-0400 cloudd [Request 0x7fb4cec76260] Getting device ID

default 19:05:00.204015-0400 cloudd [Request 0x7fb4cec76260] Getting zone gates

default 19:05:00.204436-0400 cloudd [Request 0x7fb4cec76260] Getting push token

default 19:05:00.204616-0400 cloudd [Request 0x7fb4cec76260] Performing request. Background=1, cellular=0

default 19:05:00.207196-0400 nsurlsessiond Task <B783EF7F-3834-4829-9E56-52BF063133E0>.<3> dataTaskWithRequest: <private>

default 19:05:00.207372-0400 nsurlsessiond Task <?>.<0> current discretionary status for <private> is discretionary (opt-in: 1)

default 19:05:00.207519-0400 nsurlsessiond Task <B783EF7F-3834-4829-9E56-52BF063133E0>.<3> is for <<private>>.<<private>>.<3>

default 19:05:00.207643-0400 nsurlsessiond Task <B783EF7F-3834-4829-9E56-52BF063133E0>.<3> enqueueing

default 19:05:00.207844-0400 cloudd [<C2Session: 0x7fb4cef92c90> addTask:<C2SessionTask: 0x7fb4cef791a0> withDescription:CKDGetRecordsURLRequest requestUUID:2441F9EF-BE08-4B61-862E-3A888365A787 request:<NSMutableURLRequest: 0x7fb4cef573d0> { URL: https://gateway.icloud.com:443/ckdatabase/api/client/record/retrieve }]

default 19:05:00.207911-0400 cloudd [<C2SessionTask: 0x7fb4cef791a0> setTask:BackgroundDataTask <B783EF7F-3834-4829-9E56-52BF063133E0>.<3>]

default 19:05:00.207961-0400 cloudd created task (CKDGetRecordsURLRequest requestUUID:2441F9EF-BE08-4B61-862E-3A888365A787). nsurlsessionCached (T). configurationName (route=gateway.icloud.com:outOfProcess=T:allowExpensive=F:powerNap=T:adaptive=T:app=com.apple.Photos:disc=T:duet=noBudgeting:retry=F:pool=com.apple.cloudkit.BackgroundConnectionPool).

default 19:05:00.208165-0400 cloudd Task <B783EF7F-3834-4829-9E56-52BF063133E0>.<3> resuming, QOS(0x11) Voucher <private>

default 19:05:00.208225-0400 cloudd Create activity <nw_activity 12:3>

default 19:05:00.208527-0400 cloudd Activated <nw_activity 12:3 [BAA28C7A-20CC-469E-947E-3FE57DAFB40B] (reporting strategy default)>

default 19:05:00.208636-0400 cloudd [Telemetry]: Activity <nw_activity 12:3 [BAA28C7A-20CC-469E-947E-3FE57DAFB40B] (reporting strategy default)> on Task <B783EF7F-3834-4829-9E56-52BF063133E0>.<3> was not selected for reporting

default 19:05:00.209057-0400 nsurlsessiond Task <B783EF7F-3834-4829-9E56-52BF063133E0>.<3> resumeTaskWithIdentifier, props <private>

default 19:05:00.209100-0400 nsurlsessiond Task <B783EF7F-3834-4829-9E56-52BF063133E0>.<3> resuming, QOS(0x11)

default 19:05:00.209250-0400 nsurlsessiond Task <B783EF7F-3834-4829-9E56-52BF063133E0>.<3> initialized appleIDAuthenticator, status codes = <private>


```

default 19:05:00.209299-0400      nsurlsessiond Create activity <nw_activity
[BAA28C7A-20CC-469E-947E-3FE57DAFB40B] (lightweight)>
default 19:05:00.209424-0400      nsurlsessiond Task
<B783EF7F-3834-4829-9E56-52BF063133E0>.<3> resuming
default 19:05:00.209470-0400      nsurlsessiond Task
<B783EF7F-3834-4829-9E56-52BF063133E0>.<3> has not requested a begin delay
default 19:05:00.209496-0400      nsurlsessiond Task
<B783EF7F-3834-4829-9E56-52BF063133E0>.<3> skipping delayed request callback -
delegate not implemented
default 19:05:00.209528-0400      nsurlsessiond Task
<B783EF7F-3834-4829-9E56-52BF063133E0>.<3> will begin
default 19:05:00.209558-0400      nsurlsessiond Task
<B783EF7F-3834-4829-9E56-52BF063133E0>.<3> resuming, QOS(0x11) Voucher <private>
default 19:05:00.209597-0400      nsurlsessiond [Telemetry]: Activity <nw_activity 0:0
[BAA28C7A-20CC-469E-947E-3FE57DAFB40B] (lightweight) (reporting strategy default)> on
Task <B783EF7F-3834-4829-9E56-52BF063133E0>.<3> was not selected for reporting
default 19:05:00.210607-0400      nsurlsessiond Task
<B783EF7F-3834-4829-9E56-52BF063133E0>.<3> {strength 0, tls 4, ct 0, sub 0, sig 1, ciphers
0, bundle 1, builtin 0}
default 19:05:00.211819-0400      nsurlsessiond Task
<B783EF7F-3834-4829-9E56-52BF063133E0>.<3> TAKING power assertion.
default 19:05:00.211931-0400      nsurlsessiond Connection 40: working for activity
<private>
default 19:05:00.211977-0400      nsurlsessiond Connection 40: working for activity
<private>
default 19:05:00.212676-0400      nsurlsessiond Task
<B783EF7F-3834-4829-9E56-52BF063133E0>.<3> for client <private>
_willSendRequestForEstablishedConnection
default 19:05:00.212800-0400      nsurlsessiond Task
<B783EF7F-3834-4829-9E56-52BF063133E0>.<3> performing will send request callback,
request <private>
default 19:05:00.213752-0400      clouddd [Request 0x7fb4cec76260]
requestForEstablishedConnection
default 19:05:00.214432-0400      clouddd #f1e7fbcbb
ACSMightCurrentNetworkHaveCachingServer(options={
    capabilities = {
        import = 1;
        namespaces = 1;
        personalCaching = 1;
    };
    quickMiss = 1;
}, callbackQueue=0x0, callback=0x70000b5f10e0)
default 19:05:00.234230-0400      clouddd #f1e7fbcbb
ACSMightCurrentNetworkHaveCachingServer -> [new] mightHave NO, error (null), elapsed
0.020
default 19:05:00.235421-0400      nsurlsessiond Task
<B783EF7F-3834-4829-9E56-52BF063133E0>.<3> client responded to will send request
callback with request <private> handle <private>
default 19:05:00.235495-0400      nsurlsessiond Created stream with file descriptor: 8
default 19:05:00.235774-0400      nsurlsessiond Task
<B783EF7F-3834-4829-9E56-52BF063133E0>.<3> background authenticator getting headers
for (null) codes <private>

```

default 19:05:00.235852-0400 nsurlsessiond Task
 <B783EF7F-3834-4829-9E56-52BF063133E0>.<3> getAuthHeadersForResponse for
 <private> _sendsLaunchEvents=N [_clientApplication supportsWakes]=N
 default 19:05:00.236035-0400 cloudd BackgroundDataTask
 <B783EF7F-3834-4829-9E56-52BF063133E0>.<3> getting auth headers for session <private>
 with identifier <private> outstanding auth tasks <private>
 default 19:05:00.236062-0400 cloudd Task
 <B783EF7F-3834-4829-9E56-52BF063133E0>.<3> local authenticator getting headers for
 (null) codes <private>
 default 19:05:00.236109-0400 cloudd Task
 <B783EF7F-3834-4829-9E56-52BF063133E0>.<3> local authenticator will provide headers or
 request
 default 19:05:00.238339-0400 cloudd Task
 <B783EF7F-3834-4829-9E56-52BF063133E0>.<3> authenticator finished cont 1 req (null)
 headers <private>
 default 19:05:00.238398-0400 cloudd BackgroundDataTask
 <B783EF7F-3834-4829-9E56-52BF063133E0>.<3> finished getting auth headers for session
 <private> with identifier <private>
 default 19:05:00.238533-0400 nsurlsessiond Task
 <B783EF7F-3834-4829-9E56-52BF063133E0>.<3> received auth headers for response,
 continueLoad: 1 authHeaders <private> newRequest (null)
 default 19:05:00.238569-0400 nsurlsessiond Task
 <B783EF7F-3834-4829-9E56-52BF063133E0>.<3> authenticator finished cont 1 req (null)
 headers <private>
 default 19:05:00.238626-0400 nsurlsessiond Task
 <B783EF7F-3834-4829-9E56-52BF063133E0>.<3> protocol received continueLoad=1,
 headers=<private> req=(null)
 default 19:05:00.238744-0400 nsurlsessiond Task
 <B783EF7F-3834-4829-9E56-52BF063133E0>.<3> {strength 0, tls 4, ct 0, sub 0, sig 1, ciphers
 0, bundle 1, builtin 0}
 default 19:05:00.238863-0400 nsurlsessiond Connection 40: working for activity
 <private>
 default 19:05:00.238902-0400 nsurlsessiond Connection 40: working for activity
 <private>
 default 19:05:00.239018-0400 nsurlsessiond Task
 <B783EF7F-3834-4829-9E56-52BF063133E0>.<3> now using Connection 40
 default 19:05:00.239147-0400 nsurlsessiond [C40] Starting activity <nw_activity 0:0
 [BAA28C7A-20CC-469E-947E-3FE57DAFB40B] (lightweight) (reporting strategy default)>
 default 19:05:00.239497-0400 nsurlsessiond Task
 <B783EF7F-3834-4829-9E56-52BF063133E0>.<3> sent request, body S 589
 default 19:05:00.272202-0400 sharingd NearbyAction: Starting scan: blob <>/<>,
 devices 0, rate Normal, RSSI -70, dups yes, cache no, tracked 0, force yes, stop yes
 default 19:05:00.272380-0400 sharingd Nearby stop scanning: scan request of type
 15, blob: {length = 0, bytes = 0x}, mask {length = 0, bytes = 0x}, active: 0, duplicates: 0, screen
 on: No Scan, screen off: No Scan, locked: 1, rssi: -90, peers: (
) nearby scan mode: 10, adv buf: 0, advbuf mode: 4
 default 19:05:00.272505-0400 sharingd Nearby start scanning with data: scan
 request of type 15, blob: {length = 0, bytes = 0x}, mask {length = 0, bytes = 0x}, active: 0,
 duplicates: 1, screen on: 300, screen off: 966, locked: 1, rssi: -70, peers: (
) nearby scan mode: 10, adv buf: 0, advbuf mode: 4
 default 19:05:00.273027-0400 bluetoothd Stop scanning for process sharingd (403)
 with scan request of type 15, blob: {length = 0, bytes = 0x}, mask {length = 0, bytes = 0x},
 active: 0, duplicates: 0, screen on: No Scan, screen off: No Scan, locked: 1, rssi: -90, peers: (
) nearby scan mode: 10, adv buf: 0, advbuf mode: 4

```
default 19:05:00.273262-0400      bluetoothd      Removing scan request of type 15, blob: {length = 0, bytes = 0x}, mask {length = 0, bytes = 0x}, active: 0, duplicates: 0, screen on: No Scan, screen off: No Scan, locked: 1, rssi: -90, peers: ( ) nearby scan mode: 10, adv buf: 0, advbuf mode: 4 for client F54B6626-2FF9-45D8-9EBD-CB5313D9F4D5
default 19:05:00.273101-0400      distnoted      register name: com.apple.Carbon.TISNotifySelectedKeyboardInputSourceChanged object: kCFNotificationAnyObject token: f43c3 pid: 2821
default 19:05:00.273459-0400      bluetoothd      Passively scanning for devices of types: 9 16 12 5 (Window: 30/Interval: 300)
default 19:05:00.273530-0400      bluetoothd      About to scan for type: 9 - rssi: -90 - range: 0 - payload: {length = 22, bytes = 0x00000000000000000000000000000000} - mask: {length = 22, bytes = 0x00000000000000000000000000000000} - peers: 0
default 19:05:00.273642-0400      bluetoothd      About to scan for type: 16 - rssi: -70 - range: 0 - payload: {length = 22, bytes = 0x00000000000000000000000000000000} - mask: {length = 22, bytes = 0x00000000000000000000000000000000} - peers: 0
default 19:05:00.273725-0400      bluetoothd      About to scan for type: 12 - rssi: -90 - range: 0 - payload: {length = 22, bytes = 0x00000000000000000000000000000000} - mask: {length = 22, bytes = 0x00000000000000000000000000000000} - peers: 2
default 19:05:00.273796-0400      bluetoothd      About to scan for type: 5 - rssi: -80 - range: 0 - payload: {length = 22, bytes = 0x00000000000000000000000000000000} - mask: {length = 22, bytes = 0x00000000000000000000000000000000} - peers: 0
default 19:05:00.274286-0400      com.apple.WebKit.WebContent      CDN - initialize client context retry
default 19:05:00.274367-0400      com.apple.WebKit.WebContent      CDN - client setup_remote_port
default 19:05:00.274480-0400      com.apple.WebKit.WebContent      CDN - Bootstrap Port: 4867
error   19:05:00.274697-0400      kernel Sandbox: com.apple.WebKit(2645) deny(1) machlookup com.apple.CoreDisplay.Notification
default 19:05:00.274421-0400      bluetoothd      Scan options changed: 1
default 19:05:00.275075-0400      com.apple.WebKit.WebContent      CDN - initialize client context retry
default 19:05:00.275270-0400      com.apple.WebKit.WebContent      CDN - client setup_remote_port
default 19:05:00.275356-0400      com.apple.WebKit.WebContent      CDN - Bootstrap Port: 5123
default 19:05:00.275758-0400      bluetoothd      Start scanning for process sharingd (403) with scan request of type 15, blob: {length = 0, bytes = 0x}, mask {length = 0, bytes = 0x}, active: 0, duplicates: 1, screen on: 300, screen off: 966, locked: 1, rssi: -70, peers: ( ) nearby scan mode: 10, adv buf: 0, advbuf mode: 4
default 19:05:00.275809-0400      bluetoothd      Adding scan request called
default 19:05:00.275976-0400      bluetoothd      Adding scan request scan request of type 15, blob: {length = 22, bytes = 0x00000000000000000000000000000000}, mask {length = 22, bytes = 0x00000000000000000000000000000000}, active: 0, duplicates: 1, screen on: 300, screen off: 966, locked: 1, rssi: -70, peers: ( ) nearby scan mode: 10, adv buf: 0, advbuf mode: 4 for client F54B6626-2FF9-45D8-9EBD-CB5313D9F4D5
default 19:05:00.276185-0400      bluetoothd      Passively scanning for devices of types: 9 16 15 12 5 (Window: 30/Interval: 300)
```

default 19:05:00.276268-0400 bluetoothd About to scan for type: 9 - rssi: -90 - range: 0 - payload: {length = 22, bytes = 0x00} - mask: {length = 22, bytes = 0x00} - peers: 0

default 19:05:00.276326-0400 bluetoothd About to scan for type: 16 - rssi: -70 - range: 0 - payload: {length = 22, bytes = 0x00} - mask: {length = 22, bytes = 0x00} - peers: 0

default 19:05:00.276410-0400 bluetoothd About to scan for type: 15 - rssi: -70 - range: 0 - payload: {length = 22, bytes = 0x00} - mask: {length = 22, bytes = 0x00} - peers: 0

default 19:05:00.276490-0400 bluetoothd About to scan for type: 12 - rssi: -90 - range: 0 - payload: {length = 22, bytes = 0x00} - mask: {length = 22, bytes = 0x00} - peers: 2

default 19:05:00.276549-0400 bluetoothd About to scan for type: 5 - rssi: -80 - range: 0 - payload: {length = 22, bytes = 0x00} - mask: {length = 22, bytes = 0x00} - peers: 0

default 19:05:00.277215-0400 bluetoothd Scan options changed: 1

default 19:05:00.277921-0400 com.apple.WebKit.WebContent CDN - setup_remote_port: bootstrap_look_up() => unknown error code (1100)

default 19:05:00.277863-0400 com.apple.WebKit.WebContent CDN - setup_remote_port: bootstrap_look_up() => unknown error code (1100)

error 19:05:00.284437-0400 bluetoothd ScanManager: device doesn't exist for peer: 72EAE38E-B99A-4C86-BFAF-61DCBA30E824

error 19:05:00.303409-0400 bluetoothd ScanManager: device doesn't exist for peer: 72EAE38E-B99A-4C86-BFAF-61DCBA30E824

default 19:05:00.313266-0400 kernel Sandbox: 1 duplicate report for com.apple.WebKit deny(1) mach-lookup com.apple.CoreDisplay.Notification

default 19:05:00.313278-0400 kernel Sandbox: com.apple.WebKit(2785) allow mach-lookup com.apple.diagnosticd

default 19:05:00.313744-0400 com.apple.WebKit.WebContent Current memory footprint: 3 MB

default 19:05:00.391463-0400 nsurlsessiond Task <B783EF7F-3834-4829-9E56-52BF063133E0>.<3> received response, status 200 content K

default 19:05:00.391582-0400 nsurlsessiond Task <B783EF7F-3834-4829-9E56-52BF063133E0>.<3> done using Connection 40

default 19:05:00.391709-0400 nsurlsessiond [C40] Ending activity <nw_activity 0:0 [BAA28C7A-20CC-469E-947E-3FE57DAFB40B] (lightweight) (reporting strategy default)>

default 19:05:00.392201-0400 nsurlsessiond Task <B783EF7F-3834-4829-9E56-52BF063133E0>.<3> response ended

default 19:05:00.392560-0400 nsurlsessiond Task <B783EF7F-3834-4829-9E56-52BF063133E0>.<3> summary for task success {transaction_duration_ms=182, response_status=200, connection=40, reused=1, request_start_ms=29, request_duration_ms=0, response_start_ms=181, response_duration_ms=1, request_bytes=723, response_bytes=1135, cache_hit=0}

default 19:05:00.392554-0400 nsurlsessiond Task <B783EF7F-3834-4829-9E56-52BF063133E0>.<3> didReceiveResponse: <private>, status code: 200

default 19:05:00.392910-0400 nsurlsessiond Task <B783EF7F-3834-4829-9E56-52BF063133E0>.<3> RELEASING power assertion.

default 19:05:00.396612-0400 cloud [Request 0x7fb4cec76260]
URLSession:dataTask:didReceiveResponse:completionHandler:
default 19:05:00.397744-0400 nsurlsessiond Task
<B783EF7F-3834-4829-9E56-52BF063133E0>.<3> client responded to didReceiveResponse
with disposition 1
default 19:05:00.397988-0400 nsurlsessiond Task
<B783EF7F-3834-4829-9E56-52BF063133E0>.<3> did receive data (1364 of 1364 total bytes)
default 19:05:00.398600-0400 cloud [Request 0x7fb4cec76260]
URLSession:dataTask:didReceiveData:
default 19:05:00.399691-0400 nsurlsessiond Task
<B783EF7F-3834-4829-9E56-52BF063133E0>.<3> finished successfully
default 19:05:00.399821-0400 nsurlsessiond Task
<B783EF7F-3834-4829-9E56-52BF063133E0>.<3> completed with error (null) [0]. C(N)
default 19:05:00.399920-0400 nsurlsessiond Task
<B783EF7F-3834-4829-9E56-52BF063133E0>.<3> for client <private> completed successfully
default 19:05:00.402251-0400 cloud <nw_activity 12:3
[BAA28C7A-20CC-469E-947E-3FE57DAFB40B] (reporting strategy default) complete (reason
success)> complete with reason 2 (success), duration 193ms
default 19:05:00.402250-0400 cloud Task
<B783EF7F-3834-4829-9E56-52BF063133E0>.<3> finished successfully
default 19:05:00.402525-0400 cloud
captureMetricsForTask=CKDGetRecordsURLRequest requestUUID:2441F9EF-
BE08-4B61-862E-3A888365A787:host=gateway.icloud.com:remoteAddress=<private>:localAd
dress=<private>:connectionUUID=098C14E7-FFE9-4FE9-
BBBD-756C2535094B:qualityOfService=utility:reuse=1:i=:protocol=h2:requestHeaderBytes=12
5:requestBodyBytes=589:responseHeaderBytes=441:responseBodyBytes=694:err=F:dnsDurat
ion=-1.000:tcpStartDelay=-1.000:tcpDuration=-1.000:sslStartDelay=-1.000:sslDuration=-1.000:
requestStartDelay=-1.000:requestDuration=0.000:responseStartDelay=0.152:responseDuration
=0.001:transactionDuration=0.153:outOfProcess=T:allowExpensive=F:powerNap=T:app=com.a
pple.Photos:2app=:pool=com.apple.cloudkit.BackgroundConnectionPool:tlsPinning=T:retryNet
workFailures=F:disc=T:duet=noBudgeting:reqTimeout=60.00:resTimeout=86400.00:appleIdSes
sionId=com.apple.cloudkit:metricRequest=F
default 19:05:00.402769-0400 cloud [<private> removeTask:<private>] -
withDescription:<private>
default 19:05:00.403682-0400 nsurlsessiond Task
<B783EF7F-3834-4829-9E56-52BF063133E0>.<3> client acknowledged completion
default 19:05:00.403963-0400 cloud [Request 0x7fb4cec76260]
URLSession:task:didCompleteWithError:
default 19:05:00.404304-0400 cloud [Request 0x7fb4cec76260] Received a server error
(3)
default 19:05:00.404522-0400 cloud [Request 0x7fb4cec76260] Node level failure
encountered while parsing
default 19:05:00.405498-0400 cloud [Request 0x7fb4cec76260] Finishing request with
no error
default 19:05:00.406014-0400 cloud [Operation 0x7fb4d210c3e0] Request 0x0 set on
operation
default 19:05:00.406517-0400 cloud [Operation 0x7fb4d210c3e0] Operation
transitioning from state 2 (cancelled=0, stop=0, error=0)
default 19:05:00.407072-0400 cloud [Operation 0x7fb4d210c3e0] Operation is now in
state 4
default 19:05:00.407247-0400 cloud [Operation 0x7fb4d210c3e0] Operation
transitioning from state 4 (cancelled=0, stop=0, error=0)
default 19:05:00.407419-0400 cloud [Operation 0x7fb4d210c3e0] Operation is now in
state 5

default 19:05:00.407589-0400 cloudd [Operation 0x7fb4d210c3e0] Operation transitioning from state 5 (cancelled=0, stop=0, error=0)

default 19:05:00.407883-0400 cloudd [Operation 0x7fb4d210c3e0] Operation is now in state 6

default 19:05:00.407968-0400 cloudd [Operation 0x7fb4d210c3e0] Operation transitioning from state 6 (cancelled=0, stop=0, error=0)

default 19:05:00.408106-0400 cloudd [Operation 0x7fb4d210c3e0] Operation is now in state 4294967295

default 19:05:00.411171-0400 cloudd [Operation 0x7fb4cecc5190] Initialized with context 0x7fb4cef65d60. Background: 0, cellular: 0, QOS: 0x9

default 19:05:00.413144-0400 cloudphotod push-highpriority will be attempted in [session #2]

default 19:05:00.413891-0400 cloudphotod push will be attempted in [session #2]

default 19:05:00.414720-0400 cloudphotod pull will be attempted in [session #2]

default 19:05:00.415131-0400 cloudphotod Launching CPLPullFromTransportTask for 1 scopes

default 19:05:00.425643-0400 cloudd [Operation 0x7fb4d2006950] Initialized with context 0x7fb4cef65d60. Background: 1, cellular: 0, QOS: 0x11

default 19:05:00.425896-0400 cloudd [Operation 0x7fb4d2006950] Starting operation

default 19:05:00.426614-0400 cloudd [Operation 0x7fb4cefae9b0] Initialized with context 0x7fb4cef65d60. Background: 1, cellular: 0, QOS: 0x11

default 19:05:00.426779-0400 cloudd [Operation 0x7fb4cefae9b0] Starting operation

default 19:05:00.426903-0400 cloudd [Operation 0x7fb4d2006950] Request 0x7fb4cef36d10 set on operation

default 19:05:00.431508-0400 cloudd [Request 0x7fb4cef36d10] Performing

default 19:05:00.431732-0400 cloudd [Request 0x7fb4cef36d10] Getting URL for the user partition

default 19:05:00.431830-0400 cloudd [Request 0x7fb4cef36d10] Getting configuration

default 19:05:00.431935-0400 cloudd [Request 0x7fb4cef36d10] Fetching important user IDs

default 19:05:00.432123-0400 cloudd [Request 0x7fb4cef36d10] Getting device ID

default 19:05:00.432199-0400 cloudd [Request 0x7fb4cef36d10] Getting zone gates

default 19:05:00.432620-0400 cloudd [Request 0x7fb4cef36d10] Getting push token

default 19:05:00.432807-0400 cloudd [Request 0x7fb4cef36d10] Performing request. Background=1, cellular=0

default 19:05:00.434909-0400 nsurlsessiond Task <17A2B701-5D46-40BE-B607-4C6AD5A60682>.<4> dataTaskWithRequest: <private>

default 19:05:00.435113-0400 nsurlsessiond Task <?>.<0> current discretionary status for <private> is discretionary (opt-in: 1)

default 19:05:00.435256-0400 nsurlsessiond Task <17A2B701-5D46-40BE-B607-4C6AD5A60682>.<4> is for <<private>>.<<private>>.<4>

default 19:05:00.435370-0400 nsurlsessiond Task <17A2B701-5D46-40BE-B607-4C6AD5A60682>.<4> enqueueing

default 19:05:00.435553-0400 cloudd [<C2Session: 0x7fb4cef92c90> addTask:<C2SessionTask: 0x7fb4ceed6670> withDescription:CKDFetchRecordZoneChangesURLRequest requestUUID:59EC0898-2B3C-4F1B-86E4-EADE5CF424B9 request:<NSMutableURLRequest: 0x7fb4ceed7d20> { URL: https://gateway.icloud.com:443/ckdatabase/api/client/record/sync }]

default 19:05:00.435615-0400 cloudd [<C2SessionTask: 0x7fb4ceed6670> setTask:BackgroundDataTask <17A2B701-5D46-40BE-B607-4C6AD5A60682>.<4>]

default 19:05:00.435728-0400 cloudd created task (CKDFetchRecordZoneChangesURLRequest requestUUID:59EC0898-2B3C-4F1B-86E4-EADE5CF424B9). nsurlsessionCached (T). configurationName (route=gateway.icloud.com:outOfProcess=T:allowExpensive=F:powerNap=T:adaptive=T:app=c

```

om.apple.Photos:disc=T:duet=noBudgeting:retry=F:pool=com.apple.cloudkit.BackgroundConn
ectionPool).
default 19:05:00.435925-0400      cloudd Task <17A2B701-5D46-40BE-
B607-4C6AD5A60682>.<4> resuming, QOS(0x11) Voucher <private>
default 19:05:00.435962-0400      cloudd Create activity <nw_activity 12:3>
default 19:05:00.436208-0400      cloudd Activated <nw_activity 12:3
[3C22BE69-0CF3-400D-8744-2D2E2F78C967] (reporting strategy default)>
default 19:05:00.436253-0400      cloudd [Telemetry]: Activity <nw_activity 12:3
[3C22BE69-0CF3-400D-8744-2D2E2F78C967] (reporting strategy default)> on Task
<17A2B701-5D46-40BE-B607-4C6AD5A60682>.<4> was not selected for reporting
default 19:05:00.436683-0400      nsurlsessiond Task <17A2B701-5D46-40BE-
B607-4C6AD5A60682>.<4> resumeTaskWithIdentifier, props <private>
default 19:05:00.436734-0400      nsurlsessiond Task <17A2B701-5D46-40BE-
B607-4C6AD5A60682>.<4> resuming, QOS(0x11)
default 19:05:00.436902-0400      nsurlsessiond Task <17A2B701-5D46-40BE-
B607-4C6AD5A60682>.<4> initialized appleIDAuthenticator, status codes = <private>
default 19:05:00.436986-0400      nsurlsessiond Create activity <nw_activity
[3C22BE69-0CF3-400D-8744-2D2E2F78C967] (lightweight)>
default 19:05:00.437206-0400      nsurlsessiond Task <17A2B701-5D46-40BE-
B607-4C6AD5A60682>.<4> resuming
default 19:05:00.437249-0400      nsurlsessiond Task <17A2B701-5D46-40BE-
B607-4C6AD5A60682>.<4> has not requested a begin delay
default 19:05:00.437278-0400      nsurlsessiond Task <17A2B701-5D46-40BE-
B607-4C6AD5A60682>.<4> skipping delayed request callback - delegate not implemented
default 19:05:00.437309-0400      nsurlsessiond Task <17A2B701-5D46-40BE-
B607-4C6AD5A60682>.<4> will begin
default 19:05:00.437341-0400      nsurlsessiond Task <17A2B701-5D46-40BE-
B607-4C6AD5A60682>.<4> resuming, QOS(0x11) Voucher <private>
default 19:05:00.437381-0400      nsurlsessiond [Telemetry]: Activity <nw_activity 0:0
[3C22BE69-0CF3-400D-8744-2D2E2F78C967] (lightweight) (reporting strategy default)> on
Task <17A2B701-5D46-40BE-B607-4C6AD5A60682>.<4> was not selected for reporting
default 19:05:00.437832-0400      nsurlsessiond Task <17A2B701-5D46-40BE-
B607-4C6AD5A60682>.<4> {strength 0, tls 4, ct 0, sub 0, sig 1, ciphers 0, bundle 1, builtin 0}
default 19:05:00.438731-0400      nsurlsessiond Task <17A2B701-5D46-40BE-
B607-4C6AD5A60682>.<4> TAKING power assertion.
default 19:05:00.438844-0400      nsurlsessiond Connection 40: working for activity
<private>
default 19:05:00.438886-0400      nsurlsessiond Connection 40: working for activity
<private>
default 19:05:00.439594-0400      nsurlsessiond Task <17A2B701-5D46-40BE-
B607-4C6AD5A60682>.<4> for client <private> _willSendRequestForEstablishedConnection
default 19:05:00.439642-0400      nsurlsessiond Task <17A2B701-5D46-40BE-
B607-4C6AD5A60682>.<4> performing will send request callback, request <private>
default 19:05:00.441812-0400      cloudd [Request 0x7fb4cef36d10]
requestForEstablishedConnection
default 19:05:00.442441-0400      cloudd #3d4f27b4
ACSMightCurrentNetworkHaveCachingServer(options={
    capabilities = {
        import = 1;
        namespaces = 1;
        personalCaching = 1;
    };
    quickMiss = 1;
}, callbackQueue=0x0, callback=0x70000b6f70e0)

```

default 19:05:00.442528-0400 cloudd #3d4f27b4
 ACSMightCurrentNetworkHaveCachingServer -> [same] mightHave NO, error (null), elapsed 0.000

default 19:05:00.444375-0400 nsurlsessiond Task <17A2B701-5D46-40BE-B607-4C6AD5A60682>.<4> client responded to will send request callback with request <private> handle <private>

default 19:05:00.444509-0400 nsurlsessiond Created stream with file descriptor: 8

default 19:05:00.444931-0400 nsurlsessiond Task <17A2B701-5D46-40BE-B607-4C6AD5A60682>.<4> background authenticator getting headers for (null) codes <private>

default 19:05:00.445025-0400 nsurlsessiond Task <17A2B701-5D46-40BE-B607-4C6AD5A60682>.<4> getAuthHeadersForResponse for <private> _sendsLaunchEvents=N [_clientApplication supportsWakes]=N

default 19:05:00.445239-0400 cloudd BackgroundDataTask <17A2B701-5D46-40BE-B607-4C6AD5A60682>.<4> getting auth headers for session <private> with identifier <private> outstanding auth tasks <private>

default 19:05:00.445308-0400 cloudd Task <17A2B701-5D46-40BE-B607-4C6AD5A60682>.<4> local authenticator getting headers for (null) codes <private>

default 19:05:00.445507-0400 cloudd Task <17A2B701-5D46-40BE-B607-4C6AD5A60682>.<4> local authenticator will provide headers or request

default 19:05:00.448893-0400 nsurlsessiond Task <17A2B701-5D46-40BE-B607-4C6AD5A60682>.<4> received auth headers for response, continueLoad: 1 authHeaders <private> newRequest (null)

default 19:05:00.448556-0400 cloudd Task <17A2B701-5D46-40BE-B607-4C6AD5A60682>.<4> authenticator finished cont 1 req (null) headers <private>

default 19:05:00.448956-0400 nsurlsessiond Task <17A2B701-5D46-40BE-B607-4C6AD5A60682>.<4> authenticator finished cont 1 req (null) headers <private>

default 19:05:00.449018-0400 nsurlsessiond Task <17A2B701-5D46-40BE-B607-4C6AD5A60682>.<4> protocol received continueLoad=1, headers=<private> req=(null)

default 19:05:00.448678-0400 cloudd BackgroundDataTask <17A2B701-5D46-40BE-B607-4C6AD5A60682>.<4> finished getting auth headers for session <private> with identifier <private>

default 19:05:00.449218-0400 nsurlsessiond Task <17A2B701-5D46-40BE-B607-4C6AD5A60682>.<4> {strength 0, tls 4, ct 0, sub 0, sig 1, ciphers 0, bundle 1, builtin 0}

default 19:05:00.449382-0400 nsurlsessiond Connection 40: working for activity <private>

default 19:05:00.449435-0400 nsurlsessiond Connection 40: working for activity <private>

default 19:05:00.449711-0400 nsurlsessiond Task <17A2B701-5D46-40BE-B607-4C6AD5A60682>.<4> now using Connection 40

default 19:05:00.449878-0400 nsurlsessiond [C40] Starting activity <nw_activity 0:0 [3C22BE69-0CF3-400D-8744-2D2E2F78C967] (lightweight) (reporting strategy default)>

default 19:05:00.450563-0400 nsurlsessiond Task <17A2B701-5D46-40BE-B607-4C6AD5A60682>.<4> sent request, body S 586

default 19:05:00.608268-0400 apsd <private>: Outstanding data received: <private> (length 349)

default 19:05:00.608370-0400 apsd <private>: Stream processing: complete yes, invalid no, length parsed 349, parameters <private>

default 19:05:00.608731-0400 apsd <private>: Message for topic <private> for user <private> piggybacking on push wake

default 19:05:00.608817-0400 apsd <private>: Message has token <private> (tokenName <private>)

default 19:05:00.609031-0400 apsd <private>: Received message for enabled topic '<private>' onInterface: NonCellular with payload '<private>' with priority 5

default 19:05:00.609632-0400 apsd <private> asked to store incoming message
 <private> with guid <private> environment <private>
 default 19:05:00.609821-0400 apsd <private> deleting low-priority incoming messages
 for topic <private> environment production
 default 19:05:00.609896-0400 apsd APSMessageStore -
 APSIncomingMessageRecordDeleteMessagesForTopic <private> 1 environment production
 default 19:05:00.610438-0400 apsd APSMessageStore - New message record
 [<private>] has ID [21439].
 default 19:05:00.610517-0400 apsd <private>: Sending acknowledgement message
 with response 0 and messageID <private> (821799965)
 default 19:05:00.610739-0400 apsd <private> _notifyForIncomingMessage <private>
 with guid <private>
 default 19:05:00.611237-0400 apsd <private>: Stream processing: complete no, invalid
 no, length parsed 0, parameters (null)
 default 19:05:00.612030-0400 apsd Dispatching low priority message on server:
 <private>
 default 19:05:00.612370-0400 apsd Looking up connection on peer: 40f37720 found
 <private>
 default 19:05:00.614480-0400 SafariBookmarksSyncAgent <private> Delivering
 message from apsd: <private> 821799965 <private>
 default 19:05:00.614646-0400 SafariBookmarksSyncAgent <private> responding with an
 ack for message with guid <private>
 default 19:05:00.614886-0400 apsd Looking up connection on peer: 40f37720 found
 <private>
 default 19:05:00.615036-0400 SafariBookmarksSyncAgent <private> making delegate
 (<private>) calls to deliver message 821799965 <private> for topic <private>
 default 19:05:00.614984-0400 apsd <private> informed that <private> acknowledges
 incoming message with guid <private> tracingUUID (null)
 default 19:05:00.615118-0400 apsd APSMessageStore -
 APSIncomingMessageRecordDeleteMessageForGUID <private>
 default 19:05:00.615524-0400 SafariBookmarksSyncAgent <private> calling <private>
 connection:didReceiveIncomingMessage:
 default 19:05:00.616354-0400 SafariBookmarksSyncAgent *** Starting CloudKit
 bookmark sync for trigger: 1
 default 19:05:00.620934-0400 SafariBookmarksSyncAgent Sync coordinator will begin
 syncing
 default 19:05:00.621467-0400 SafariBookmarksSyncAgent <private> returned from
 <private> connection:didReceiveIncomingMessage:
 default 19:05:00.659656-0400 SafariBookmarksSyncAgent Beginning synchronization
 default 19:05:00.660315-0400 SafariBookmarksSyncAgent Fetching record zone anew
 from CloudKit
 default 19:05:00.661489-0400 cloudd [Operation 0x7fb4cede4290] Initialized with
 context 0x7fb4ceda1c40. Background: 1, cellular: 1, QOS: 0x11
 default 19:05:00.661781-0400 cloudd [Operation 0x7fb4cede4290] Starting operation
 default 19:05:00.662430-0400 cloudd [Operation 0x7fb4cede4290] Operation
 transitioning from state 1 (cancelled=0, stop=0, error=0)
 default 19:05:00.662601-0400 cloudd [Operation 0x7fb4cede4290] Operation is now in
 state 2
 default 19:05:00.668122-0400 kernel _sendCommandGated (ep: 3): Sending USB buffer
 size: 17408 command: <private> [Repeated 0 times]
 default 19:05:00.736181-0400 apsd <private>: Outstanding data received: <private>
 (length 329)
 default 19:05:00.736280-0400 apsd <private>: Stream processing: complete yes,
 invalid no, length parsed 329, parameters <private>

default 19:05:00.736550-0400 apsd <private>: Message for topic <private> for user <private> piggybacking on push wake

default 19:05:00.736605-0400 apsd <private>: Message has token <private> (tokenName <private>)

default 19:05:00.736776-0400 apsd <private>: Received message for enabled topic '<private>' onInterface: NonCellular with payload '<private>' with priority 5

default 19:05:00.737216-0400 apsd <private> asked to store incoming message <private> with guid <private> environment <private>

default 19:05:00.737366-0400 apsd <private> deleting low-priority incoming messages for topic <private> environment production

default 19:05:00.737411-0400 apsd APSMessageStore - APSIncomingMessageRecordDeleteMessagesForTopic <private> 1 environment production

default 19:05:00.737873-0400 apsd APSMessageStore - New message record [<private>] has ID [21440].

default 19:05:00.737955-0400 apsd <private>: Sending acknowledgement message with response 0 and messageID <private> (89612005)

default 19:05:00.738198-0400 apsd <private> _notifyForIncomingMessage <private> with guid <private>

default 19:05:00.738739-0400 apsd <private>: Stream processing: complete no, invalid no, length parsed 0, parameters (null)

default 19:05:00.739502-0400 apsd Dispatching low priority message on server: <private>

default 19:05:00.739927-0400 apsd Looking up connection on peer: 40f37720 found <private>

default 19:05:00.740487-0400 SafariBookmarksSyncAgent <private> Delivering message from apsd: <private> 89612005 <private>

default 19:05:00.740606-0400 SafariBookmarksSyncAgent <private> responding with an ack for message with guid <private>

default 19:05:00.740624-0400 SafariBookmarksSyncAgent <private> making delegate (<private>) calls to deliver message 89612005 <private> for topic <private>

default 19:05:00.740674-0400 SafariBookmarksSyncAgent <private> calling <private> connection:didReceiveIncomingMessage:

default 19:05:00.740783-0400 apsd Looking up connection on peer: 40f37720 found <private>

default 19:05:00.740848-0400 apsd <private> informed that <private> acknowledges incoming message with guid <private> tracingUUID (null)

default 19:05:00.740951-0400 apsd APSMessageStore - APSIncomingMessageRecordDeleteMessageForGUID <private>

default 19:05:00.741473-0400 SafariBookmarksSyncAgent <private> returned from <private> connection:didReceiveIncomingMessage:

default 19:04:59.900271-0400 kernel [iBridge]: _dataReceiveCompletion: (epIndex: 3, _state: 1) message received: hasBuffer: 1 messageLength: 8 dataLength: 104 waitForAck: 0 [Repeated 0 times]

default 19:05:00.791255-0400 kernel _dataReceiveCompletion: (epIndex: 3, _state: 1) message received: hasBuffer: 1 messageLength: 8 dataLength: 176 waitForAck: 0 [Repeated 0 times]

default 19:05:00.791687-0400 sharingd Posted com.apple.sharing.DeviceSetup: { "deviceId" : "0BC321E3-BF38-4130-8FCD-43E2AAA93817", "needsSetup" : true, }

default 19:05:00.792057-0400 sharingd Ignoring unpaired proximity Repair with SFBLEDevice ID 0bc321e3-bf38-4130-8fcd-43e2aaa93817, RSSI -69 (-69)T*F, Ch 37, AdvD <c00a03ccaf00440b>, Nm '?', Repair, Paired no, Cnx no, NeedsSetup, Problems 0x20008 <HomeKit CDP >

default 19:05:00.792987-0400 sharingd Fast scan cancel: 'Triggered'

default 19:04:59.904877-0400 kernel [iBridge]: _sendCommandGated (ep: 3): Sending USB buffer size: 17408 command: 0x80308840 [Repeated 0 times]

default 19:05:00.797132-0400 nsurlsessiond Task <17A2B701-5D46-40BE-B607-4C6AD5A60682>.<4> received response, status 200 content U

default 19:05:00.797818-0400 nsurlsessiond Task <17A2B701-5D46-40BE-B607-4C6AD5A60682>.<4> didReceiveResponse: <private>, status code: 200

default 19:05:00.798902-0400 nsurlsessiond Task <17A2B701-5D46-40BE-B607-4C6AD5A60682>.<4> done using Connection 40

default 19:05:00.798954-0400 nsurlsessiond [C40] Ending activity <nw_activity 0:0 [3C22BE69-0CF3-400D-8744-2D2E2F78C967] (lightweight) (reporting strategy default)>

default 19:05:00.800340-0400 cloudd [Request 0x7fb4cef36d10] URLSession:dataTask:didReceiveResponse:completionHandler:

default 19:05:00.800842-0400 nsurlsessiond Task <17A2B701-5D46-40BE-B607-4C6AD5A60682>.<4> client responded to didReceiveResponse with disposition 1

default 19:05:00.800952-0400 nsurlsessiond Task <17A2B701-5D46-40BE-B607-4C6AD5A60682>.<4> response ended

default 19:05:00.800957-0400 nsurlsessiond Task <17A2B701-5D46-40BE-B607-4C6AD5A60682>.<4> did receive data (5935 of -1 total bytes)

default 19:05:00.801110-0400 nsurlsessiond Task <17A2B701-5D46-40BE-B607-4C6AD5A60682>.<4> summary for task success {transaction_duration_ms=363, response_status=200, connection=40, reused=1, request_start_ms=12, request_duration_ms=0, response_start_ms=359, response_duration_ms=4, request_bytes=719, response_bytes=1984, cache_hit=0}

default 19:05:00.801338-0400 nsurlsessiond Task <17A2B701-5D46-40BE-B607-4C6AD5A60682>.<4> RELEASING power assertion.

default 19:05:00.801440-0400 cloudd [Request 0x7fb4cef36d10] URLSession:dataTask:didReceiveData:

default 19:05:00.801789-0400 nsurlsessiond Task <17A2B701-5D46-40BE-B607-4C6AD5A60682>.<4> finished successfully

default 19:05:00.801847-0400 nsurlsessiond Task <17A2B701-5D46-40BE-B607-4C6AD5A60682>.<4> completed with error (null) [0]. C(N)

default 19:05:00.801878-0400 nsurlsessiond Task <17A2B701-5D46-40BE-B607-4C6AD5A60682>.<4> for client <private> completed successfully

default 19:05:00.806260-0400 cloudd <nw_activity 12:3 [3C22BE69-0CF3-400D-8744-2D2E2F78C967] (reporting strategy default) complete (reason success)> complete with reason 2 (success), duration 370ms

default 19:05:00.806405-0400 cloudd Task <17A2B701-5D46-40BE-B607-4C6AD5A60682>.<4> finished successfully

default 19:05:00.806627-0400 cloudd captureMetricsForTask=CKDFetchRecordZoneChangesURLRequest requestUUID=59EC0898-2B3C-4F1B-86E4-EADE5CF424B9:host=gateway.icloud.com:remoteAddress=<private>:localAddress=<private>:connectionUUID=098C14E7-FFE9-4FE9-BBBD-756C2535094B:qualityOfService=utility:reuse=1:i=:protocol=h2:requestHeaderBytes=124:requestBodyBytes=586:responseHeaderBytes=415:responseBodyBytes=1569:err=F:dnsDuration=-1.000:tcpStartDelay=-1.000:tcpDuration=-1.000:sslStartDelay=-1.000:sslDuration=-1.000:requestStartDelay=-1.000:requestDuration=0.001:responseStartDelay=0.346:responseDuration=0.004:transactionDuration=0.351:outOfProcess=T:allowExpensive=F:powerNap=T:app=com.apple.Photos:2app=:pool=com.apple.cloudkit.BackgroundConnectionPool:tlsPinning=T:retryNetworkFailures=F:disc=T:duet=noBudgeting:reqTimeout=60.00:resTimeout=86400.00:appleIdSessionId=com.apple.cloudkit:metricRequest=F

default 19:05:00.806818-0400 cloudd [<private> removeTask:<private>] - withDescription:<private>

default 19:05:00.806921-0400 cloudd [Request 0x7fb4cef36d10]
URLSession:task:didCompleteWithError:
default 19:05:00.810017-0400 nsurlsessiond Task <17A2B701-5D46-40BE-B607-4C6AD5A60682>.<4> client acknowledged completion
default 19:05:00.810822-0400 cloudd [Operation 0x7fb4ced4290] Operation transitioning from state 2 (cancelled=0, stop=0, error=0)
default 19:05:00.811206-0400 cloudd [Request 0x7fb4cef36d10] Finishing request with no error
default 19:05:00.812524-0400 cloudd [Operation 0x7fb4d2006950] Request 0x7fb4cee8a6b0 set on operation
default 19:05:00.812688-0400 cloudd [Operation 0x7fb4ced4290] Request 0x7fb4cefc7b00 set on operation
default 19:05:00.825146-0400 cloudd [Request 0x7fb4cee8a6b0] Performing
default 19:05:00.826036-0400 cloudd [Request 0x7fb4cee8a6b0] Getting URL for the user partition
default 19:05:00.826431-0400 cloudd [Request 0x7fb4cee8a6b0] Getting configuration
default 19:05:00.827095-0400 cloudd [Request 0x7fb4cee8a6b0] Fetching important user IDs
default 19:05:00.827572-0400 cloudd [Request 0x7fb4cee8a6b0] Getting device ID
default 19:05:00.827964-0400 cloudd [Request 0x7fb4cee8a6b0] Getting zone gates
default 19:05:00.829194-0400 cloudd [Request 0x7fb4cee8a6b0] Getting push token
default 19:05:00.829864-0400 cloudd [Request 0x7fb4cee8a6b0] Performing request. Background=1, cellular=0
default 19:05:00.833770-0400 nsurlsessiond Task <725A406D-AE56-4160-8275-75FE1C6CA4D6>.<5> dataTaskWithRequest: <private>
default 19:05:00.834356-0400 nsurlsessiond Task <?>.<0> current discretionary status for <private> is discretionary (opt-in: 1)
default 19:05:00.834661-0400 nsurlsessiond Task <725A406D-AE56-4160-8275-75FE1C6CA4D6>.<5> is for <<private>>.<<private>>.<5>
default 19:05:00.834847-0400 nsurlsessiond Task <725A406D-AE56-4160-8275-75FE1C6CA4D6>.<5> enqueueing
default 19:05:00.835787-0400 cloudd [<C2Session: 0x7fb4cef92c90> addTask:<C2SessionTask: 0x7fb4ceecf060> withDescription:CKDFetchRecordZoneChangesURLRequest requestUUID:F3975F28-A4A8-4E78-ABD1-F8832A8B94B7 request:<NSMutableURLRequest: 0x7fb4ceed7e40> { URL: https://gateway.icloud.com:443/ckdatabase/api/client/record/sync }}]
default 19:05:00.835994-0400 cloudd [<C2SessionTask: 0x7fb4ceecf060> setTask:BackgroundDataTask <725A406D-AE56-4160-8275-75FE1C6CA4D6>.<5>]
default 19:05:00.836152-0400 cloudd created task (CKDFetchRecordZoneChangesURLRequest requestUUID:F3975F28-A4A8-4E78-ABD1-F8832A8B94B7). nsurlsessionCached (T). configurationName (route=gateway.icloud.com:outOfProcess=T:allowExpensive=F:powerNap=T:adaptive=T:app=com.apple.Photos:disc=T:duet=noBudgeting:retry=F:pool=com.apple.cloudkit.BackgroundConnectionPool).
default 19:05:00.836615-0400 cloudd Task <725A406D-AE56-4160-8275-75FE1C6CA4D6>.<5> resuming, QOS(0x11) Voucher <private>
default 19:05:00.836853-0400 cloudd Create activity <nw_activity 12:3>
default 19:05:00.838073-0400 cloudd Activated <nw_activity 12:3 [856888B1-8E48-419E-891E-143E12A99287] (reporting strategy default)>
default 19:05:00.838298-0400 cloudd [Telemetry]: Activity <nw_activity 12:3 [856888B1-8E48-419E-891E-143E12A99287] (reporting strategy default)> on Task <725A406D-AE56-4160-8275-75FE1C6CA4D6>.<5> was not selected for reporting
default 19:05:00.838882-0400 nsurlsessiond Task <725A406D-AE56-4160-8275-75FE1C6CA4D6>.<5> resumeTaskWithIdentifier, props <private>

```

default 19:05:00.838927-0400      nsurlsessiond Task <725A406D-
AE56-4160-8275-75FE1C6CA4D6>.<5> resuming, QOS(0x11)
default 19:05:00.839159-0400      nsurlsessiond Task <725A406D-
AE56-4160-8275-75FE1C6CA4D6>.<5> initialized appleIDAuthenticator, status codes =
<private>
default 19:05:00.839371-0400      nsurlsessiond Create activity <nw_activity
[856888B1-8E48-419E-891E-143E12A99287] (lightweight)>
default 19:05:00.839601-0400      nsurlsessiond Task <725A406D-
AE56-4160-8275-75FE1C6CA4D6>.<5> resuming
default 19:05:00.839639-0400      nsurlsessiond Task <725A406D-
AE56-4160-8275-75FE1C6CA4D6>.<5> has not requested a begin delay
default 19:05:00.839667-0400      nsurlsessiond Task <725A406D-
AE56-4160-8275-75FE1C6CA4D6>.<5> skipping delayed request callback - delegate not
implemented
default 19:05:00.839698-0400      nsurlsessiond Task <725A406D-
AE56-4160-8275-75FE1C6CA4D6>.<5> will begin
default 19:05:00.839728-0400      nsurlsessiond Task <725A406D-
AE56-4160-8275-75FE1C6CA4D6>.<5> resuming, QOS(0x11) Voucher <private>
default 19:05:00.839814-0400      nsurlsessiond [Telemetry]: Activity <nw_activity 0:0
[856888B1-8E48-419E-891E-143E12A99287] (lightweight) (reporting strategy default)> on Task
<725A406D-AE56-4160-8275-75FE1C6CA4D6>.<5> was not selected for reporting
default 19:05:00.840643-0400      nsurlsessiond Task <725A406D-
AE56-4160-8275-75FE1C6CA4D6>.<5> {strength 0, tls 4, ct 0, sub 0, sig 1, ciphers 0, bundle
1, builtin 0}
default 19:05:00.842364-0400      nsurlsessiond Task <725A406D-
AE56-4160-8275-75FE1C6CA4D6>.<5> TAKING power assertion.
default 19:05:00.842438-0400      nsurlsessiond Connection 40: working for activity
<private>
default 19:05:00.842539-0400      nsurlsessiond Connection 40: working for activity
<private>
default 19:05:00.843416-0400      nsurlsessiond Task <725A406D-
AE56-4160-8275-75FE1C6CA4D6>.<5> for client <private>
_willSendRequestForEstablishedConnection
default 19:05:00.843595-0400      nsurlsessiond Task <725A406D-
AE56-4160-8275-75FE1C6CA4D6>.<5> performing will send request callback, request
<private>
default 19:05:00.845885-0400      cloudd [Request 0x7fb4cee8a6b0]
requestForEstablishedConnection
default 19:05:00.846246-0400      cloudd #7cde128a
ACSMightCurrentNetworkHaveCachingServer(options={
    capabilities = {
        import = 1;
        namespaces = 1;
        personalCaching = 1;
    };
    quickMiss = 1;
}, callbackQueue=0x0, callback=0x70000b4eb0e0)
default 19:05:00.846281-0400      cloudd #7cde128a
ACSMightCurrentNetworkHaveCachingServer -> [same] mightHave NO, error (null), elapsed
0.000
default 19:05:00.848412-0400      nsurlsessiond Task <725A406D-
AE56-4160-8275-75FE1C6CA4D6>.<5> client responded to will send request callback with
request <private> handle <private>
default 19:05:00.848493-0400      nsurlsessiond Created stream with file descriptor: 8

```

default 19:05:00.849534-0400 nsurlsessiond Task <725A406D-AE56-4160-8275-75FE1C6CA4D6>.<5> background authenticator getting headers for (null) codes <private>

default 19:05:00.849586-0400 nsurlsessiond Task <725A406D-AE56-4160-8275-75FE1C6CA4D6>.<5> getAuthHeadersForResponse for <private> _sendsLaunchEvents=N [_clientApplication supportsWakes]=N

default 19:05:00.850200-0400 cloudd BackgroundDataTask <725A406D-AE56-4160-8275-75FE1C6CA4D6>.<5> getting auth headers for session <private> with identifier <private> outstanding auth tasks <private>

default 19:05:00.850229-0400 cloudd Task <725A406D-AE56-4160-8275-75FE1C6CA4D6>.<5> local authenticator getting headers for (null) codes <private>

default 19:05:00.850279-0400 cloudd Task <725A406D-AE56-4160-8275-75FE1C6CA4D6>.<5> local authenticator will provide headers or request

default 19:05:00.855056-0400 cloudd Task <725A406D-AE56-4160-8275-75FE1C6CA4D6>.<5> authenticator finished cont 1 req (null) headers <private>

default 19:05:00.855474-0400 cloudd BackgroundDataTask <725A406D-AE56-4160-8275-75FE1C6CA4D6>.<5> finished getting auth headers for session <private> with identifier <private>

default 19:05:00.855971-0400 nsurlsessiond Task <725A406D-AE56-4160-8275-75FE1C6CA4D6>.<5> received auth headers for response, continueLoad: 1 authHeaders <private> newRequest (null)

default 19:05:00.856101-0400 nsurlsessiond Task <725A406D-AE56-4160-8275-75FE1C6CA4D6>.<5> authenticator finished cont 1 req (null) headers <private>

default 19:05:00.856247-0400 nsurlsessiond Task <725A406D-AE56-4160-8275-75FE1C6CA4D6>.<5> protocol received continueLoad=1, headers=<private> req=(null)

default 19:05:00.856575-0400 nsurlsessiond Task <725A406D-AE56-4160-8275-75FE1C6CA4D6>.<5> {strength 0, tls 4, ct 0, sub 0, sig 1, ciphers 0, bundle 1, builtin 0}

default 19:05:00.856829-0400 nsurlsessiond Connection 40: working for activity <private>

default 19:05:00.856874-0400 nsurlsessiond Connection 40: working for activity <private>

default 19:05:00.857332-0400 nsurlsessiond Task <725A406D-AE56-4160-8275-75FE1C6CA4D6>.<5> now using Connection 40

default 19:05:00.857434-0400 nsurlsessiond [C40] Starting activity <nw_activity 0:0 [856888B1-8E48-419E-891E-143E12A99287] (lightweight) (reporting strategy default)>

default 19:05:00.871591-0400 cloudd [Operation 0x7fb4ced4290] Operation is now in state 3

default 19:05:00.871613-0400 cloudd [Request 0x7fb4cefc7b00] Performing

default 19:05:00.872571-0400 cloudd [Request 0x7fb4cefc7b00] Getting URL for the user partition

default 19:05:00.872847-0400 cloudd [Request 0x7fb4cefc7b00] Getting configuration

default 19:05:00.873157-0400 cloudd [Request 0x7fb4cefc7b00] Fetching important user IDs

default 19:05:00.874070-0400 cloudd [Request 0x7fb4cefc7b00] Getting device ID

default 19:05:00.874320-0400 cloudd [Request 0x7fb4cefc7b00] Getting zone gates

default 19:05:00.875961-0400 cloudd [Request 0x7fb4cefc7b00] Getting push token

default 19:05:00.876643-0400 cloudd [Request 0x7fb4cefc7b00] Performing request. Background=1, cellular=1

default 19:05:00.879308-0400 cloudd background session setup will wait for reply:
session <private> with identifier <private>
default 19:05:00.880446-0400 nsurlsessiond Creating session with identifier: <private>
for bundle id: <private>
default 19:05:00.880538-0400 nsurlsessiond Client <private> is acting on behalf of
<private>
default 19:05:00.886464-0400 nsurlsessiond Task <725A406D-AE56-4160-8275-75FE1C6CA4D6>.<5> sent request, body S 587
default 19:05:00.887989-0400 cloudphotod Transport successfully downloaded for
<private> in 0.46s <CPLChangeBatch [CPLMasterChange: +0/0/-23, CPLAssetChange:
+0/0/-27] {{
<CPLAssetChange 706381C1-207B-42D4-B7CF-A3B90507C77B#PrimarySync mod: (null)
[D]>,
<CPLAssetChange 11695470-8B9E-43F6-BEE0-CC986F8994E8#PrimarySync mod: (null)
[D]>,
<CPLMasterChange AZi2TV92Wx/fyuqd0ILTJykgA0nV#PrimarySync mod: (null) [D]>,
<CPLAssetChange 99FE6F4A-9F72-4021-BDEE-4CBFE52F52D3#PrimarySync mod: (null)
[D]>,
<CPLAssetChange 1C8EE803-8397-429B-980F-2D02E601FEFC#PrimarySync mod: (null)
[D]>,
<CPLMasterChange Ab4c7q9HvvTGCPZea3u32HX5I0Gq#PrimarySync mod: (null) [D]>,
<CPLAssetChange 1E34F797-0C63-4AFD-A714-EEEE0F095CA87#PrimarySync mod: (null)
[D]>,
<CPLMasterChange AbHoUIklGQe7LaTNlvdVt00gDSD/#PrimarySync mod: (null) [D]>,
<CPLAssetChange 3C44ADF8-EDF2-4DAE-AC40-F64B5C87A42F#PrimarySync mod: (null)
[D]>,
<CPLMasterChange Afxozeg8ohZ0e5CFRJGzfkIx+kCP#PrimarySync mod: (null) [D]>,
<CPLAssetChange 068416BF-62F3-449D-8E33-72AC8E4188C9#PrimarySync mod: (null)
[D]>,
<CPLMasterChange
default 19:05:00.888489-0400 nsurlsessiond Session <5F22A81E-B588-42A3-BB59-5542D81D414C> is for <<private>>.<<private>> using resource timeout:
604800.000000, request timeout: 60.000000 allowsCellularAccess: 1, allowsExpensiveAccess:
1 [1] _sourceApplicationBundleIdentifier: <private>, _sourceApplicationSecondaryIdentifier:
(null)
default 19:05:00.888829-0400 cloudd background session setup reply received: session
<private> with identifier <private>
default 19:05:00.889158-0400 cloudd background session setup complete for Session
<5F22A81E-B588-42A3-BB59-5542D81D414C>
default 19:05:00.892339-0400 nsurlsessiond Task <C9970346-E0A7-4542-903A-2C79F9297335>.<1> dataTaskWithRequest: <private>
default 19:05:00.892496-0400 nsurlsessiond Task <?>.<0> current discretionary status
for <private> is non-discretionary
default 19:05:00.892647-0400 nsurlsessiond Task <C9970346-E0A7-4542-903A-2C79F9297335>.<1> is for <<private>>.<<private>>.<1>
default 19:05:00.892817-0400 nsurlsessiond Task <C9970346-E0A7-4542-903A-2C79F9297335>.<1> enqueueing
default 19:05:00.893116-0400 cloudd [<C2Session: 0x7fb4cecf7e0>
addTask:<C2SessionTask: 0x7fb4ceecf1f0> withDescription:CKDGetRecordZonesURLRequest
requestUUID:877CF5FC-1FFF-45A4-8D16-2AE63F960748 request:<NSMutableURLRequest:
0x7fb4cecf250> { URL: https://gateway.icloud.com:443/ckdatabase/api/client/zone/retrieve }}
default 19:05:00.893196-0400 cloudd [<C2SessionTask: 0x7fb4ceecf1f0>
setTask:BackgroundDataTask <C9970346-E0A7-4542-903A-2C79F9297335>.<1>]

default 19:05:00.893243-0400 cloudd created task (CKDGetRecordZonesURLRequest requestUUID:877CF5FC-1FFF-45A4-8D16-2AE63F960748). nsurlsessionCached (F). configurationName (route=gateway.icloud.com:outOfProcess=T:allowExpensive=T:powerNap=F:adaptive=T:app=com.apple.SafariBookmarksSyncAgent:disc=Infers:duet=none:retry=F:pool=com.apple.cloudkit.BackgroundConnectionPool).

default 19:05:00.893907-0400 cloudd Task <C9970346-E0A7-4542-903A-2C79F9297335>.<1> resuming, QOS(0x11) Voucher <private>

default 19:05:00.893968-0400 cloudd Create activity <nw_activity 12:3>

default 19:05:00.895256-0400 cloudd Activated <nw_activity 12:3 [744C3B56-EA64-421D-87C0-2835CB09B9A1] (reporting strategy default)>

default 19:05:00.895423-0400 cloudd [Telemetry]: Activity <nw_activity 12:3 [744C3B56-EA64-421D-87C0-2835CB09B9A1] (reporting strategy default)> on Task <C9970346-E0A7-4542-903A-2C79F9297335>.<1> was not selected for reporting

default 19:05:00.896199-0400 nsurlsessiond Task <C9970346-E0A7-4542-903A-2C79F9297335>.<1> resumeTaskWithIdentifier, props <private>

default 19:05:00.896294-0400 nsurlsessiond Task <C9970346-E0A7-4542-903A-2C79F9297335>.<1> resuming, QOS(0x11)

default 19:05:00.896553-0400 nsurlsessiond Task <C9970346-E0A7-4542-903A-2C79F9297335>.<1> initialized appleIDAuthenticator, status codes = <private>

default 19:05:00.896596-0400 nsurlsessiond Create activity <nw_activity [744C3B56-EA64-421D-87C0-2835CB09B9A1] (lightweight)>

default 19:05:00.896855-0400 nsurlsessiond Task <C9970346-E0A7-4542-903A-2C79F9297335>.<1> resuming

default 19:05:00.896898-0400 nsurlsessiond Task <C9970346-E0A7-4542-903A-2C79F9297335>.<1> has not requested a begin delay

default 19:05:00.896927-0400 nsurlsessiond Task <C9970346-E0A7-4542-903A-2C79F9297335>.<1> skipping delayed request callback - delegate not implemented

default 19:05:00.897011-0400 nsurlsessiond Task <C9970346-E0A7-4542-903A-2C79F9297335>.<1> will begin

default 19:05:00.897099-0400 nsurlsessiond Task <C9970346-E0A7-4542-903A-2C79F9297335>.<1> resuming, QOS(0x11) Voucher <private>

default 19:05:00.897216-0400 nsurlsessiond [Telemetry]: Activity <nw_activity 0:0 [744C3B56-EA64-421D-87C0-2835CB09B9A1] (lightweight) (reporting strategy default)> on Task <C9970346-E0A7-4542-903A-2C79F9297335>.<1> was not selected for reporting

default 19:05:00.900228-0400 nsurlsessiond Task <C9970346-E0A7-4542-903A-2C79F9297335>.<1> {strength 0, tls 4, ct 0, sub 0, sig 1, ciphers 0, bundle 1, builtin 0}

default 19:05:00.900515-0400 nsurlsessiond Connection 0: working for activity <private>

default 19:05:00.900693-0400 nsurlsessiond UUID cache miss for com.apple.SafariBookmarksSyncAgent

default 19:05:00.909972-0400 distnoted register name: com.apple.userkeyequivalentsdidchange object: kCFNotificationAnyObject token: f43c4 pid: 2821

error 19:05:00.914185-0400 nsurlsessiond nw_parameters_set_source_application_by_bundle_id_internal Failed to convert from bundle ID (com.apple.SafariBookmarksSyncAgent) to UUID. This could lead to wrong data usage accounting.

default 19:05:00.914546-0400 nsurlsessiond Connection 41: enabling TLS

default 19:05:00.915174-0400 nsurlsessiond CCDS: requirements <private>

DASActivityProperties <private>

default 19:05:00.915376-0400 nsurlsessiond activity [0x7fe8877999c0] <private>
submitted to pool <private>
default 19:05:00.916023-0400 nsurlsessiond SUBMITTING: <private>
default 19:05:00.916145-0400 nsurlsessiond Establish daemon connection; interrupted:
0
default 19:05:00.916732-0400 nsurlsessiond Have submitted to daemon 1 activities in
group <private>
default 19:05:00.917026-0400 nsurlsessiond Connection 41: submitted
activity(0x7fe8877999c0)
default 19:05:00.917165-0400 nsurlsessiond Task <C9970346-
E0A7-4542-903A-2C79F9297335>.<1> setting up Connection 41
default 19:05:00.917239-0400 nsurlsessiond [C41] Starting activity <nw_activity 0:0
[744C3B56-EA64-421D-87C0-2835CB09B9A1] (lightweight) (reporting strategy default)>
default 19:05:00.922763-0400 dasd Submitted Activity: com.apple.CFNetwork-
cc-359-36-Task <C9970346-E0A7-4542-903A-2C79F9297335>.<1>:9CDD00 at priority 90
<private>
default 19:05:00.923441-0400 dasd Start network path monitoring for '<private>'
default 19:05:00.924899-0400 dasd nw_path_evaluator_start
[417D2B0E-40A3-4897-84AE-A23D8F4F6B84 Hostname#a651bb5a:443 generic, bundle id:
com.apple.SafariBookmarksSyncAgent, pid: 359, url hash: d36f6742, indefinite]
path: satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns
error 19:05:00.933197-0400 coreduetd Prediction is unavailable because no data
was provided.
error 19:05:00.941212-0400 coreduetd Prediction is unavailable because no data
was provided.
default 19:05:00.943041-0400 dasd Timeline for <private>: <private>
default 19:05:00.946403-0400 dasd com.apple.CFNetwork-cc-359-36-Task
<C9970346-E0A7-4542-903A-2C79F9297335>.<1>:9CDD00:[
{name: ApplicationPolicy, policyWeight: 25.000, response: {Decision: Can Proceed,
Score: 0.05}}
{name: DeviceActivityPolicy, policyWeight: 2.000, response: {Decision: Can Proceed,
Score: 0.89}}
] sumScores:26.726029, denominator:50.700000, FinalDecision: Can Proceed FinalScore:
0.527141}
default 19:05:00.946566-0400 dasd 'com.apple.CFNetwork-cc-359-36-Task
<C9970346-E0A7-4542-903A-2C79F9297335>.<1>:9CDD00' DecisionToRun: 1 (Bypasses
Predictions)
default 19:05:00.946679-0400 dasd Running <private> immediately on submission
default 19:05:00.946789-0400 dasd Stop network path monitoring for '<private>'
default 19:05:00.946952-0400 dasd With <private> ...Tasks pre-running in group
[<private>] are 1!
default 19:05:00.947129-0400 dasd Running activities : <private>
default 19:05:00.947241-0400 dasd With <private> ...Tasks running in group [<private>]
are 1!
default 19:05:00.948530-0400 nsurlsessiond STARTING: <private>
default 19:05:00.948625-0400 nsurlsessiond Connection 41: activity(0x7fe8877999c0)
start handler called
default 19:05:00.948671-0400 nsurlsessiond Connection 41: starting, TC(0x0)
default 19:05:00.948725-0400 nsurlsessiond [C41 5F1C25AD-FA84-45D9-B5F9-
F08FBC8C04C5 Hostname#7a8acbf8:443 tcp, bundle id:
com.apple.SafariBookmarksSyncAgent, url hash: 9910a9f7, expected workload: 1000, tls,
indefinite] start
default 19:05:00.949490-0400 nsurlsessiond
nw_connection_report_state_with_handler_on_nw_queue [C41] reporting state preparing

default 19:05:00.949733-0400 mDNSResponder [R3733]
DNSServiceCreateConnection START PID[359](nsurlsessiond)
default 19:05:00.949934-0400 mDNSResponder [R3734]
DNSServiceGetAddrInfo(C000D000, 0, 0, <private>) START PID[359](nsurlsessiond)
default 19:05:00.949980-0400 mDNSResponder [R3734->Q23721]
GetServerForQuestion: 0x7fa2a580ba00 DNS server (0x7fa2a4708ab0) <private>:53 (Penalty
Time Left 0) (Scope None:0x0:-1) for <private> (AAAA)
default 19:05:00.950035-0400 mDNSResponder [R3734->Q3952]
GetServerForQuestion: 0x7fa2a5826c00 DNS server (0x7fa2a4708ab0) <private>:53 (Penalty
Time Left 0) (Scope None:0x0:-1) for <private> (Addr)
default 19:05:00.950392-0400 mDNSResponder [R3734->Q23721]
DNSServiceGetAddrInfo(<private>, AAAA) RESULT ADD interface 0: (immortal)<private>
default 19:05:00.950426-0400 mDNSResponder [R3734->Q23721]
AnswerQuestionByFollowingCNAME: 0x7fa2a580ba00 <private> (AAAA) following CNAME
referral 0 for <private>
default 19:05:00.950460-0400 mDNSResponder [R3734->Q24036]
GetServerForQuestion: 0x7fa2a580ba00 DNS server (0x7fa2a4708ab0) <private>:53 (Penalty
Time Left 0) (Scope None:0x0:-1) for <private> (AAAA)
default 19:05:00.950514-0400 mDNSResponder [R3734->Q3952]
DNSServiceGetAddrInfo(<private>, Addr) RESULT ADD interface 0: (immortal)<private>
default 19:05:00.950537-0400 mDNSResponder [R3734->Q3952]
AnswerQuestionByFollowingCNAME: 0x7fa2a5826c00 <private> (Addr) following CNAME
referral 0 for <private>
default 19:05:00.950566-0400 mDNSResponder [R3734->Q23820]
GetServerForQuestion: 0x7fa2a5826c00 DNS server (0x7fa2a4708ab0) <private>:53 (Penalty
Time Left 0) (Scope None:0x0:-1) for <private> (Addr)
default 19:05:00.950619-0400 mDNSResponder [R3734->Q24036]
DNSServiceGetAddrInfo(<private>, AAAA) RESULT ADD interface 0: (immortal)<private>
default 19:05:00.950647-0400 mDNSResponder [R3734->Q24036]
DNSServiceGetAddrInfo(<private>, AAAA) RESULT ADD interface 0: (immortal)<private>
default 19:05:00.950671-0400 mDNSResponder [R3734->Q24036]
DNSServiceGetAddrInfo(<private>, AAAA) RESULT ADD interface 0: (immortal)<private>
default 19:05:00.950699-0400 mDNSResponder [R3734->Q24036]
DNSServiceGetAddrInfo(<private>, AAAA) RESULT ADD interface 0: (immortal)<private>
default 19:05:00.950743-0400 mDNSResponder [R3734->Q24036]
DNSServiceGetAddrInfo(<private>, AAAA) RESULT ADD interface 0: (immortal)<private>
default 19:05:00.950798-0400 mDNSResponder [R3734->Q24036]
DNSServiceGetAddrInfo(<private>, AAAA) RESULT ADD interface 0: (immortal)<private>
default 19:05:00.950879-0400 mDNSResponder [R3734->Q24036]
DNSServiceGetAddrInfo(<private>, AAAA) RESULT ADD interface 0: (immortal)<private>
default 19:05:00.950933-0400 mDNSResponder [R3734->Q24036]
DNSServiceGetAddrInfo(<private>, AAAA) RESULT ADD interface 0: (immortal)<private>
default 19:05:00.950994-0400 mDNSResponder [R3734->Q23820]
DNSServiceGetAddrInfo(<private>, Addr) RESULT ADD interface 0: (immortal)<private>
default 19:05:00.951136-0400 mDNSResponder [R3734->Q23820]
DNSServiceGetAddrInfo(<private>, Addr) RESULT ADD interface 0: (immortal)<private>
default 19:05:00.951272-0400 mDNSResponder [R3734->Q23820]
DNSServiceGetAddrInfo(<private>, Addr) RESULT ADD interface 0: (immortal)<private>
default 19:05:00.951370-0400 mDNSResponder [R3734->Q23820]
DNSServiceGetAddrInfo(<private>, Addr) RESULT ADD interface 0: (immortal)<private>
default 19:05:00.951431-0400 mDNSResponder [R3734->Q23820]
DNSServiceGetAddrInfo(<private>, Addr) RESULT ADD interface 0: (immortal)<private>
default 19:05:00.951491-0400 mDNSResponder [R3734->Q23820]
DNSServiceGetAddrInfo(<private>, Addr) RESULT ADD interface 0: (immortal)<private>

```

default 19:05:00.951520-0400      mDNSResponder      [R3734->Q23820]
DNSServiceGetAddrInfo(<private>, Addr) RESULT ADD interface 0: (immortal)<private>
default 19:05:00.951575-0400      mDNSResponder      [R3734->Q23820]
DNSServiceGetAddrInfo(<private>, Addr) RESULT ADD interface 0: (immortal)<private>
default 19:05:00.961369-0400      systemsoundserverd SSSAudioData.cpp:204:LoadSound:
AudioFileReadPackets:result 0
default 19:05:00.961623-0400      systemsoundserverd
SSServerImp.cpp:689:SystemServicePlayActionID: -> Incoming Request : actionID 4096,
inClientPID 2821(Console), inBehavior 1, customVibeDataProvided 0, loop 0, loopPeriod
0.000000, inFlags 0, inClientCompletionToken 1
default 19:05:00.961909-0400      systemsoundserverd
SSSActionLists.cpp:205:BeginPrepareData: Data was marked NON-purgeable for actionID:
4096; this: 0x7fe8b8f0e8b0
default 19:05:00.961991-0400      systemsoundserverd
ActiveSoundList.cpp:198:CreateActiveSoundEntry: Creating active sound entry: inActionID
4096, inSSIDForCMSession 4096, inClientPID 2821, inClientConnection -1192149904,
inPlayerSync 0x0, inIsLoopedSound 0, token 116
default 19:05:00.962066-0400      systemsoundserverd
SSServerImp.cpp:997:SystemServicePlayActionID: -> Starting audio : actionID 4096,
volume 1.000000 (user vol 1.000000, client vol scalar 1.000000, CM vol 1.000000), pan
0.000000
default 19:05:00.962584-0400      kernel PMRD: setAggressiveness(0) kPMMinutesToSleep
= 0
default 19:05:00.962908-0400      coreaudioid
HALS_Device::_GetCombinedVolumeScalar: client 85 is not present and has a combined
volume scalar is 1.000000
default 19:05:00.962990-0400      kernel + IOAudioEngineUserClient::externalMethod,
selector=0x0, arg0 0x0, arg1 0x109e09000, arg2 0x8010 arg3 0x56
default 19:05:00.962996-0400      kernel scalarInputCount=0x4 structureInputSize 0x0,
scalarOutputCount 0x0, structureOutputSize 0x0
default 19:05:00.963000-0400      kernel + IOAudioEngineUserClient::registerBuffer64 0x0
0x109e09000 0x8010 0x56
default 19:05:00.963004-0400      kernel +
IOAudioEngineUserClient::safeRegisterClientBuffer64 <private>
default 19:05:00.963007-0400      kernel +
IOAudioEngineUserClient[<private>]:registerClientBuffer64 (<private>[1], 0x109e09000,
0x8010, 0x56)
default 19:05:00.963009-0400      kernel null clientBufferSetList
default 19:05:00.963011-0400      kernel did not find clientBufferSetList for ID 0x56
default 19:05:00.963105-0400      kernel clientBuffer->mAudioClientBuffer32.sourceBuffer
before offset: <private>, offset size: 16
default 19:05:00.963107-0400      kernel clientBuffer->mAudioClientBuffer32.sourceBuffer
after offset: <private>
default 19:05:00.963108-0400      kernel null clientBufferSetList
default 19:05:00.963109-0400      kernel did not find clientBufferSetList for ID 0x56
default 19:05:00.963109-0400      kernel creating new IOAudioClientBufferSet
default 19:05:00.963110-0400      kernel output
default 19:05:00.963113-0400      kernel !isOnline
default 19:05:00.963114-0400      kernel - IOAudioEngineUserClient::registerClientBuffer64()
result 0x0
default 19:05:00.963114-0400      kernel -
IOAudioEngineUserClient::safeRegisterClientBuffer64 returns 0x0
default 19:05:00.963118-0400      kernel - IOAudioEngineUserClient::registerBuffer64 0x0
0x109e09000 0x8010 0x56 returns 0x0

```

```

default 19:05:00.963119-0400      kernel - IOAudioEngineUserClient::externalMethod
returns 0x0
default 19:05:00.963135-0400      kernel + IOAudioEngineUserClient::externalMethod,
selector=0x3,  arg0 0x0, arg1 0x0, arg2 0x0 arg3 0x0
default 19:05:00.963135-0400      kernel  scalarInputCount=0x0  structureInputSize 0x0,
scalarOutputCount 0x0, structureOutputSize 0x0
default 19:05:00.963139-0400      kernel + IOAudioEngineUserClient[<private>]::startClient()
- 0
default 19:05:00.963140-0400      kernel  audioEngine && !isInactive(). State = 0
default 19:05:00.963141-0400      kernel  audioEngine->getState() !=
kIOAudioEnginePaused
default 19:05:00.963145-0400      kernel +-
IOAudioEngineUserClient[<private>]::setOnline(1)
default 19:05:00.963146-0400      kernel  !isOnline() setting online
default 19:05:00.963149-0400      kernel + IOAudioEngine[<private>]::startClient(<private>)
default 19:05:00.963150-0400      kernel +
IOAudioEngine[<private>]::incrementActiveUserClients() - 0
default 19:05:00.963155-0400      kernel +
IOAudioEngine[<private>]::startAudioEngine(state = 0)
default 19:05:00.963156-0400      kernel +
IOAudioDevice[<private>]::protectedCompletePowerStateChange() - current = 2 - pending = 2
default 19:05:00.963160-0400      kernel -
IOAudioDevice[<private>]::protectedCompletePowerStateChange() - current = 2 - pending = 2
returns 0x0
default 19:05:00.963164-0400      kernel +
IOAudioDevice[<private>]::protectedCompletePowerStateChange() - current = 2 - pending = 2
default 19:05:00.963165-0400      kernel -
IOAudioDevice[<private>]::protectedCompletePowerStateChange() - current = 2 - pending = 2
returns 0x0
default 19:05:00.963167-0400      kernel + IOAudioDevice[<private>]::audioEngineStarting()
- numRunningAudioEngines = 0
default 19:05:00.963169-0400      kernel - IOAudioDevice[<private>]::audioEngineStarting() -
numRunningAudioEngines = 1
default 19:05:00.963170-0400      kernel +- IOAudioEngine[<private>]::resetStatusBuffer()
error 19:05:00.978451-0400      nsurlsessiond nw_endpoint_flow_validate_delegation
[C41.1 IPv6#8e8f1be5.443 in_progress socket-flow (satisfied (Path is satisfied), interface: en0,
ipv4, ipv6, dns)] Network Delegation Failure: Invalid Bundle ID
"com.apple.SafariBookmarksSyncAgent" [M]
default 19:05:00.979948-0400      mDNSResponder [R3733]
DNSServiceCreateConnection STOP PID[359](nsurlsessiond)
default 19:05:00.980006-0400      mDNSResponder [R3734]
DNSServiceGetAddrInfo(<private>) STOP PID[359](nsurlsessiond)
default 19:05:00.991245-0400      LocationMenu {"msg":"CLLocationManager",
"event":"activity", "_cmd":"appsUsingLocationWithInfo", "self":"0x7fff8bac1620"}
default 19:05:00.991638-0400      LocationMenu {"msg":"CLCopyAppsUsingLocation",
"event":"activity"}
default 19:05:00.992487-0400      nsurlsessiond Task <725A406D-
AE56-4160-8275-75FE1C6CA4D6>.<5> received response, status 200 content U
default 19:05:00.992535-0400      nsurlsessiond Task <725A406D-
AE56-4160-8275-75FE1C6CA4D6>.<5> done using Connection 40
default 19:05:00.992582-0400      nsurlsessiond [C40] Ending activity <nw_activity 0:0
[856888B1-8E48-419E-891E-143E12A99287] (lightweight) (reporting strategy default)>
default 19:05:00.992799-0400      nsurlsessiond Task <725A406D-
AE56-4160-8275-75FE1C6CA4D6>.<5> response ended

```

```

default 19:05:00.993359-0400      UserEventAgent      {"msg":"CLLocationManager",
"event":"activity", "_cmd":"appsUsingLocationWithInfo", "self":"0x7fff8bac1620"}
default 19:05:00.993588-0400      UserEventAgent
{"msg":"CLCopyAppsUsingLocation", "event":"activity"}
default 19:05:00.994124-0400      LocationMenu {"msg":"CLLocationManager",
"event":"activity", "_cmd":"appsUsingLocationWithInfo", "self":"0x7fff8bac1620"}
default 19:05:00.994165-0400      LocationMenu {"msg":"CLCopyAppsUsingLocation",
"event":"activity"}
default 19:05:01.000737-0400      nsurlsessiond Task <725A406D-
AE56-4160-8275-75FE1C6CA4D6>.<5> summary for task success
{transaction_duration_ms=160, response_status=200, connection=40, reused=1,
request_start_ms=32, request_duration_ms=13, response_start_ms=151,
response_duration_ms=0, request_bytes=689, response_bytes=874, cache_hit=0}
default 19:05:01.001163-0400      nsurlsessiond Task <725A406D-
AE56-4160-8275-75FE1C6CA4D6>.<5> RELEASING power assertion.
default 19:05:01.001296-0400      nsurlsessiond Task <725A406D-
AE56-4160-8275-75FE1C6CA4D6>.<5> didReceiveResponse: <private>, status code: 200
default 19:05:01.005681-0400      cloudd [Request 0x7fb4cee8a6b0]
URLSession:dataTask:didReceiveResponse:completionHandler:
default 19:05:01.007071-0400      nsurlsessiond Task <725A406D-
AE56-4160-8275-75FE1C6CA4D6>.<5> client responded to didReceiveResponse with
disposition 1
default 19:05:01.007359-0400      nsurlsessiond Task <725A406D-
AE56-4160-8275-75FE1C6CA4D6>.<5> did receive data (1014 of 1014 total bytes)
default 19:05:01.008248-0400      cloudd [Request 0x7fb4cee8a6b0]
URLSession:dataTask:didReceiveData:
default 19:05:01.009563-0400      nsurlsessiond Task <725A406D-
AE56-4160-8275-75FE1C6CA4D6>.<5> finished successfully
default 19:05:01.010009-0400      nsurlsessiond Task <725A406D-
AE56-4160-8275-75FE1C6CA4D6>.<5> completed with error (null) [0]. C(N)
default 19:05:01.010039-0400      nsurlsessiond Task <725A406D-
AE56-4160-8275-75FE1C6CA4D6>.<5> for client <private> completed successfully
default 19:05:01.014007-0400      cloudd <nw_activity 12:3
[856888B1-8E48-419E-891E-143E12A99287] (reporting strategy default) complete (reason
success)> complete with reason 2 (success), duration 176ms
default 19:05:01.014204-0400      cloudd Task <725A406D-
AE56-4160-8275-75FE1C6CA4D6>.<5> finished successfully
default 19:05:01.014410-0400      cloudd
captureMetricsForTask=CKDFetchRecordZoneChangesURLRequest requestUUID:F3975F28-
A4A8-4E78-ABD1-
F8832A8B94B7:host=gateway.icloud.com:remoteAddress=<private>:localAddress=<private>:c
onnectionUUID=098C14E7-FFE9-4FE9-
BBBD-756C2535094B:qualityOfService=utility:reuse=1:i=:protocol=h2:requestHeaderBytes=93
:requestBodyBytes=587:responseHeaderBytes=414:responseBodyBytes=460:err=F:dnsDurati
on=-1.000:tcpStartDelay=-1.000:tcpDuration=-1.000:sslStartDelay=-1.000:sslDuration=-1.000:r
equestStartDelay=-1.000:requestDuration=0.014:responseStartDelay=0.106:responseDuration
=0.000:transactionDuration=0.120:outOfProcess=T:allowExpensive=F:powerNap=T:app=com.a
pple.Photos:2app=:pool=com.apple.cloudkit.BackgroundConnectionPool:tlsPinning=T:retryNet
workFailures=F:disc=T:duet=noBudgeting:reqTimeout=60.00:resTimeout=86400.00:appleIdSes
sionId=com.apple.cloudkit:metricRequest=F
default 19:05:01.014578-0400      cloudd [<private> removeTask:<private>] -
withDescription:<private>
default 19:05:01.014652-0400      cloudd [Request 0x7fb4cee8a6b0]
URLSession:task:didCompleteWithError:

```

default 19:05:01.015345-0400 cloudd [Request 0x7fb4cee8a6b0] Finishing request with no error

default 19:05:01.019892-0400 nsurldata Task <725A406D-AE56-4160-8275-75FE1C6CA4D6>. <5> client acknowledged completion

default 19:05:01.021694-0400 nsurldata nw_socket_handle_socket_event [C41.1:3] Socket received CONNECTED event

default 19:05:01.021812-0400 nsurldata nw_flow_connected [C41.1 IPv6#8e8f1be5.443 in_progress socket-flow (satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns)] Transport protocol connected

default 19:05:01.023313-0400 nsurldata boringssl_context_set_handshake_config(1471) [0x7fe887421240] set tls_handshake_config_standard

default 19:05:01.023386-0400 nsurldata boringssl_context_set_min_version(324) [0x7fe887421240] set 0x0301

default 19:05:01.023463-0400 nsurldata boringssl_context_set_max_version(308) [0x7fe887421240] set 0x0304

default 19:05:01.023725-0400 nsurldata boringssl_context_set_cipher_suites(843) [0x7fe887421240] Ciphersuite string: TLS_AES_128_GCM_SHA256:TLS_AES_256_GCM_SHA384:TLS_CHACHA20_POLY1305_SHA256:ECDHE-ECDSA-AES256-GCM-SHA384:ECDHE-ECDSA-AES128-GCM-SHA256:ECDHE-ECDSA-AES256-SHA384:ECDHE-ECDSA-AES128-SHA256:ECDHE-ECDSA-AES256-SHA:ECDHE-ECDSA-AES128-SHA:ECDHE-ECDSA-CHACHA20-POLY1305:ECDHE-RSA-AES256-GCM-SHA384:ECDHE-RSA-AES128-GCM-SHA256:ECDHE-RSA-AES256-SHA384:ECDHE-RSA-AES128-SHA256:ECDHE-RSA-AES256-SHA:ECDHE-RSA-AES128-SHA:ECDHE-RSA-CHACHA20-POLY1305:AES256-GCM-SHA384:AES128-GCM-SHA256:AES256-SHA256:AES128-SHA256:AES256-SHA:AES128-SHA:ECDHE-ECDSA-AES128-SHA:ECDHE-ECDSA-AES256-SHA:ECDHE-RSA-AES128-SHA:ECDHE-RSA-AES256-SHA:AES256-SHA:AES128-SHA:ECDHE-ECDSA-DES-CBC3-SHA:ECDHE-RSA-DES-CBC3-SHA:DES-CBC3-SHA

default 19:05:01.023896-0400 nsurldata boringssl_context_set_remote_address(2551) [0x7fe887421240] Saving remote IPv6 address

default 19:05:01.023981-0400 nsurldata boringssl_session_install_association_state(1262) [0x7fe887421240] Client session cache miss

default 19:05:01.024049-0400 nsurldata boringssl_session_set_peer_hostname(1154) [0x7fe887421240] SNI <private>

default 19:05:01.024211-0400 nsurldata boringssl_context_set_min_version(324) [C41.1:2][0x7fe887421240] set 0x0301

default 19:05:01.024280-0400 nsurldata boringssl_context_set_fallback(374) [C41.1:2][0x7fe887421240] set false

default 19:05:01.024389-0400 nsurldata boringssl_context_set_session_ticket_enabled(440) [C41.1:2][0x7fe887421240] set false

default 19:05:01.024573-0400 nsurldata boringssl_context_set_false_start(410) [C41.1:2][0x7fe887421240] set false

default 19:05:01.024643-0400 nsurldata boringssl_context_set_enforce_ev(400) [C41.1:2][0x7fe887421240] set false

default 19:05:01.024799-0400 nsurldata boringssl_context_set_ats_enforced(1285) [C41.1:2][0x7fe887421240] set false

default 19:05:01.024892-0400 nsurldata boringssl_context_set_ats_minimum_rsa_key_size(1294) [C41.1:2][0x7fe887421240] set 0

default 19:05:01.024977-0400 nsurldata boringssl_context_set_ats_minimum_ecdsa_key_size(1303) [C41.1:2][0x7fe887421240] set 0

default 19:05:01.025070-0400 nsurldata boringssl_context_set_ats_minimum_signature_algorithm(1313) [C41.1:2][0x7fe887421240] set 0

default 19:05:01.025197-0400 nsurlsessiond
boringssl_session_set_peer_hostname(1154) [C41.1:2][0x7fe887421240] SNI <private>
default 19:05:01.025444-0400 nsurlsessiond boringssl_context_set_cipher_suites(843)
[C41.1:2][0x7fe887421240] Ciphersuite string:
TLS_AES_128_GCM_SHA256:TLS_AES_256_GCM_SHA384:TLS_CHACHA20_POLY1305_SHA256:ECDHE-ECDSA-AES256-GCM-SHA384:ECDHE-ECDSA-AES128-GCM-SHA256:ECDHE-ECDSA-AES256-SHA384:ECDHE-ECDSA-AES128-SHA256:ECDHE-ECDSA-AES256-SHA:ECDHE-ECDSA-AES128-SHA:ECDHE-ECDSA-CHACHA20-POLY1305:ECDHE-RSA-AES256-GCM-SHA384:ECDHE-RSA-AES128-GCM-SHA256:ECDHE-RSA-AES256-SHA384:ECDHE-RSA-AES128-SHA256:ECDHE-RSA-AES256-SHA:ECDHE-RSA-AES128-SHA:ECDHE-RSA-CHACHA20-POLY1305:AES256-GCM-SHA384:AES128-GCM-SHA256:AES256-SHA256:AES128-SHA256:AES256-SHA:AES128-SHA:ECDHE-ECDSA-AES128-SHA:ECDHE-ECDSA-AES256-SHA:ECDHE-RSA-AES128-SHA:ECDHE-RSA-AES256-SHA:AES256-SHA:AES128-SHA:ECDHE-ECDSA-DES-CBC3-SHA:ECDHE-RSA-DES-CBC3-SHA:DES-CBC3-SHA
default 19:05:01.025509-0400 nsurlsessiond
nw_protocol_boringssl_begin_connection(497) [C41.1:2][0x7fe887421240] early data disabled
default 19:05:01.025639-0400 nsurlsessiond boringssl_context_info_handler(1970)
[C41.1:2][0x7fe887421240] Client handshake started
default 19:05:01.025856-0400 nsurlsessiond boringssl_context_message_handler(2258)
[C41.1:2][0x7fe887421240] Writing SSL3_RT_HANDSHAKE 512 bytes
default 19:05:01.025888-0400 nsurlsessiond boringssl_context_info_handler(1983)
[C41.1:2][0x7fe887421240] Client handshake state: TLS client enter_early_data
default 19:05:01.025995-0400 nsurlsessiond
boringssl_context_add_handshake_message_pending(578) [C41.1:2][0x7fe887421240] Adding message(1)
default 19:05:01.026803-0400 PerfPowerServices
{"msg":"CLCopyAppsUsingLocation", "event":"activity"}
default 19:05:01.026246-0400 nsurlsessiond boringssl_context_info_handler(1983)
[C41.1:2][0x7fe887421240] Client handshake state: TLS client read_server_hello
default 19:05:01.026323-0400 nsurlsessiond
boringssl_context_add_handshake_message_pending(578) [C41.1:2][0x7fe887421240] Adding message(2)
default 19:05:01.026417-0400 nsurlsessiond
boringssl_session_handshake_incomplete(170) [C41.1:2][0x7fe887421240] Handshake incomplete: waiting for data to read [2]
default 19:05:01.026573-0400 nsurlsessiond
boringssl_session_handshake_incomplete(170) [C41.1:2][0x7fe887421240] Handshake incomplete: waiting for data to read [2]
default 19:05:01.044605-0400 cloudd [Operation 0x7fb4ceef1a00] Initialized with context 0x7fb4cef65d60. Background: 0, cellular: 0, QOS: 0x9
default 19:05:01.071278-0400 nsurlsessiond boringssl_context_message_handler(2258)
[C41.1:2][0x7fe887421240] Reading SSL3_RT_HANDSHAKE 122 bytes
default 19:05:01.071326-0400 nsurlsessiond boringssl_context_info_handler(1983)
[C41.1:2][0x7fe887421240] Client handshake state: TLS 1.3 client read_hello_retry_request
default 19:05:01.071543-0400 nsurlsessiond
boringssl_context_add_handshake_message_pending(578) [C41.1:2][0x7fe887421240] Adding message(2)
default 19:05:01.071582-0400 nsurlsessiond boringssl_context_message_handler(2258)
[C41.1:2][0x7fe887421240] Writing SSL3_RT_CHANGE_CIPHER_SPEC 1 bytes
default 19:05:01.071670-0400 nsurlsessiond boringssl_context_info_handler(1983)
[C41.1:2][0x7fe887421240] Client handshake state: TLS 1.3 client read_server_hello
default 19:05:01.071896-0400 nsurlsessiond boringssl_context_info_handler(1983)
[C41.1:2][0x7fe887421240] Client handshake state: TLS 1.3 client read_encrypted_extensions

default 19:05:01.071933-0400 nsurlsessiond boringssl_context_message_handler(2258)
 [C41.1:2][0x7fe887421240] Reading SSL3_RT_HANDSHAKE 19 bytes
 default 19:05:01.071965-0400 nsurlsessiond boringssl_context_info_handler(1983)
 [C41.1:2][0x7fe887421240] Client handshake state: TLS 1.3 client read_certificate_request
 default 19:05:01.072005-0400 nsurlsessiond
 boringssl_session_handshake_incomplete(170) [C41.1:2][0x7fe887421240] Handshake
 incomplete: waiting for data to read [2]
 default 19:05:01.073404-0400 nsurlsessiond
 boringssl_session_handshake_incomplete(170) [C41.1:2][0x7fe887421240] Handshake
 incomplete: waiting for data to read [2]
 default 19:05:01.076180-0400 nsurlsessiond boringssl_context_message_handler(2258)
 [C41.1:2][0x7fe887421240] Reading SSL3_RT_HANDSHAKE 5881 bytes
 default 19:05:01.076222-0400 nsurlsessiond boringssl_context_info_handler(1983)
 [C41.1:2][0x7fe887421240] Client handshake state: TLS 1.3 client read_server_certificate
 default 19:05:01.076364-0400 nsurlsessiond boringssl_context_info_handler(1983)
 [C41.1:2][0x7fe887421240] Client handshake state: TLS 1.3 client read_server_certificate_verify
 default 19:05:01.076401-0400 nsurlsessiond boringssl_context_message_handler(2258)
 [C41.1:2][0x7fe887421240] Reading SSL3_RT_HANDSHAKE 78 bytes
 default 19:05:01.076503-0400 nsurlsessiond boringssl_context_copy_peer_sct_list(1003)
 [C41.1:2][0x7fe887421240] SSL_get0_signed_cert_timestamp_list returned no SCT extension
 data
 default 19:05:01.076621-0400 nsurlsessiond
 boringssl_helper_create_sec_trust_with_certificates(607) [C41.1:2][0x7fe887421240]
 SecTrustCreateWithCertificates result: 0
 default 19:05:01.076653-0400 nsurlsessiond
 boringssl_helper_create_sec_trust_with_certificates(612) [C41.1:2][0x7fe887421240]
 SecTrustSetOCSPResponse result: 0
 default 19:05:01.076683-0400 nsurlsessiond
 boringssl_helper_create_sec_trust_with_certificates(621) [C41.1:2][0x7fe887421240] No TLS-
 provided SCTs
 default 19:05:01.076797-0400 nsurlsessiond
 boringssl_context_certificate_verify_callback(2071) [C41.1:2][0x7fe887421240] Asyncing for
 verify block
 default 19:05:01.076834-0400 nsurlsessiond
 boringssl_session_handshake_incomplete(170) [C41.1:2][0x7fe887421240] Handshake
 incomplete: certificate evaluation result pending [16]
 default 19:05:01.076873-0400 nsurlsessiond Connection 41: asked to evaluate TLS Trust
 default 19:05:01.077591-0400 nsurlsessiond Task <C9970346-
 E0A7-4542-903A-2C79F9297335>. <1> didReceiveChallenge: <private> protection space:
 <private> for client <private> received auth challenge with type
 NSURLAuthenticationMethodServerTrust
 default 19:05:01.077722-0400 nsurlsessiond Task <C9970346-
 E0A7-4542-903A-2C79F9297335>. <1> client doesn't implement session-level or task-level
 auth challenge delegate, performing default handling for auth challenge
 default 19:05:01.077790-0400 nsurlsessiond Task <C9970346-
 E0A7-4542-903A-2C79F9297335>. <1> auth completion disp=1 cred=0x0
 default 19:05:01.080921-0400 trustd OCSPResponse: single response has extension(s).
 default 19:05:01.083573-0400 trustd ocsf responder: (null) did not include status of
 requested cert
 default 19:05:01.085199-0400 trustd cert[0]: AnchorApple =(path)]> 0
 default 19:05:01.088017-0400 trustd OCSPResponse: single response has extension(s).
 default 19:05:01.091811-0400 trustd cert[0]: AnchorApple =(path)]> 0
 default 19:05:01.091876-0400 trustd cert[0]: IntermediateMarkerOid =(path)[force]> 0
 default 19:05:01.095990-0400 nsurlsessiond Connection 41: TLS Trust result 0

default 19:05:01.096142-0400 nsurlsessiond
boringssl_context_certificate_verify_callback_block_invoke_3(2080) [C41.1:2][0x7fe887421240]
Returning from verify block
default 19:05:01.096226-0400 nsurlsessiond
boringssl_context_certificate_verify_callback(2047) [C41.1:2][0x7fe887421240] Setting trust
result to ssl_verify_ok
default 19:05:01.096802-0400 nsurlsessiond boringssl_context_info_handler(1983)
[C41.1:2][0x7fe887421240] Client handshake state: TLS 1.3 client read_server_finished
default 19:05:01.096856-0400 nsurlsessiond boringssl_context_message_handler(2258)
[C41.1:2][0x7fe887421240] Reading SSL3_RT_HANDSHAKE 36 bytes
default 19:05:01.096921-0400 nsurlsessiond boringssl_context_info_handler(1983)
[C41.1:2][0x7fe887421240] Client handshake state: TLS 1.3 client send_end_of_early_data
default 19:05:01.096956-0400 nsurlsessiond boringssl_context_info_handler(1983)
[C41.1:2][0x7fe887421240] Client handshake state: TLS 1.3 client send_client_certificate
default 19:05:01.096987-0400 nsurlsessiond boringssl_context_info_handler(1983)
[C41.1:2][0x7fe887421240] Client handshake state: TLS 1.3 client complete_second_flight
default 19:05:01.097031-0400 nsurlsessiond boringssl_context_message_handler(2258)
[C41.1:2][0x7fe887421240] Writing SSL3_RT_HANDSHAKE 36 bytes
default 19:05:01.097096-0400 nsurlsessiond boringssl_context_info_handler(1983)
[C41.1:2][0x7fe887421240] Client handshake state: TLS 1.3 client done
default 19:05:01.097192-0400 nsurlsessiond boringssl_context_info_handler(1983)
[C41.1:2][0x7fe887421240] Client handshake state: TLS client finish_client_handshake
default 19:05:01.097234-0400 nsurlsessiond boringssl_context_info_handler(1983)
[C41.1:2][0x7fe887421240] Client handshake state: TLS client done
default 19:05:01.097327-0400 nsurlsessiond boringssl_context_copy_peer_sct_list(1003)
[C41.1:2][0x7fe887421240] SSL_get0_signed_cert_timestamp_list returned no SCT extension
data
default 19:05:01.097455-0400 nsurlsessiond
boringssl_helper_create_sec_trust_with_certificates(607) [C41.1:2][0x7fe887421240]
SecTrustCreateWithCertificates result: 0
default 19:05:01.097493-0400 nsurlsessiond
boringssl_helper_create_sec_trust_with_certificates(612) [C41.1:2][0x7fe887421240]
SecTrustSetOCSPResponse result: 0
default 19:05:01.097583-0400 nsurlsessiond
boringssl_helper_create_sec_trust_with_certificates(621) [C41.1:2][0x7fe887421240] No TLS-
provided SCTs
default 19:05:01.097767-0400 nsurlsessiond
boringssl_context_add_handshake_message_pending(578) [C41.1:2][0x7fe887421240] Adding
message(20)
default 19:05:01.097815-0400 nsurlsessiond boringssl_context_info_handler(1974)
[C41.1:2][0x7fe887421240] Client handshake done
default 19:05:01.097867-0400 nsurlsessiond
nw_protocol_boringssl_signal_connected(701) [C41.1:2][0x7fe887421240] TLS connected
[version(0x0304) ciphersuite(0x1301) group(0x001d) peer_key(0x0403) alpn(h2) resumed(0)
offered_ticket(0) false_started(0) obsp(0) sct(0)]
default 19:05:01.098320-0400 nsurlsessiond nw_flow_connected [C41.1
IPv6#8e8f1be5.443 in_progress socket-flow (satisfied (Path is satisfied), interface: en0, ipv4,
ipv6, dns)] Output protocol connected
default 19:05:01.098617-0400 nsurlsessiond
nw_connection_report_state_with_handler_on_nw_queue [C41] reporting state ready
default 19:05:01.098927-0400 nsurlsessiond Connection 41: connected successfully
default 19:05:01.099613-0400 nsurlsessiond Task <C9970346-
E0A7-4542-903A-2C79F9297335>.<1> TAKING power assertion.
default 19:05:01.099848-0400 nsurlsessiond Connection 41: TLS handshake complete

default 19:05:01.100032-0400 nsurlsessiond Connection 41: ready C(N) E(N)
 default 19:05:01.100121-0400 nsurlsessiond [C41] Ending activity <nw_activity 0:0
 [744C3B56-EA64-421D-87C0-2835CB09B9A1] (lightweight) (reporting strategy default)>
 default 19:05:01.100269-0400 nsurlsessiond new connection to <private> config
 0x7fe887750d70
 default 19:05:01.100454-0400 nsurlsessiond Connection 41: working for activity
 <private>
 default 19:05:01.100502-0400 nsurlsessiond Connection 41: working for activity
 <private>
 default 19:05:01.100586-0400 nsurlsessiond Connection 41: received viability
 advisory(Y)
 default 19:05:01.100693-0400 nsurlsessiond Task <C9970346-
 E0A7-4542-903A-2C79F9297335>.<1> for client <private>
 _willSendRequestForEstablishedConnection
 default 19:05:01.100744-0400 nsurlsessiond Task <C9970346-
 E0A7-4542-903A-2C79F9297335>.<1> performing will send request callback, request
 <private>
 default 19:05:01.101659-0400 cloudd [Request 0x7fb4cefc7b00]
 requestForEstablishedConnection
 default 19:05:01.102986-0400 nsurlsessiond Task <C9970346-
 E0A7-4542-903A-2C79F9297335>.<1> client responded to will send request callback with
 request <private> handle <private>
 default 19:05:01.103045-0400 nsurlsessiond Created stream with file descriptor: 8
 default 19:05:01.103430-0400 nsurlsessiond Task <C9970346-
 E0A7-4542-903A-2C79F9297335>.<1> background authenticator getting headers for (null)
 codes <private>
 default 19:05:01.103485-0400 nsurlsessiond Task <C9970346-
 E0A7-4542-903A-2C79F9297335>.<1> getAuthHeadersForResponse for <private>
 _sendsLaunchEvents=N [_clientApplication supportsWakes]=N
 default 19:05:01.103584-0400 kernel ++IOAudioEngine[<private>]::setState(0x1.
 oldState=0)
 default 19:05:01.103699-0400 cloudd BackgroundDataTask <C9970346-
 E0A7-4542-903A-2C79F9297335>.<1> getting auth headers for session <private> with
 identifier <private> outstanding auth tasks <private>
 default 19:05:01.103590-0400 kernel - IOAudioEngine[<private>]::getTimerInterval()
 default 19:05:01.103770-0400 cloudd Task <C9970346-
 E0A7-4542-903A-2C79F9297335>.<1> local authenticator getting headers for (null) codes
 <private>
 default 19:05:01.103609-0400 kernel - IOAudioEngine[<private>]::startAudioEngine()
 returns 0x0
 default 19:05:01.103610-0400 kernel -
 IOAudioEngine[<private>]::incrementActiveUserClients() - 1 returns 0
 default 19:05:01.103842-0400 cloudd Task <C9970346-
 E0A7-4542-903A-2C79F9297335>.<1> local authenticator will provide headers or request
 default 19:05:01.103612-0400 kernel - IOAudioEngine[<private>]::startClient(<private>)
 returns 0x0
 default 19:05:01.103614-0400 kernel engine started
 default 19:05:01.103614-0400 kernel bufferSet <private>
 default 19:05:01.103615-0400 kernel output clientBuffer <private>
 default 19:05:01.103616-0400 kernel + IOAudioStream[<private>]::addClient(<private>)
 default 19:05:01.103621-0400 kernel - IOAudioStream[<private>]::addClient(<private>)
 returns 0x0
 default 19:05:01.103621-0400 kernel - IOAudioEngineUserClient[<private>]::startClient()
 - 1 returns 0x0

```

default 19:05:01.103624-0400      kernel - IOAudioEngineUserClient::externalMethod
returns 0x0
default 19:05:01.106792-0400      cloudd Task <C9970346-
E0A7-4542-903A-2C79F9297335>.<1> authenticator finished cont 1 req (null) headers
<private>
default 19:05:01.106853-0400      cloudd BackgroundDataTask <C9970346-
E0A7-4542-903A-2C79F9297335>.<1> finished getting auth headers for session <private>
with identifier <private>
default 19:05:01.106983-0400      nsurlsessiond Task <C9970346-
E0A7-4542-903A-2C79F9297335>.<1> received auth headers for response, continueLoad: 1
authHeaders <private> newRequest (null)
default 19:05:01.107023-0400      nsurlsessiond Task <C9970346-
E0A7-4542-903A-2C79F9297335>.<1> authenticator finished cont 1 req (null) headers
<private>
default 19:05:01.107084-0400      nsurlsessiond Task <C9970346-
E0A7-4542-903A-2C79F9297335>.<1> protocol received continueLoad=1, headers=<private>
req=(null)
default 19:05:01.107175-0400      nsurlsessiond Task <C9970346-
E0A7-4542-903A-2C79F9297335>.<1> {strength 0, tls 4, ct 0, sub 0, sig 1, ciphers 0, bundle 1,
builtin 0}
default 19:05:01.107363-0400      nsurlsessiond Connection 41: working for activity
<private>
default 19:05:01.107439-0400      nsurlsessiond Connection 41: working for activity
<private>
default 19:05:01.107580-0400      nsurlsessiond Task <C9970346-
E0A7-4542-903A-2C79F9297335>.<1> now using Connection 41
default 19:05:01.107707-0400      nsurlsessiond [C41] Starting activity <nw_activity 0:0
[744C3B56-EA64-421D-87C0-2835CB09B9A1] (lightweight) (reporting strategy default)>
default 19:05:01.108205-0400      nsurlsessiond Task <C9970346-
E0A7-4542-903A-2C79F9297335>.<1> sent request, body S 370
default 19:05:01.110002-0400      cloudphotod Transport successfully downloaded for
<private> in 0.22s <CPLChangeBatch [CPLMasterChange: +0/0/-6, CPLAssetChange: +0/0/-2]
{{
  <CPLMasterChange ATJxps91BQ9TIV1DC/BRdEKitqep#PrimarySync mod: (null) [D]>,
  <CPLMasterChange AUd88RxDxK9BWfaq73VxWCKda9+#PrimarySync mod: (null) [D]>,
  <CPLMasterChange AbofyiBlx75xodfUOOpYTYgqGh7x#PrimarySync mod: (null) [D]>,
  <CPLAssetChange 0A8072BF-F5E1-46EC-8FD3-0E218084C245#PrimarySync mod: (null)
[D]>,
  <CPLMasterChange AczhRv/InrzPAL+KspYpOy4VBmti#PrimarySync mod: (null) [D]>,
  <CPLAssetChange 08EB2398-DA99-473F-886A-F6CE65FA1CBF#PrimarySync mod: (null)
[D]>,
  <CPLMasterChange ATI5g2SNyodwk8y9gv8eC0+I7NVp#PrimarySync mod: (null) [D]>,
  <CPLMasterChange AWrdjh1SWEjVkBZ1gFizIDIJlQta#PrimarySync mod: (null) [D]>
}}>
default 19:05:01.127862-0400      cloudphotod resources-download will be attempted in
[session #2]
default 19:05:01.130304-0400      cloudphotod [session #2] has reached end
default 19:05:01.130465-0400      cloudphotod [session #2] did succeed. No other action is
needed
default 19:05:01.130523-0400      cloudphotod <private> is done
default 19:05:01.130584-0400      cloudphotod Marking activity with identifier
com.apple.cloudphotod.sync.discretionary-when-background as done
default 19:05:01.130640-0400      cloudphotod _xpc_activity_set_state: <private>, 5

```

default 19:05:01.130937-0400 UserEventAgent Completed XPC Activity:
 com.apple.cloudphotod.sync.discretionary-when-background
 default 19:05:01.131083-0400 UserEventAgent Establish daemon connection;
 interrupted: 0
 default 19:05:01.131123-0400 UserEventAgent Establish daemon connection;
 interrupted: 0
 default 19:05:01.131608-0400 cloudphotod There is 0 batches in the pull queue and
 staged sync anchors. Notifying who might be interested
 default 19:05:01.131640-0400 dasd COMPLETED
 501:com.apple.cloudphotod.sync.discretionary-when-background:27D9A3 at priority 30
 <private>!
 default 19:05:01.131724-0400 dasd NO LONGER RUNNING
 501:com.apple.cloudphotod.sync.discretionary-when-background:27D9A3 ...Tasks running in
 group [com.apple.dasd.defaultNetwork] are 0!
 default 19:05:01.132262-0400 cloudphotod _xpc_activity_unregister: <private>, 1, true
 default 19:05:01.133047-0400 UserEventAgent Unregistered XPC Activity:
 com.apple.cloudphotod.sync.discretionary-when-background
 default 19:05:01.137757-0400 nsurlsessiond boringssl_context_message_handler(2258)
 [C41.1:2][0x7fe887421240] Reading SSL3_RT_HANDSHAKE 249 bytes
 default 19:05:01.137823-0400 nsurlsessiond
 boringssl_context_new_session_handler(1117) [C41.1:2][0x7fe887421240] New session
 available
 default 19:05:01.138570-0400 nsurlsessiond boringssl_context_message_handler(2258)
 [C41.1:2][0x7fe887421240] Reading SSL3_RT_HANDSHAKE 249 bytes
 default 19:05:01.138628-0400 nsurlsessiond
 boringssl_context_new_session_handler(1117) [C41.1:2][0x7fe887421240] New session
 available
 default 19:05:01.145764-0400 photolibraryd Notified for changes to pull, assetsd state is
 currently in Idle
 default 19:05:01.146363-0400 photolibraryd Transition state from Idle to Downloading
 default 19:05:01.153994-0400 photolibraryd Pull session started with last known
 version: <private>
 default 19:05:01.156199-0400 photolibraryd Pulled change batch: (null)
 default 19:05:01.156255-0400 photolibraryd No more pull batches available, finalizing
 pull session
 default 19:05:01.157460-0400 cloudphotod No remaining changes in pull queue,
 committing remaining records in cloud cache
 default 19:05:01.157797-0400 cloudphotod No more changes for <private>, nothing to
 push or pull from/to transport - committing transient sync anchor
 default 19:05:01.161046-0400 photolibraryd Transition state from Downloading to Idle
 default 19:05:01.161103-0400 photolibraryd Cloud photo manager now idle
 default 19:05:01.161233-0400 photolibraryd Revalidate unpushed/pushed asset count
 on idle
 default 19:05:01.169456-0400 filecoordinationd Presenter A801040F-8AFA-4B1B-
 A452-1DB73BAE7CC2 detected non-coordinated event
 default 19:05:01.209319-0400 nsurlsessiond Task <C9970346-
 E0A7-4542-903A-2C79F9297335>.<1> received response, status 200 content U
 default 19:05:01.209415-0400 nsurlsessiond Task <C9970346-
 E0A7-4542-903A-2C79F9297335>.<1> done using Connection 41
 default 19:05:01.209506-0400 nsurlsessiond [C41] Ending activity <nw_activity 0:0
 [744C3B56-EA64-421D-87C0-2835CB09B9A1] (lightweight) (reporting strategy default)>
 default 19:05:01.209935-0400 nsurlsessiond Task <C9970346-
 E0A7-4542-903A-2C79F9297335>.<1> response ended

default 19:05:01.210063-0400 nsurlsessiond Task <C9970346-E0A7-4542-903A-2C79F9297335>.<1> didReceiveResponse: <private>, status code: 200

default 19:05:01.210401-0400 nsurlsessiond Task <C9970346-E0A7-4542-903A-2C79F9297335>.<1> summary for task success {transaction_duration_ms=312, response_status=200, connection=41, protocol="h2", domain_lookup_duration_ms=29, connect_duration_ms=119, secure_connection_duration_ms=72, request_start_ms=210, request_duration_ms=0, response_start_ms=311, response_duration_ms=0, request_bytes=1495, response_bytes=1314, cache_hit=0}

default 19:05:01.210697-0400 nsurlsessiond Task <C9970346-E0A7-4542-903A-2C79F9297335>.<1> RELEASING power assertion.

default 19:05:01.214198-0400 cloudd [Request 0x7fb4cefc7b00] URLSession:dataTask:didReceiveResponse:completionHandler:

default 19:05:01.215215-0400 nsurlsessiond Task <C9970346-E0A7-4542-903A-2C79F9297335>.<1> client responded to didReceiveResponse with disposition 1

default 19:05:01.215437-0400 nsurlsessiond Task <C9970346-E0A7-4542-903A-2C79F9297335>.<1> did receive data (866 of -1 total bytes)

default 19:05:01.216077-0400 cloudd [Request 0x7fb4cefc7b00] URLSession:dataTask:didReceiveData:

default 19:05:01.216934-0400 nsurlsessiond Task <C9970346-E0A7-4542-903A-2C79F9297335>.<1> finished successfully

default 19:05:01.217091-0400 nsurlsessiond Task <C9970346-E0A7-4542-903A-2C79F9297335>.<1> completed with error (null) [0]. C(N)

default 19:05:01.217257-0400 nsurlsessiond Task <C9970346-E0A7-4542-903A-2C79F9297335>.<1> for client <private> completed successfully

default 19:05:01.219316-0400 kernel _sendCommandGated (ep: 3): Sending USB buffer size: 17408 command: <private> [Repeated 4 times]

default 19:05:01.221441-0400 cloudd Task <C9970346-E0A7-4542-903A-2C79F9297335>.<1> finished successfully

default 19:05:01.221461-0400 cloudd <nw_activity 12:3 [744C3B56-EA64-421D-87C0-2835CB09B9A1] (reporting strategy default) complete (reason success)> complete with reason 2 (success), duration 327ms

default 19:05:01.221739-0400 cloudd captureMetricsForTask=CKDGetRecordZonesURLRequest requestUUID:877CF5FC-1FFF-45A4-8D16-2AE63F960748:host=gateway.icloud.com:remoteAddress=<private>:localAddress=<private>:connectionUUID=5F1C25AD-FA84-45D9-B5F9-F08FBC8C04C5:qualityOfService=utility:reuse=0:i=:protocol=h2:requestHeaderBytes=1107:requestBodyBytes=370:responseHeaderBytes=416:responseBodyBytes=898:err=F:dnsDuration=0.029:tcpStartDelay=0.001:tcpDuration=0.119:sslStartDelay=0.047:sslDuration=0.081:requestStartDelay=0.009:requestDuration=0.000:responseStartDelay=0.101:responseDuration=0.001:transactionDuration=0.102:outOfProcess=T:allowExpensive=T:powerNap=F:app=com.apple.SafariBookmarksSyncAgent:2app=:pool=com.apple.cloudkit.BackgroundConnectionPool:tlsPinning=T:retryNetworkFailures=F:disc=Infers:duet=none:reqTimeout=60.00:resTimeout=-1.00:appleIdSessionId=com.apple.cloudkit:metricRequest=F

default 19:05:01.222029-0400 cloudd [<private> removeTask:<private>] - withDescription:<private>

default 19:05:01.222136-0400 cloudd [Request 0x7fb4cefc7b00] URLSession:task:didCompleteWithError:

default 19:05:01.222445-0400 cloudd [Request 0x7fb4cefc7b00] Finishing request with no error

default 19:05:01.223551-0400 nsurlsessiond Task <C9970346-E0A7-4542-903A-2C79F9297335>.<1> client acknowledged completion

default 19:05:01.254618-0400 cloudd [Operation 0x7fb4cede4290] Operation transitioning from state 3 (cancelled=0, stop=0, error=0)

default 19:05:01.255028-0400 cloudd [Operation 0x7fb4cede4290] Operation is now in state 4

default 19:05:01.255243-0400 cloudd [Operation 0x7fb4cede4290] Operation transitioning from state 4 (cancelled=0, stop=0, error=0)

default 19:05:01.255599-0400 cloudd [Operation 0x7fb4cede4290] Operation is now in state 4294967295

default 19:05:01.259594-0400 cloudd [Operation 0x7fb4ced8efa0] Initialized with context 0x7fb4ceda1c40. Background: 0, cellular: 1, QOS: 0x9

default 19:05:01.260299-0400 cloudd [Operation 0x7fb4cece8440] Initialized with context 0x7fb4ceda1c40. Background: 1, cellular: 1, QOS: 0x11

default 19:05:01.260592-0400 cloudd [Operation 0x7fb4cece8440] Starting operation

default 19:05:01.261332-0400 cloudd [Operation 0x7fb4cece8440] Operation transitioning from state 1 (cancelled=0, stop=0, error=0)

default 19:05:01.268660-0400 cloudd [Operation 0x7fb4cece8440] Request 0x7fb4d20195a0 set on operation

default 19:05:01.288543-0400 cloudd [Operation 0x7fb4cece8440] Operation is now in state 2

default 19:05:01.288559-0400 cloudd [Request 0x7fb4d20195a0] Performing

default 19:05:01.288721-0400 cloudd [Request 0x7fb4d20195a0] Getting URL for the user partition

default 19:05:01.288799-0400 cloudd [Request 0x7fb4d20195a0] Getting configuration

default 19:05:01.288891-0400 cloudd [Request 0x7fb4d20195a0] Fetching important user IDs

default 19:05:01.289021-0400 cloudd [Request 0x7fb4d20195a0] Getting device ID

default 19:05:01.289086-0400 cloudd [Request 0x7fb4d20195a0] Getting zone gates

default 19:05:01.289457-0400 cloudd [Request 0x7fb4d20195a0] Getting push token

default 19:05:01.290086-0400 cloudd [Request 0x7fb4d20195a0] Performing request. Background=1, cellular=1

default 19:05:01.292375-0400 nsurlsessiond Task <56E80994-59F6-4AB0-AD0B-E2F92F076CF0>.<2> dataTaskWithRequest: <private>

default 19:05:01.292543-0400 nsurlsessiond Task <?>.<0> current discretionary status for <private> is non-discretionary

default 19:05:01.292682-0400 nsurlsessiond Task <56E80994-59F6-4AB0-AD0B-E2F92F076CF0>.<2> is for <<private>>.<<private>>.<2>

default 19:05:01.292773-0400 nsurlsessiond Task <56E80994-59F6-4AB0-AD0B-E2F92F076CF0>.<2> enqueueing

default 19:05:01.292917-0400 cloudd [<C2Session: 0x7fb4cecff7e0> addTask:<C2SessionTask: 0x7fb4cee56df0> withDescription:CKDGetRecordsURLRequest requestUUID:84EB1550-1ECD-492C-9D11-7829F6B85A3B request:<NSMutableURLRequest: 0x7fb4ceed24d0> { URL: https://gateway.icloud.com:443/ckdatabase/api/client/record/retrieve }}]

default 19:05:01.292984-0400 cloudd [<C2SessionTask: 0x7fb4cee56df0> setTask:BackgroundDataTask <56E80994-59F6-4AB0-AD0B-E2F92F076CF0>.<2>]

default 19:05:01.293032-0400 cloudd created task (CKDGetRecordsURLRequest requestUUID:84EB1550-1ECD-492C-9D11-7829F6B85A3B). nsurlsessionCached (T). configurationName (route=gateway.icloud.com:outOfProcess=T:allowExpensive=T:powerNap=F:adaptive=T:app=com.apple.SafariBookmarksSyncAgent:disc=Infers:duet=none:retry=F:pool=com.apple.cloudkit.BackgroundConnectionPool).

default 19:05:01.293209-0400 cloudd Task <56E80994-59F6-4AB0-AD0B-E2F92F076CF0>.<2> resuming, QOS(0x11) Voucher <private>

default 19:05:01.293251-0400 cloudd Create activity <nw_activity 12:3>

```

default 19:05:01.293489-0400      cloudd Activated <nw_activity 12:3
[E6F775DD-966A-42B0-89D6-607A41058067] (reporting strategy default)>
default 19:05:01.293531-0400      cloudd [Telemetry]: Activity <nw_activity 12:3
[E6F775DD-966A-42B0-89D6-607A41058067] (reporting strategy default)> on Task
<56E80994-59F6-4AB0-AD0B-E2F92F076CF0>.<2> was not selected for reporting
default 19:05:01.294296-0400      nsurlsessiond Task <56E80994-59F6-4AB0-AD0B-
E2F92F076CF0>.<2> resumeTaskWithIdentifier, props <private>
default 19:05:01.294344-0400      nsurlsessiond Task <56E80994-59F6-4AB0-AD0B-
E2F92F076CF0>.<2> resuming, QOS(0x11)
default 19:05:01.294482-0400      nsurlsessiond Task <56E80994-59F6-4AB0-AD0B-
E2F92F076CF0>.<2> initialized appleIDAuthenticator, status codes = <private>
default 19:05:01.294527-0400      nsurlsessiond Create activity <nw_activity
[E6F775DD-966A-42B0-89D6-607A41058067] (lightweight)>
default 19:05:01.294819-0400      nsurlsessiond Task <56E80994-59F6-4AB0-AD0B-
E2F92F076CF0>.<2> resuming
default 19:05:01.294933-0400      nsurlsessiond Task <56E80994-59F6-4AB0-AD0B-
E2F92F076CF0>.<2> has not requested a begin delay
default 19:05:01.294966-0400      nsurlsessiond Task <56E80994-59F6-4AB0-AD0B-
E2F92F076CF0>.<2> skipping delayed request callback - delegate not implemented
default 19:05:01.295003-0400      nsurlsessiond Task <56E80994-59F6-4AB0-AD0B-
E2F92F076CF0>.<2> will begin
default 19:05:01.295036-0400      nsurlsessiond Task <56E80994-59F6-4AB0-AD0B-
E2F92F076CF0>.<2> resuming, QOS(0x11) Voucher <private>
default 19:05:01.295077-0400      nsurlsessiond [Telemetry]: Activity <nw_activity 0:0
[E6F775DD-966A-42B0-89D6-607A41058067] (lightweight) (reporting strategy default)> on
Task <56E80994-59F6-4AB0-AD0B-E2F92F076CF0>.<2> was not selected for reporting
default 19:05:01.295589-0400      nsurlsessiond Task <56E80994-59F6-4AB0-AD0B-
E2F92F076CF0>.<2> {strength 0, tls 4, ct 0, sub 0, sig 1, ciphers 0, bundle 1, builtin 0}
default 19:05:01.296530-0400      nsurlsessiond Task <56E80994-59F6-4AB0-AD0B-
E2F92F076CF0>.<2> TAKING power assertion.
default 19:05:01.297889-0400      nsurlsessiond Connection 41: working for activity
<private>
default 19:05:01.297934-0400      nsurlsessiond Connection 41: working for activity
<private>
default 19:05:01.298120-0400      nsurlsessiond Task <56E80994-59F6-4AB0-AD0B-
E2F92F076CF0>.<2> for client <private> _willSendRequestForEstablishedConnection
default 19:05:01.298211-0400      nsurlsessiond Task <56E80994-59F6-4AB0-AD0B-
E2F92F076CF0>.<2> performing will send request callback, request <private>
default 19:05:01.299354-0400      cloudd [Request 0x7fb4d20195a0]
requestForEstablishedConnection
default 19:05:01.299807-0400      cloudd #042bde2a
ACSMightCurrentNetworkHaveCachingServer(options={
    capabilities = {
        import = 1;
        namespaces = 1;
        personalCaching = 1;
    };
    quickMiss = 1;
}, callbackQueue=0x0, callback=0x70000b9860e0)
default 19:05:01.299875-0400      cloudd #042bde2a
ACSMightCurrentNetworkHaveCachingServer -> [same] mightHave NO, error (null), elapsed
0.000

```

default 19:05:01.302020-0400 nsurlsessiond Task <56E80994-59F6-4AB0-AD0B-E2F92F076CF0>.<2> client responded to will send request callback with request <private> handle <private>

default 19:05:01.302166-0400 nsurlsessiond Created stream with file descriptor: 8

default 19:05:01.302644-0400 nsurlsessiond Task <56E80994-59F6-4AB0-AD0B-E2F92F076CF0>.<2> background authenticator getting headers for (null) codes <private>

default 19:05:01.302787-0400 nsurlsessiond Task <56E80994-59F6-4AB0-AD0B-E2F92F076CF0>.<2> getAuthHeadersForResponse for <private> _sendsLaunchEvents=N [_clientApplication supportsWakes]=N

default 19:05:01.303018-0400 cloudd BackgroundDataTask <56E80994-59F6-4AB0-AD0B-E2F92F076CF0>.<2> getting auth headers for session <private> with identifier <private> outstanding auth tasks <private>

default 19:05:01.303047-0400 cloudd Task <56E80994-59F6-4AB0-AD0B-E2F92F076CF0>.<2> local authenticator getting headers for (null) codes <private>

default 19:05:01.303100-0400 cloudd Task <56E80994-59F6-4AB0-AD0B-E2F92F076CF0>.<2> local authenticator will provide headers or request

default 19:05:01.306734-0400 cloudd Task <56E80994-59F6-4AB0-AD0B-E2F92F076CF0>.<2> authenticator finished cont 1 req (null) headers <private>

default 19:05:01.307081-0400 nsurlsessiond Task <56E80994-59F6-4AB0-AD0B-E2F92F076CF0>.<2> received auth headers for response, continueLoad: 1 authHeaders <private> newRequest (null)

default 19:05:01.307120-0400 nsurlsessiond Task <56E80994-59F6-4AB0-AD0B-E2F92F076CF0>.<2> authenticator finished cont 1 req (null) headers <private>

default 19:05:01.306875-0400 cloudd BackgroundDataTask <56E80994-59F6-4AB0-AD0B-E2F92F076CF0>.<2> finished getting auth headers for session <private> with identifier <private>

default 19:05:01.307184-0400 nsurlsessiond Task <56E80994-59F6-4AB0-AD0B-E2F92F076CF0>.<2> protocol received continueLoad=1, headers=<private> req=(null)

default 19:05:01.307286-0400 nsurlsessiond Task <56E80994-59F6-4AB0-AD0B-E2F92F076CF0>.<2> {strength 0, tls 4, ct 0, sub 0, sig 1, ciphers 0, bundle 1, builtin 0}

default 19:05:01.307636-0400 nsurlsessiond Connection 41: working for activity <private>

default 19:05:01.307759-0400 nsurlsessiond Connection 41: working for activity <private>

default 19:05:01.307909-0400 nsurlsessiond Task <56E80994-59F6-4AB0-AD0B-E2F92F076CF0>.<2> now using Connection 41

default 19:05:01.308079-0400 nsurlsessiond [C41] Starting activity <nw_activity 0:0 [E6F775DD-966A-42B0-89D6-607A41058067] (lightweight) (reporting strategy default)>

default 19:05:01.308989-0400 nsurlsessiond Task <56E80994-59F6-4AB0-AD0B-E2F92F076CF0>.<2> sent request, body S 565

default 19:05:01.385044-0400 nsurlsessiond Task <56E80994-59F6-4AB0-AD0B-E2F92F076CF0>.<2> received response, status 200 content U

default 19:05:01.385090-0400 nsurlsessiond Task <56E80994-59F6-4AB0-AD0B-E2F92F076CF0>.<2> done using Connection 41

default 19:05:01.385138-0400 nsurlsessiond [C41] Ending activity <nw_activity 0:0 [E6F775DD-966A-42B0-89D6-607A41058067] (lightweight) (reporting strategy default)>

default 19:05:01.385381-0400 nsurlsessiond Task <56E80994-59F6-4AB0-AD0B-E2F92F076CF0>.<2> response ended

default 19:05:01.385705-0400 nsurlsessiond Task <56E80994-59F6-4AB0-AD0B-E2F92F076CF0>.<2> didReceiveResponse: <private>, status code: 200

default 19:05:01.388170-0400 cloudd [Request 0x7fb4d20195a0] URLSession:dataTask:didReceiveResponse:completionHandler:

default 19:05:01.388330-0400 nsurlsessiond Task <56E80994-59F6-4AB0-AD0B-E2F92F076CF0>.<2> summary for task success {transaction_duration_ms=91,

response_status=200, connection=41, reused=1, request_start_ms=12,
 request_duration_ms=0, response_start_ms=89, response_duration_ms=0, request_bytes=685,
 response_bytes=531, cache_hit=0}
 default 19:05:01.388845-0400 nsurlsessiond Task <56E80994-59F6-4AB0-AD0B-E2F92F076CF0>.<2> client responded to didReceiveResponse with disposition 1
 default 19:05:01.389010-0400 nsurlsessiond Task <56E80994-59F6-4AB0-AD0B-E2F92F076CF0>.<2> RELEASING power assertion.
 default 19:05:01.389146-0400 nsurlsessiond Task <56E80994-59F6-4AB0-AD0B-E2F92F076CF0>.<2> did receive data (88 of 88 total bytes)
 default 19:05:01.389558-0400 cloudd [Request 0x7fb4d20195a0]
 URLSession:dataTask:didReceiveData:
 default 19:05:01.390093-0400 cloudd [Request 0x7fb4d20195a0] Received a server error (3)
 default 19:05:01.390386-0400 cloudd [Request 0x7fb4d20195a0] Node level failure encountered while parsing
 default 19:05:01.390639-0400 nsurlsessiond Task <56E80994-59F6-4AB0-AD0B-E2F92F076CF0>.<2> finished successfully
 default 19:05:01.390703-0400 nsurlsessiond Task <56E80994-59F6-4AB0-AD0B-E2F92F076CF0>.<2> completed with error (null) [0]. C(N)
 default 19:05:01.391633-0400 nsurlsessiond Task <56E80994-59F6-4AB0-AD0B-E2F92F076CF0>.<2> for client <private> completed successfully
 default 19:05:01.393488-0400 cloudd <nw_activity 12:3 [E6F775DD-966A-42B0-89D6-607A41058067] (reporting strategy default) complete (reason success)> complete with reason 2 (success), duration 100ms
 default 19:05:01.393630-0400 cloudd Task <56E80994-59F6-4AB0-AD0B-E2F92F076CF0>.<2> finished successfully
 default 19:05:01.393824-0400 cloudd
 captureMetricsForTask=CKDGetRecordsURLRequest
 requestUUID:84EB1550-1ECD-492C-9D11-7829F6B85A3B:host=gateway.icloud.com:remoteAddress=<private>:localAddress=<private>:connectionUUID=5F1C25AD-FA84-45D9-B5F9-F08FBC8C04C5:qualityOfService=utility:reuse=1:i=:protocol=h2:requestHeaderBytes=111:requestBodyBytes=565:responseHeaderBytes=414:responseBodyBytes=117:err=F:dnsDuration=-1.000:tcpStartDelay=-1.000:tcpDuration=-1.000:sslStartDelay=-1.000:sslDuration=-1.000:requestStartDelay=-1.000:requestDuration=0.001:responseStartDelay=0.076:responseDuration=0.000:transactionDuration=0.077:outOfProcess=T:allowExpensive=T:powerNap=F:app=com.apple.SafariBookmarksSyncAgent:2app=:pool=com.apple.cloudkit.BackgroundConnectionPool:tlsPinning=T:retryNetworkFailures=F:disc=Infers:duet=none:reqTimeout=60.00:resTimeout=-1.00:appleIdSessionId=com.apple.cloudkit:metricRequest=F
 default 19:05:01.393985-0400 cloudd [<private> removeTask:<private>] - withDescription:<private>
 default 19:05:01.394335-0400 cloudd [Request 0x7fb4d20195a0]
 URLSession:task:didCompleteWithError:
 default 19:05:01.394567-0400 cloudd [Request 0x7fb4d20195a0] Finishing request with no error
 default 19:05:01.394948-0400 cloudd [Operation 0x7fb4cece8440] Request 0x0 set on operation
 default 19:05:01.396284-0400 cloudd [Operation 0x7fb4cece8440] Operation transitioning from state 2 (cancelled=0, stop=0, error=0)
 default 19:05:01.396414-0400 cloudd [Operation 0x7fb4cece8440] Operation is now in state 4
 default 19:05:01.396475-0400 cloudd [Operation 0x7fb4cece8440] Operation transitioning from state 4 (cancelled=0, stop=0, error=0)
 default 19:05:01.396723-0400 cloudd [Operation 0x7fb4cece8440] Operation is now in state 5

default 19:05:01.396783-0400 cloudd [Operation 0x7fb4cece8440] Operation transitioning from state 5 (cancelled=0, stop=0, error=0)

default 19:05:01.396951-0400 cloudd [Operation 0x7fb4cece8440] Operation is now in state 6

default 19:05:01.397015-0400 cloudd [Operation 0x7fb4cece8440] Operation transitioning from state 6 (cancelled=0, stop=0, error=0)

default 19:05:01.397145-0400 cloudd [Operation 0x7fb4cece8440] Operation is now in state 4294967295

default 19:05:01.397991-0400 nsurlsessiond Task <56E80994-59F6-4AB0-AD0B-E2F92F076CF0>.<2> client acknowledged completion

default 19:05:01.400336-0400 cloudd [Operation 0x7fb4cecc34f0] Initialized with context 0x7fb4ceda1c40. Background: 0, cellular: 1, QOS: 0x9

default 19:05:01.400949-0400 cloudd [Operation 0x7fb4d210c3e0] Initialized with context 0x7fb4ceda1c40. Background: 1, cellular: 1, QOS: 0x11

default 19:05:01.401134-0400 cloudd [Operation 0x7fb4d210c3e0] Starting operation

default 19:05:01.401683-0400 cloudd [Operation 0x7fb4d210c3e0] Operation transitioning from state 1 (cancelled=0, stop=0, error=0)

default 19:05:01.402252-0400 cloudd [Operation 0x7fb4d210c3e0] Request 0x7fb4cedb48b0 set on operation

default 19:05:01.420268-0400 cloudd [Operation 0x7fb4d210c3e0] Operation is now in state 2

default 19:05:01.420293-0400 cloudd [Request 0x7fb4cedb48b0] Performing

default 19:05:01.420444-0400 cloudd [Request 0x7fb4cedb48b0] Getting URL for the user partition

default 19:05:01.420504-0400 cloudd [Request 0x7fb4cedb48b0] Getting configuration

default 19:05:01.420579-0400 cloudd [Request 0x7fb4cedb48b0] Fetching important user IDs

default 19:05:01.420754-0400 cloudd [Request 0x7fb4cedb48b0] Getting device ID

default 19:05:01.420821-0400 cloudd [Request 0x7fb4cedb48b0] Getting zone gates

default 19:05:01.421186-0400 cloudd [Request 0x7fb4cedb48b0] Getting push token

default 19:05:01.421394-0400 cloudd [Request 0x7fb4cedb48b0] Performing request. Background=1, cellular=1

default 19:05:01.423753-0400 nsurlsessiond Task <CEDEBBCE-87B0-4D47-ABE8-2F00CB1164EF>.<3> dataTaskWithRequest: <private>

default 19:05:01.423959-0400 nsurlsessiond Task <?>.<0> current discretionary status for <private> is non-discretionary

default 19:05:01.424074-0400 nsurlsessiond Task <CEDEBBCE-87B0-4D47-ABE8-2F00CB1164EF>.<3> is for <<private>>.<<private>>.<3>

default 19:05:01.424251-0400 nsurlsessiond Task <CEDEBBCE-87B0-4D47-ABE8-2F00CB1164EF>.<3> enqueueing

default 19:05:01.424433-0400 cloudd [<C2Session: 0x7fb4cecff7e0> addTask:<C2SessionTask: 0x7fb4cecff6a0> withDescription:CKDGetRecordsURLRequest requestUUID:907C7E7A-CAE1-4AC6-AD2F-E1C7F225EB3A request:<NSMutableURLRequest: 0x7fb4cecc3690> { URL: https://gateway.icloud.com:443/ckdatabase/api/client/record/retrieve }}]

default 19:05:01.424493-0400 cloudd [<C2SessionTask: 0x7fb4cecff6a0> setTask:BackgroundDataTask <CEDEBBCE-87B0-4D47-ABE8-2F00CB1164EF>.<3>]

default 19:05:01.424607-0400 cloudd created task (CKDGetRecordsURLRequest requestUUID:907C7E7A-CAE1-4AC6-AD2F-E1C7F225EB3A). nsurlsessionCached (T). configurationName (route=gateway.icloud.com:outOfProcess=T:allowExpensive=T:powerNap=F:adaptive=T:app=com.apple.SafariBookmarksSyncAgent:disc=Infers:duet=none:retry=F:pool=com.apple.cloudkit.BackgroundConnectionPool).

```

default 19:05:01.424746-0400    cloudd Task <CEDEBBCE-87B0-4D47-
ABE8-2F00CB1164EF>.<3> resuming, QOS(0x11) Voucher <private>
default 19:05:01.424781-0400    cloudd Create activity <nw_activity 12:3>
default 19:05:01.425054-0400    cloudd Activated <nw_activity 12:3 [1885E8EC-
C5E8-49C4-A73C-B4C9B835F7D8] (reporting strategy default)>
default 19:05:01.425141-0400    cloudd [Telemetry]: Activity <nw_activity 12:3 [1885E8EC-
C5E8-49C4-A73C-B4C9B835F7D8] (reporting strategy default)> on Task
<CEDEBBCE-87B0-4D47-ABE8-2F00CB1164EF>.<3> was not selected for reporting
default 19:05:01.425579-0400    nsurlsessiond Task <CEDEBBCE-87B0-4D47-
ABE8-2F00CB1164EF>.<3> resumeTaskWithIdentifier, props <private>
default 19:05:01.425628-0400    nsurlsessiond Task <CEDEBBCE-87B0-4D47-
ABE8-2F00CB1164EF>.<3> resuming, QOS(0x11)
default 19:05:01.425764-0400    nsurlsessiond Task <CEDEBBCE-87B0-4D47-
ABE8-2F00CB1164EF>.<3> initialized appleIDAuthenticator, status codes = <private>
default 19:05:01.425808-0400    nsurlsessiond Create activity <nw_activity [1885E8EC-
C5E8-49C4-A73C-B4C9B835F7D8] (lightweight)>
default 19:05:01.425935-0400    nsurlsessiond Task <CEDEBBCE-87B0-4D47-
ABE8-2F00CB1164EF>.<3> resuming
default 19:05:01.425973-0400    nsurlsessiond Task <CEDEBBCE-87B0-4D47-
ABE8-2F00CB1164EF>.<3> has not requested a begin delay
default 19:05:01.426004-0400    nsurlsessiond Task <CEDEBBCE-87B0-4D47-
ABE8-2F00CB1164EF>.<3> skipping delayed request callback - delegate not implemented
default 19:05:01.426037-0400    nsurlsessiond Task <CEDEBBCE-87B0-4D47-
ABE8-2F00CB1164EF>.<3> will begin
default 19:05:01.426069-0400    nsurlsessiond Task <CEDEBBCE-87B0-4D47-
ABE8-2F00CB1164EF>.<3> resuming, QOS(0x11) Voucher <private>
default 19:05:01.426110-0400    nsurlsessiond [Telemetry]: Activity <nw_activity 0:0
[1885E8EC-C5E8-49C4-A73C-B4C9B835F7D8] (lightweight) (reporting strategy default)> on
Task <CEDEBBCE-87B0-4D47-ABE8-2F00CB1164EF>.<3> was not selected for reporting
default 19:05:01.426537-0400    nsurlsessiond Task <CEDEBBCE-87B0-4D47-
ABE8-2F00CB1164EF>.<3> {strength 0, tls 4, ct 0, sub 0, sig 1, ciphers 0, bundle 1, builtin 0}
default 19:05:01.427442-0400    nsurlsessiond Task <CEDEBBCE-87B0-4D47-
ABE8-2F00CB1164EF>.<3> TAKING power assertion.
default 19:05:01.428587-0400    nsurlsessiond Connection 41: working for activity
<private>
default 19:05:01.428634-0400    nsurlsessiond Connection 41: working for activity
<private>
default 19:05:01.428836-0400    nsurlsessiond Task <CEDEBBCE-87B0-4D47-
ABE8-2F00CB1164EF>.<3> for client <private> _willSendRequestForEstablishedConnection
default 19:05:01.429121-0400    nsurlsessiond Task <CEDEBBCE-87B0-4D47-
ABE8-2F00CB1164EF>.<3> performing will send request callback, request <private>
default 19:05:01.430599-0400    cloudd [Request 0x7fb4cedb48b0]
requestForEstablishedConnection
default 19:05:01.431092-0400    cloudd #5779712b
ACSMightCurrentNetworkHaveCachingServer(options={
    capabilities = {
        import = 1;
        namespaces = 1;
        personalCaching = 1;
    };
    quickMiss = 1;
}, callbackQueue=0x0, callback=0x70000b3e50e0)

```

default 19:05:01.431209-0400 cloudd #5779712b
ACSMightCurrentNetworkHaveCachingServer -> [same] mightHave NO, error (null), elapsed 0.000
default 19:05:01.432912-0400 nsurlsessiond Task <CEDEBBCE-87B0-4D47-ABE8-2F00CB1164EF>.<3> client responded to will send request callback with request <private> handle <private>
default 19:05:01.433084-0400 nsurlsessiond Created stream with file descriptor: 8
default 19:05:01.433577-0400 nsurlsessiond Task <CEDEBBCE-87B0-4D47-ABE8-2F00CB1164EF>.<3> background authenticator getting headers for (null) codes <private>
default 19:05:01.433660-0400 nsurlsessiond Task <CEDEBBCE-87B0-4D47-ABE8-2F00CB1164EF>.<3> getAuthHeadersForResponse for <private> _sendsLaunchEvents=N [_clientApplication supportsWakes]=N
default 19:05:01.434050-0400 cloudd BackgroundDataTask <CEDEBBCE-87B0-4D47-ABE8-2F00CB1164EF>.<3> getting auth headers for session <private> with identifier <private> outstanding auth tasks <private>
default 19:05:01.434083-0400 cloudd Task <CEDEBBCE-87B0-4D47-ABE8-2F00CB1164EF>.<3> local authenticator getting headers for (null) codes <private>
default 19:05:01.434201-0400 cloudd Task <CEDEBBCE-87B0-4D47-ABE8-2F00CB1164EF>.<3> local authenticator will provide headers or request
default 19:05:01.437221-0400 cloudd Task <CEDEBBCE-87B0-4D47-ABE8-2F00CB1164EF>.<3> authenticator finished cont 1 req (null) headers <private>
default 19:05:01.437552-0400 nsurlsessiond Task <CEDEBBCE-87B0-4D47-ABE8-2F00CB1164EF>.<3> received auth headers for response, continueLoad: 1 authHeaders <private> newRequest (null)
default 19:05:01.437622-0400 nsurlsessiond Task <CEDEBBCE-87B0-4D47-ABE8-2F00CB1164EF>.<3> authenticator finished cont 1 req (null) headers <private>
default 19:05:01.437331-0400 cloudd BackgroundDataTask <CEDEBBCE-87B0-4D47-ABE8-2F00CB1164EF>.<3> finished getting auth headers for session <private> with identifier <private>
default 19:05:01.437737-0400 nsurlsessiond Task <CEDEBBCE-87B0-4D47-ABE8-2F00CB1164EF>.<3> protocol received continueLoad=1, headers=<private> req=(null)
default 19:05:01.437829-0400 nsurlsessiond Task <CEDEBBCE-87B0-4D47-ABE8-2F00CB1164EF>.<3> {strength 0, tls 4, ct 0, sub 0, sig 1, ciphers 0, bundle 1, builtin 0}
default 19:05:01.438076-0400 nsurlsessiond Connection 41: working for activity <private>
default 19:05:01.438122-0400 nsurlsessiond Connection 41: working for activity <private>
default 19:05:01.438411-0400 nsurlsessiond Task <CEDEBBCE-87B0-4D47-ABE8-2F00CB1164EF>.<3> now using Connection 41
default 19:05:01.438467-0400 nsurlsessiond [C41] Starting activity <nw_activity 0:0 [1885E8EC-C5E8-49C4-A73C-B4C9B835F7D8] (lightweight) (reporting strategy default)>
default 19:05:01.439137-0400 nsurlsessiond Task <CEDEBBCE-87B0-4D47-ABE8-2F00CB1164EF>.<3> sent request, body S 564
default 19:05:01.475409-0400 systemsoundserverd
SSSCompletionMessenger.h:51:RealtimeMessenger_Perform: Calling completion proc for token 116, this 0x7fe8b8d2dbf0
default 19:05:01.475450-0400 systemsoundserverd
ActiveSoundList.cpp:240:RegisterSoundCompletion: Audio completed for mActionID 4096, token 116, elapsed time 513
default 19:05:01.475501-0400 systemsoundserverd
ActiveSoundList.cpp:281:RegisterSoundCompletion: System sound finished playing, mActionID 4096, token 116, total time 513 ms

default 19:05:01.475647-0400 systemsoundserverd
ActiveSoundList.cpp:318:RegisterSoundCompletion: Number of active sounds remaining 0
default 19:05:01.487211-0400 kernel + IOAudioEngineUserClient::externalMethod,
selector=0x4, arg0 0x0, arg1 0x0, arg2 0x0 arg3 0x0
default 19:05:01.487217-0400 kernel scalarInputCount=0x0 structureInputSize 0x0,
scalarOutputCount 0x0, structureOutputSize 0x0
default 19:05:01.487225-0400 kernel +
IOAudioStream[<private>]:removeClient(<private>)
default 19:05:01.487231-0400 kernel +-IOAudioStream[<private>]:safeLogError
kErrorLogDumpCounters mStreamErrorCountsUpdated=0
default 19:05:01.487231-0400 kernel -
IOAudioStream[<private>]:removeClient(<private>)
default 19:05:01.487524-0400 kernel +-
IOAudioEngine[<private>]:decrementActiveUserClients() - 0 returns 0x0
default 19:05:01.487524-0400 kernel +- IOAudioEngine[<private>]:stopClient(<private>)
returns 0x0
default 19:05:01.487529-0400 kernel +-
IOAudioEngineUserClient[<private>]:setOnline(0)
default 19:05:01.487529-0400 kernel - IOAudioEngineUserClient::externalMethod
returns 0x0
default 19:05:01.487544-0400 kernel + IOAudioEngineUserClient::externalMethod,
selector=0x1, arg0 0x109E09000, arg1 0x56, arg2 0x0 arg3 0x0
default 19:05:01.487544-0400 kernel scalarInputCount=0x2 structureInputSize 0x0,
scalarOutputCount 0x0, structureOutputSize 0x0
default 19:05:01.487546-0400 kernel +
IOAudioEngineUserClient[<private>]:unregisterClientBuffer64(0x<private>, 0x56)
default 19:05:01.487548-0400 kernel searching for sourceBuffer 0x109e09000
default 19:05:01.487550-0400 kernel +-
IOAudioEngineUserClient[<private>]:removeBufferSet(<private>)
default 19:05:01.487550-0400 kernel +
IOAudioStream[<private>]:removeClient(<private>)
default 19:05:01.487552-0400 kernel +-IOAudioStream[<private>]:safeLogError
kErrorLogDumpCounters mStreamErrorCountsUpdated=0
default 19:05:01.487557-0400 kernel -
IOAudioStream[<private>]:removeClient(<private>)
default 19:05:01.487586-0400 kernel -
IOAudioEngineUserClient::unregisterClientBuffer64 no sourcebuffer returns 0x0
default 19:05:01.487587-0400 kernel - IOAudioEngineUserClient::externalMethod
returns 0x0
default 19:05:01.522409-0400 nsurlsessiond Task <CEDEBBCE-87B0-4D47-
ABE8-2F00CB1164EF>.<3> received response, status 200 content K
default 19:05:01.522454-0400 nsurlsessiond Task <CEDEBBCE-87B0-4D47-
ABE8-2F00CB1164EF>.<3> done using Connection 41
default 19:05:01.522505-0400 nsurlsessiond [C41] Ending activity <nw_activity 0:0
[1885E8EC-C5E8-49C4-A73C-B4C9B835F7D8] (lightweight) (reporting strategy default)>
default 19:05:01.522684-0400 nsurlsessiond Task <CEDEBBCE-87B0-4D47-
ABE8-2F00CB1164EF>.<3> response ended
default 19:05:01.522810-0400 nsurlsessiond Task <CEDEBBCE-87B0-4D47-
ABE8-2F00CB1164EF>.<3> didReceiveResponse: <private>, status code: 200
default 19:05:01.522830-0400 nsurlsessiond Task <CEDEBBCE-87B0-4D47-
ABE8-2F00CB1164EF>.<3> summary for task success {transaction_duration_ms=96,
response_status=200, connection=41, reused=1, request_start_ms=12,
request_duration_ms=0, response_start_ms=95, response_duration_ms=0, request_bytes=693,
response_bytes=1266, cache_hit=0}

default 19:05:01.523025-0400 nsurlsessiond Task <CEDEBBCE-87B0-4D47-ABE8-2F00CB1164EF>.<3> RELEASING power assertion.

default 19:05:01.524516-0400 cloudd [Request 0x7fb4cedb48b0]

URLSession:dataTask:didReceiveResponse:completionHandler:

default 19:05:01.524952-0400 nsurlsessiond Task <CEDEBBCE-87B0-4D47-ABE8-2F00CB1164EF>.<3> client responded to didReceiveResponse with disposition 1

default 19:05:01.525038-0400 nsurlsessiond Task <CEDEBBCE-87B0-4D47-ABE8-2F00CB1164EF>.<3> did receive data (874 of 874 total bytes)

default 19:05:01.525329-0400 cloudd [Request 0x7fb4cedb48b0]

URLSession:dataTask:didReceiveData:

default 19:05:01.525713-0400 nsurlsessiond Task <CEDEBBCE-87B0-4D47-ABE8-2F00CB1164EF>.<3> finished successfully

default 19:05:01.525759-0400 nsurlsessiond Task <CEDEBBCE-87B0-4D47-ABE8-2F00CB1164EF>.<3> completed with error (null) [0]. C(N)

default 19:05:01.525791-0400 nsurlsessiond Task <CEDEBBCE-87B0-4D47-ABE8-2F00CB1164EF>.<3> for client <private> completed successfully

default 19:05:01.527623-0400 cloudd <nw_activity 12:3 [1885E8EC-C5E8-49C4-A73C-B4C9B835F7D8] (reporting strategy default) complete (reason success)> complete with reason 2 (success), duration 102ms

default 19:05:01.527767-0400 cloudd Task <CEDEBBCE-87B0-4D47-ABE8-2F00CB1164EF>.<3> finished successfully

default 19:05:01.527961-0400 cloudd

captureMetricsForTask=CKDGetRecordsURLRequest requestUUID:907C7E7A-CAE1-4AC6-AD2F-E1C7F225EB3A:host=gateway.icloud.com:remoteAddress=<private>:localAddress=<private>:connectionUUID=5F1C25AD-FA84-45D9-B5F9-F08FBC8C04C5:qualityOfService=utility:reuse=1:i=:protocol=h2:requestHeaderBytes=111:requestBodyBytes=564:responseHeaderBytes=441:responseBodyBytes=825:err=F:dnsDuration=-1.000:tcpStartDelay=-1.000:tcpDuration=-1.000:sslStartDelay=-1.000:sslDuration=-1.000:requestStartDelay=-1.000:requestDuration=0.001:responseStartDelay=0.083:responseDuration=0.000:transactionDuration=0.084:outOfProcess=T:allowExpensive=T:powerNap=F:app=com.apple.SafariBookmarksSyncAgent:2app=:pool=com.apple.cloudkit.BackgroundConnectionPool:tlsPinning=T:retryNetworkFailures=F:disc=Infers:duet=none:reqTimeout=60.00:resTimeout=-1.00:appleIdSessionId=com.apple.cloudkit:metricRequest=F

default 19:05:01.528125-0400 cloudd [<private> removeTask:<private>] - withDescription:<private>

default 19:05:01.528728-0400 cloudd [Operation 0x7fb4ced77310] Initialized with context 0x7fb4ceda1c40. Background: 1, cellular: 1, QOS: 0x11

default 19:05:01.529002-0400 cloudd [Operation 0x7fb4ced77310] Starting operation

default 19:05:01.529902-0400 cloudd [Request 0x7fb4cedb48b0]

URLSession:task:didCompleteWithError:

default 19:05:01.530143-0400 cloudd [Request 0x7fb4cedb48b0] Finishing request with no error

default 19:05:01.530131-0400 nsurlsessiond Task <CEDEBBCE-87B0-4D47-ABE8-2F00CB1164EF>.<3> client acknowledged completion

default 19:05:01.530554-0400 cloudd [Operation 0x7fb4d210c3e0] Request 0x0 set on operation

default 19:05:01.534595-0400 cloudd [Operation 0x7fb4d210c3e0] Operation transitioning from state 2 (cancelled=0, stop=0, error=0)

default 19:05:01.534719-0400 cloudd [Operation 0x7fb4d210c3e0] Operation is now in state 4

default 19:05:01.534761-0400 cloudd [Operation 0x7fb4d210c3e0] Operation transitioning from state 4 (cancelled=0, stop=0, error=0)

default 19:05:01.534826-0400 cloudd [Operation 0x7fb4d210c3e0] Operation is now in state 5

default 19:05:01.534863-0400 cloudd [Operation 0x7fb4d210c3e0] Operation transitioning from state 5 (cancelled=0, stop=0, error=0)

default 19:05:01.535012-0400 cloudd [Operation 0x7fb4d210c3e0] Operation is now in state 6

default 19:05:01.535077-0400 cloudd [Operation 0x7fb4d210c3e0] Operation transitioning from state 6 (cancelled=0, stop=0, error=0)

default 19:05:01.535268-0400 cloudd [Operation 0x7fb4d210c3e0] Operation is now in state 4294967295

default 19:05:01.537014-0400 cloudd [Operation 0x7fb4ced8efa0] Initialized with context 0x7fb4ceda1c40. Background: 0, cellular: 1, QOS: 0x9

default 19:05:01.538887-0400 cloudd [Operation 0x7fb4d210c3e0] Initialized with context 0x7fb4ceda1c40. Background: 1, cellular: 1, QOS: 0x11

default 19:05:01.539081-0400 cloudd [Operation 0x7fb4d210c3e0] Starting operation

default 19:05:01.539587-0400 cloudd [Operation 0x7fb4d210c3e0] Operation transitioning from state 1 (cancelled=0, stop=0, error=0)

default 19:05:01.539971-0400 cloudd [Operation 0x7fb4d210c3e0] Request 0x7fb4ceeac810 set on operation

default 19:05:01.558923-0400 cloudd [Request 0x7fb4ceeac810] Performing

default 19:05:01.558923-0400 cloudd [Operation 0x7fb4d210c3e0] Operation is now in state 2

default 19:05:01.559102-0400 cloudd [Request 0x7fb4ceeac810] Getting URL for the user partition

default 19:05:01.559168-0400 cloudd [Request 0x7fb4ceeac810] Getting configuration

default 19:05:01.559247-0400 cloudd [Request 0x7fb4ceeac810] Fetching important user IDs

default 19:05:01.559381-0400 cloudd [Request 0x7fb4ceeac810] Getting device ID

default 19:05:01.559447-0400 cloudd [Request 0x7fb4ceeac810] Getting zone gates

default 19:05:01.559808-0400 cloudd [Request 0x7fb4ceeac810] Getting push token

default 19:05:01.560086-0400 cloudd [Request 0x7fb4ceeac810] Performing request. Background=1, cellular=1

default 19:05:01.562612-0400 nsurlsessiond Task <20E179CE-AE17-4208-8C73-424B0FAFE7C8>.<4> dataTaskWithRequest: <private>

default 19:05:01.562787-0400 nsurlsessiond Task <?>.<0> current discretionary status for <private> is non-discretionary

default 19:05:01.562932-0400 nsurlsessiond Task <20E179CE-AE17-4208-8C73-424B0FAFE7C8>.<4> is for <<private>>.<<private>>.<4>

default 19:05:01.563030-0400 nsurlsessiond Task <20E179CE-AE17-4208-8C73-424B0FAFE7C8>.<4> enqueueing

default 19:05:01.563229-0400 cloudd [<C2Session: 0x7fb4cecff7e0> addTask:<C2SessionTask: 0x7fb4cefd08c0> withDescription:CKDGetRecordsURLRequest requestUUID:8E899E07-ECF1-4A98-BB97-65D53008DACF request:<NSMutableURLRequest: 0x7fb4cefb2030> { URL: https://gateway.icloud.com:443/ckdatabase/api/client/record/retrieve }}]

default 19:05:01.563299-0400 cloudd [<C2SessionTask: 0x7fb4cefd08c0> setTask:BackgroundDataTask <20E179CE-AE17-4208-8C73-424B0FAFE7C8>.<4>]

default 19:05:01.563350-0400 cloudd created task (CKDGetRecordsURLRequest requestUUID:8E899E07-ECF1-4A98-BB97-65D53008DACF). nsurlsessionCached (T). configurationName (route=gateway.icloud.com:outOfProcess=T:allowExpensive=T:powerNap=F:adaptive=T:app=com.apple.SafariBookmarksSyncAgent:disc=Infers:duet=none:retry=F:pool=com.apple.cloudkit.BackgroundConnectionPool).

```

default 19:05:01.563498-0400    cloudd Task <20E179CE-
AE17-4208-8C73-424B0FAFE7C8>.<4> resuming, QOS(0x11) Voucher <private>
default 19:05:01.563536-0400    cloudd Create activity <nw_activity 12:3>
default 19:05:01.563780-0400    cloudd Activated <nw_activity 12:3 [290E94BA-
D066-4DFE-ACC0-E314FDA1C5CC] (reporting strategy default)>
default 19:05:01.563827-0400    cloudd [Telemetry]: Activity <nw_activity 12:3 [290E94BA-
D066-4DFE-ACC0-E314FDA1C5CC] (reporting strategy default)> on Task <20E179CE-
AE17-4208-8C73-424B0FAFE7C8>.<4> was not selected for reporting
default 19:05:01.564343-0400    nsurlsessiond Task <20E179CE-
AE17-4208-8C73-424B0FAFE7C8>.<4> resumeTaskWithIdentifier, props <private>
default 19:05:01.564390-0400    nsurlsessiond Task <20E179CE-
AE17-4208-8C73-424B0FAFE7C8>.<4> resuming, QOS(0x11)
default 19:05:01.564523-0400    nsurlsessiond Task <20E179CE-
AE17-4208-8C73-424B0FAFE7C8>.<4> initialized appleIDAuthenticator, status codes =
<private>
default 19:05:01.564564-0400    nsurlsessiond Create activity <nw_activity [290E94BA-
D066-4DFE-ACC0-E314FDA1C5CC] (lightweight)>
default 19:05:01.564749-0400    nsurlsessiond Task <20E179CE-
AE17-4208-8C73-424B0FAFE7C8>.<4> resuming
default 19:05:01.564831-0400    nsurlsessiond Task <20E179CE-
AE17-4208-8C73-424B0FAFE7C8>.<4> has not requested a begin delay
default 19:05:01.564862-0400    nsurlsessiond Task <20E179CE-
AE17-4208-8C73-424B0FAFE7C8>.<4> skipping delayed request callback - delegate not
implemented
default 19:05:01.564896-0400    nsurlsessiond Task <20E179CE-
AE17-4208-8C73-424B0FAFE7C8>.<4> will begin
default 19:05:01.564927-0400    nsurlsessiond Task <20E179CE-
AE17-4208-8C73-424B0FAFE7C8>.<4> resuming, QOS(0x11) Voucher <private>
default 19:05:01.564966-0400    nsurlsessiond [Telemetry]: Activity <nw_activity 0:0
[290E94BA-D066-4DFE-ACC0-E314FDA1C5CC] (lightweight) (reporting strategy default)> on
Task <20E179CE-AE17-4208-8C73-424B0FAFE7C8>.<4> was not selected for reporting
default 19:05:01.566020-0400    nsurlsessiond Task <20E179CE-
AE17-4208-8C73-424B0FAFE7C8>.<4> {strength 0, tls 4, ct 0, sub 0, sig 1, ciphers 0, bundle
1, builtin 0}
default 19:05:01.567492-0400    nsurlsessiond Task <20E179CE-
AE17-4208-8C73-424B0FAFE7C8>.<4> TAKING power assertion.
default 19:05:01.567877-0400    nsurlsessiond Connection 41: working for activity
<private>
default 19:05:01.567920-0400    nsurlsessiond Connection 41: working for activity
<private>
default 19:05:01.568262-0400    nsurlsessiond Task <20E179CE-
AE17-4208-8C73-424B0FAFE7C8>.<4> for client <private>
_willSendRequestForEstablishedConnection
default 19:05:01.568315-0400    nsurlsessiond Task <20E179CE-
AE17-4208-8C73-424B0FAFE7C8>.<4> performing will send request callback, request
<private>
default 19:05:01.569288-0400    cloudd [Request 0x7fb4ceeac810]
requestForEstablishedConnection
default 19:05:01.570036-0400    cloudd #8e5f8f1e
ACSMightCurrentNetworkHaveCachingServer(options={
    capabilities = {
        import = 1;
        namespaces = 1;
        personalCaching = 1;

```



```

};
quickMiss = 1;
}, callbackQueue=0x0, callback=0x70000ba090e0)
default 19:05:01.570101-0400      cloudd #8e5f8f1e
ACSMightCurrentNetworkHaveCachingServer -> [same] mightHave NO, error (null), elapsed
0.000
default 19:05:01.572055-0400      nsurlsessiond Task <20E179CE-
AE17-4208-8C73-424B0FAFE7C8>.<4> client responded to will send request callback with
request <private> handle <private>
default 19:05:01.572149-0400      nsurlsessiond Created stream with file descriptor: 8
default 19:05:01.572563-0400      nsurlsessiond Task <20E179CE-
AE17-4208-8C73-424B0FAFE7C8>.<4> background authenticator getting headers for (null)
codes <private>
default 19:05:01.572612-0400      nsurlsessiond Task <20E179CE-
AE17-4208-8C73-424B0FAFE7C8>.<4> getAuthHeadersForResponse for <private>
_sendsLaunchEvents=N [_clientApplication supportsWakes]=N
default 19:05:01.572909-0400      cloudd BackgroundDataTask <20E179CE-
AE17-4208-8C73-424B0FAFE7C8>.<4> getting auth headers for session <private> with
identifier <private> outstanding auth tasks <private>
default 19:05:01.572938-0400      cloudd Task <20E179CE-
AE17-4208-8C73-424B0FAFE7C8>.<4> local authenticator getting headers for (null) codes
<private>
default 19:05:01.573076-0400      cloudd Task <20E179CE-
AE17-4208-8C73-424B0FAFE7C8>.<4> local authenticator will provide headers or request
default 19:05:01.576548-0400      cloudd Task <20E179CE-
AE17-4208-8C73-424B0FAFE7C8>.<4> authenticator finished cont 1 req (null) headers
<private>
default 19:05:01.576831-0400      nsurlsessiond Task <20E179CE-
AE17-4208-8C73-424B0FAFE7C8>.<4> received auth headers for response, continueLoad: 1
authHeaders <private> newRequest (null)
default 19:05:01.576679-0400      cloudd BackgroundDataTask <20E179CE-
AE17-4208-8C73-424B0FAFE7C8>.<4> finished getting auth headers for session <private>
with identifier <private>
default 19:05:01.576900-0400      nsurlsessiond Task <20E179CE-
AE17-4208-8C73-424B0FAFE7C8>.<4> authenticator finished cont 1 req (null) headers
<private>
default 19:05:01.576967-0400      nsurlsessiond Task <20E179CE-
AE17-4208-8C73-424B0FAFE7C8>.<4> protocol received continueLoad=1, headers=<private>
req=(null)
default 19:05:01.577061-0400      nsurlsessiond Task <20E179CE-
AE17-4208-8C73-424B0FAFE7C8>.<4> {strength 0, tls 4, ct 0, sub 0, sig 1, ciphers 0, bundle
1, builtin 0}
default 19:05:01.577558-0400      nsurlsessiond Connection 41: working for activity
<private>
default 19:05:01.577601-0400      nsurlsessiond Connection 41: working for activity
<private>
default 19:05:01.577755-0400      nsurlsessiond Task <20E179CE-
AE17-4208-8C73-424B0FAFE7C8>.<4> now using Connection 41
default 19:05:01.577809-0400      nsurlsessiond [C41] Starting activity <nw_activity 0:0
[290E94BA-D066-4DFE-ACC0-E314FDA1C5CC] (lightweight) (reporting strategy default)>
default 19:05:01.578428-0400      nsurlsessiond Task <20E179CE-
AE17-4208-8C73-424B0FAFE7C8>.<4> sent request, body S 567
default 19:05:01.643894-0400      hidd [HID] [MT] dispatchEvent Dispatching event with 2
children, _eventMask=0x63 _childEventMask=0x62 Cancel=0 Touching=1 inRange=1

```

default 19:05:01.651683-0400 nsurlsessiond Task <20E179CE-AE17-4208-8C73-424B0FAFE7C8>.<4> received response, status 200 content K

default 19:05:01.651729-0400 nsurlsessiond Task <20E179CE-AE17-4208-8C73-424B0FAFE7C8>.<4> done using Connection 41

default 19:05:01.651774-0400 nsurlsessiond [C41] Ending activity <nw_activity 0:0 [290E94BA-D066-4DFE-ACC0-E314FDA1C5CC] (lightweight) (reporting strategy default)>

default 19:05:01.651968-0400 nsurlsessiond Task <20E179CE-AE17-4208-8C73-424B0FAFE7C8>.<4> response ended

default 19:05:01.652996-0400 nsurlsessiond Task <20E179CE-AE17-4208-8C73-424B0FAFE7C8>.<4> summary for task success {transaction_duration_ms=87, response_status=200, connection=41, reused=1, request_start_ms=12, request_duration_ms=0, response_start_ms=86, response_duration_ms=0, request_bytes=686, response_bytes=569, cache_hit=0}

default 19:05:01.653175-0400 nsurlsessiond Task <20E179CE-AE17-4208-8C73-424B0FAFE7C8>.<4> didReceiveResponse: <private>, status code: 200

default 19:05:01.653562-0400 nsurlsessiond Task <20E179CE-AE17-4208-8C73-424B0FAFE7C8>.<4> RELEASING power assertion.

default 19:05:01.655668-0400 cloudd [Request 0x7fb4ceeac810] URLSession:dataTask:didReceiveResponse:completionHandler:

default 19:05:01.656498-0400 nsurlsessiond Task <20E179CE-AE17-4208-8C73-424B0FAFE7C8>.<4> client responded to didReceiveResponse with disposition 1

default 19:05:01.656615-0400 nsurlsessiond Task <20E179CE-AE17-4208-8C73-424B0FAFE7C8>.<4> did receive data (101 of 101 total bytes)

default 19:05:01.656945-0400 cloudd [Request 0x7fb4ceeac810] URLSession:dataTask:didReceiveData:

default 19:05:01.658262-0400 nsurlsessiond Task <20E179CE-AE17-4208-8C73-424B0FAFE7C8>.<4> finished successfully

default 19:05:01.658482-0400 nsurlsessiond Task <20E179CE-AE17-4208-8C73-424B0FAFE7C8>.<4> completed with error (null) [0]. C(N)

default 19:05:01.658663-0400 nsurlsessiond Task <20E179CE-AE17-4208-8C73-424B0FAFE7C8>.<4> for client <private> completed successfully

default 19:05:01.662328-0400 cloudd <nw_activity 12:3 [290E94BA-D066-4DFE-ACC0-E314FDA1C5CC] (reporting strategy default) complete (reason success)> complete with reason 2 (success), duration 98ms

default 19:05:01.662478-0400 cloudd Task <20E179CE-AE17-4208-8C73-424B0FAFE7C8>.<4> finished successfully

default 19:05:01.663186-0400 cloudd captureMetricsForTask=CKDGetRecordsURLRequest requestUUID:8E899E07-ECF1-4A98-BB97-65D53008DACF:host=gateway.icloud.com:remoteAddress=<private>:localAddress=<private>:connectionUUID=5F1C25AD-FA84-45D9-B5F9-F08FBC8C04C5:qualityOfService=utility:reuse=1:i=:protocol=h2:requestHeaderBytes=110:requestBodyBytes=567:responseHeaderBytes=442:responseBodyBytes=127:err=F:dnsDuration=-1.000:tcpStartDelay=-1.000:tcpDuration=-1.000:sslStartDelay=-1.000:sslDuration=-1.000:requestStartDelay=-1.000:requestDuration=0.001:responseStartDelay=0.073:responseDuration=0.000:transactionDuration=0.074:outOfProcess=T:allowExpensive=T:powerNap=F:app=com.apple.SafariBookmarksSyncAgent:2app=:pool=com.apple.cloudkit.BackgroundConnectionPool:tlsPinning=T:retryNetworkFailures=F:disc=Infers:duet=none:reqTimeout=60.00:resTimeout=-1.00:appleIdSessionId=com.apple.cloudkit:metricRequest=F

default 19:05:01.663357-0400 cloudd [<private> removeTask:<private>] - withDescription:<private>

default 19:05:01.663439-0400 cloudd [Request 0x7fb4ceeac810] URLSession:task:didCompleteWithError:

default 19:05:01.663734-0400 cloudd [Request 0x7fb4ceeac810] Finishing request with no error

default 19:05:01.663790-0400 nsurlsessiond Task <20E179CE-AE17-4208-8C73-424B0FAFE7C8>. <4> client acknowledged completion

default 19:05:01.664411-0400 cloudd [Operation 0x7fb4d210c3e0] Request 0x0 set on operation

default 19:05:01.665127-0400 cloudd [Operation 0x7fb4d210c3e0] Operation transitioning from state 2 (cancelled=0, stop=0, error=0)

default 19:05:01.666153-0400 cloudd [Operation 0x7fb4d210c3e0] Operation is now in state 4

default 19:05:01.666439-0400 cloudd [Operation 0x7fb4d210c3e0] Operation transitioning from state 4 (cancelled=0, stop=0, error=0)

default 19:05:01.666835-0400 cloudd [Operation 0x7fb4d210c3e0] Operation is now in state 5

default 19:05:01.666968-0400 cloudd [Operation 0x7fb4d210c3e0] Operation transitioning from state 5 (cancelled=0, stop=0, error=0)

default 19:05:01.667772-0400 cloudd [Operation 0x7fb4d210c3e0] Operation is now in state 6

default 19:05:01.667952-0400 cloudd [Operation 0x7fb4d210c3e0] Operation transitioning from state 6 (cancelled=0, stop=0, error=0)

default 19:05:01.668665-0400 cloudd [Operation 0x7fb4d210c3e0] Operation is now in state 4294967295

default 19:05:01.671329-0400 cloudd [Operation 0x7fb4ced77690] Initialized with context 0x7fb4ceda1c40. Background: 0, cellular: 1, QOS: 0x9

default 19:05:01.679089-0400 AirPlayXPCHelper <<<< TimeSyncClock >>>>
figTimeSyncClock_Monitor: nowMonClock: 7924.102367; lastMonClock: 7914.236894;
nowMonNet: 7924.102 (0x8d85905d86800005); lastMonNet: 7914.237 (0x8d85905d86800005);
nowMonRef: 7924.102; lasMontRef: 7914.237; lastSynthAnchor: 7924.102; lastGM: 0x8d85905d86800005; offset 0.000; lastRefTimelineAnchor: 7924.102

default 19:05:01.693490-0400 com.apple.WebKit.WebContent CDN - initialize client context retry

default 19:05:01.693541-0400 com.apple.WebKit.WebContent CDN - client setup_remote_port

default 19:05:01.693572-0400 com.apple.WebKit.WebContent CDN - Bootstrap Port: 5123

default 19:05:01.693694-0400 com.apple.WebKit.WebContent CDN - initialize client context retry

default 19:05:01.693732-0400 com.apple.WebKit.WebContent CDN - client setup_remote_port

default 19:05:01.693767-0400 com.apple.WebKit.WebContent CDN - Bootstrap Port: 4867

default 19:05:01.693681-0400 kernel Sandbox: 2 duplicate reports for com.apple.WebKit allow mach-lookup com.apple.diagnosticd

error 19:05:01.693689-0400 kernel Sandbox: com.apple.WebKit(1893) deny(1) mach-lookup com.apple.CoreDisplay.Notification

default 19:05:01.693969-0400 com.apple.WebKit.WebContent CDN - setup_remote_port: bootstrap_look_up() => unknown error code (1100)

default 19:05:01.694003-0400 com.apple.WebKit.WebContent CDN - setup_remote_port: bootstrap_look_up() => unknown error code (1100)

default 19:05:01.699512-0400 cloudd [Operation 0x7fb4cef83ac0] Initialized with context 0x7fb4ceda1c40. Background: 1, cellular: 1, QOS: 0x11

default 19:05:01.700732-0400 cloudd [Operation 0x7fb4cef83ac0] Starting operation

default 19:05:01.701463-0400 cloudd [Operation 0x7fb4cef48a20] Initialized with context 0x7fb4ceda1c40. Background: 1, cellular: 1, QOS: 0x11

default 19:05:01.701786-0400 clouddd [Operation 0x7fb4cef83ac0] Request
0x7fb4cef36d10 set on operation
default 19:05:01.702028-0400 clouddd [Operation 0x7fb4cef48a20] Starting operation
default 19:05:01.735805-0400 clouddd [Request 0x7fb4cef36d10] Performing
default 19:05:01.736015-0400 clouddd [Request 0x7fb4cef36d10] Getting URL for the
user partition
default 19:05:01.736109-0400 clouddd [Request 0x7fb4cef36d10] Getting configuration
default 19:05:01.736272-0400 clouddd [Request 0x7fb4cef36d10] Fetching important user
IDs
default 19:05:01.736521-0400 clouddd [Request 0x7fb4cef36d10] Getting device ID
default 19:05:01.736607-0400 clouddd [Request 0x7fb4cef36d10] Getting zone gates
default 19:05:01.737044-0400 clouddd [Request 0x7fb4cef36d10] Getting push token
default 19:05:01.737215-0400 clouddd [Request 0x7fb4cef36d10] Performing request.
Background=1, cellular=1
default 19:05:01.740413-0400 nsurlsessiond Task <944ED7F8-
BC6F-4E98-825D-75334B97B750>.<5> dataTaskWithRequest: <private>
default 19:05:01.740720-0400 nsurlsessiond Task <?>.<0> current discretionary status
for <private> is non-discretionary
default 19:05:01.740870-0400 nsurlsessiond Task <944ED7F8-
BC6F-4E98-825D-75334B97B750>.<5> is for <<private>>.<<private>>.<5>
default 19:05:01.740962-0400 nsurlsessiond Task <944ED7F8-
BC6F-4E98-825D-75334B97B750>.<5> enqueueing
default 19:05:01.741154-0400 clouddd [<C2Session: 0x7fb4cecff7e0>
addTask:<C2SessionTask: 0x7fb4cef38e40>
withDescription:CKDFetchRecordZoneChangesURLRequest
requestUUID:4D97D989-905E-403A-B0F6-99EC89C3D98B request:<NSMutableURLRequest:
0x7fb4cef12c90> { URL: https://gateway.icloud.com:443/ckdatabase/api/client/record/sync }]
default 19:05:01.741224-0400 clouddd [<C2SessionTask: 0x7fb4cef38e40>
setTask:BackgroundDataTask <944ED7F8-BC6F-4E98-825D-75334B97B750>.<5>]
default 19:05:01.741271-0400 clouddd created task
(CKDFetchRecordZoneChangesURLRequest requestUUID:4D97D989-905E-403A-
B0F6-99EC89C3D98B). nsurlsessionCached (T). configurationName
(route=gateway.icloud.com:outOfProcess=T:allowExpensive=T:powerNap=F:adaptive=T:app=c
om.apple.SafariBookmarksSyncAgent:disc=Infers:duet=none:retry=F:pool=com.apple.cloudkit.
BackgroundConnectionPool).
default 19:05:01.741404-0400 clouddd Task <944ED7F8-
BC6F-4E98-825D-75334B97B750>.<5> resuming, QOS(0x11) Voucher <private>
default 19:05:01.741439-0400 clouddd Create activity <nw_activity 12:3>
default 19:05:01.741664-0400 clouddd Activated <nw_activity 12:3 [BE6DC49A-
C597-4059-A958-1169D5909BC8] (reporting strategy default)>
default 19:05:01.741708-0400 clouddd [Telemetry]: Activity <nw_activity 12:3 [BE6DC49A-
C597-4059-A958-1169D5909BC8] (reporting strategy default)> on Task <944ED7F8-
BC6F-4E98-825D-75334B97B750>.<5> was not selected for reporting
default 19:05:01.742122-0400 nsurlsessiond Task <944ED7F8-
BC6F-4E98-825D-75334B97B750>.<5> resumeTaskWithIdentifier, props <private>
default 19:05:01.742156-0400 nsurlsessiond Task <944ED7F8-
BC6F-4E98-825D-75334B97B750>.<5> resuming, QOS(0x11)
default 19:05:01.742259-0400 nsurlsessiond Task <944ED7F8-
BC6F-4E98-825D-75334B97B750>.<5> initialized appleIDAuthenticator, status codes =
<private>
default 19:05:01.742301-0400 nsurlsessiond Create activity <nw_activity [BE6DC49A-
C597-4059-A958-1169D5909BC8] (lightweight)>
default 19:05:01.742475-0400 nsurlsessiond Task <944ED7F8-
BC6F-4E98-825D-75334B97B750>.<5> resuming

```

default 19:05:01.742563-0400      nsurlsessiond Task <944ED7F8-
BC6F-4E98-825D-75334B97B750>.<5> has not requested a begin delay
default 19:05:01.742594-0400      nsurlsessiond Task <944ED7F8-
BC6F-4E98-825D-75334B97B750>.<5> skipping delayed request callback - delegate not
implemented
default 19:05:01.742676-0400      nsurlsessiond Task <944ED7F8-
BC6F-4E98-825D-75334B97B750>.<5> will begin
default 19:05:01.742753-0400      nsurlsessiond Task <944ED7F8-
BC6F-4E98-825D-75334B97B750>.<5> resuming, QOS(0x11) Voucher <private>
default 19:05:01.742857-0400      nsurlsessiond [Telemetry]: Activity <nw_activity 0:0
[BE6DC49A-C597-4059-A958-1169D5909BC8] (lightweight) (reporting strategy default)> on
Task <944ED7F8-BC6F-4E98-825D-75334B97B750>.<5> was not selected for reporting
default 19:05:01.743473-0400      nsurlsessiond Task <944ED7F8-
BC6F-4E98-825D-75334B97B750>.<5> {strength 0, tls 4, ct 0, sub 0, sig 1, ciphers 0, bundle
1, builtin 0}
default 19:05:01.743854-0400      nsurlsessiond Task <944ED7F8-
BC6F-4E98-825D-75334B97B750>.<5> TAKING power assertion.
default 19:05:01.744165-0400      nsurlsessiond Connection 41: working for activity
<private>
default 19:05:01.744211-0400      nsurlsessiond Connection 41: working for activity
<private>
default 19:05:01.744832-0400      nsurlsessiond Task <944ED7F8-
BC6F-4E98-825D-75334B97B750>.<5> for client <private>
_sendRequestForEstablishedConnection
default 19:05:01.744999-0400      nsurlsessiond Task <944ED7F8-
BC6F-4E98-825D-75334B97B750>.<5> performing will send request callback, request
<private>
default 19:05:01.746320-0400      cloudd [Request 0x7fb4cef36d10]
requestForEstablishedConnection
default 19:05:01.746669-0400      cloudd #650632f4
ACSMightCurrentNetworkHaveCachingServer(options={
    capabilities = {
        import = 1;
        namespaces = 1;
        personalCaching = 1;
    };
    quickMiss = 1;
}, callbackQueue=0x0, callback=0x70000ba090e0)
default 19:05:01.746700-0400      cloudd #650632f4
ACSMightCurrentNetworkHaveCachingServer -> [same] mightHave NO, error (null), elapsed
0.000
default 19:05:01.750566-0400      nsurlsessiond Task <944ED7F8-
BC6F-4E98-825D-75334B97B750>.<5> client responded to will send request callback with
request <private> handle <private>
default 19:05:01.750627-0400      nsurlsessiond Created stream with file descriptor: 8
default 19:05:01.750974-0400      nsurlsessiond Task <944ED7F8-
BC6F-4E98-825D-75334B97B750>.<5> background authenticator getting headers for (null)
codes <private>
default 19:05:01.751024-0400      nsurlsessiond Task <944ED7F8-
BC6F-4E98-825D-75334B97B750>.<5> getAuthHeadersForResponse for <private>
_sendLaunchEvents=N [_clientApplication supportsWakes]=N
default 19:05:01.751405-0400      cloudd BackgroundDataTask <944ED7F8-
BC6F-4E98-825D-75334B97B750>.<5> getting auth headers for session <private> with
identifier <private> outstanding auth tasks <private>

```

default 19:05:01.751473-0400 cloudd Task <944ED7F8-BC6F-4E98-825D-75334B97B750>.<5> local authenticator getting headers for (null) codes <private>

default 19:05:01.751584-0400 cloudd Task <944ED7F8-BC6F-4E98-825D-75334B97B750>.<5> local authenticator will provide headers or request

default 19:05:01.755072-0400 cloudd Task <944ED7F8-BC6F-4E98-825D-75334B97B750>.<5> authenticator finished cont 1 req (null) headers <private>

default 19:05:01.755228-0400 cloudd BackgroundDataTask <944ED7F8-BC6F-4E98-825D-75334B97B750>.<5> finished getting auth headers for session <private> with identifier <private>

default 19:05:01.755999-0400 nsurlsessiond Task <944ED7F8-BC6F-4E98-825D-75334B97B750>.<5> received auth headers for response, continueLoad: 1 authHeaders <private> newRequest (null)

default 19:05:01.756032-0400 nsurlsessiond Task <944ED7F8-BC6F-4E98-825D-75334B97B750>.<5> authenticator finished cont 1 req (null) headers <private>

default 19:05:01.756289-0400 nsurlsessiond Task <944ED7F8-BC6F-4E98-825D-75334B97B750>.<5> protocol received continueLoad=1, headers=<private> req=(null)

default 19:05:01.756417-0400 nsurlsessiond Task <944ED7F8-BC6F-4E98-825D-75334B97B750>.<5> {strength 0, tls 4, ct 0, sub 0, sig 1, ciphers 0, bundle 1, builtin 0}

default 19:05:01.757585-0400 hidd [HID] [MT] dispatchEvent Dispatching event with 4 children, _eventMask=0x44 _childEventMask=0x266 Cancel=0 Touching=1 inRange=1

default 19:05:01.758467-0400 nsurlsessiond Connection 41: working for activity <private>

default 19:05:01.758523-0400 nsurlsessiond Connection 41: working for activity <private>

default 19:05:01.758708-0400 nsurlsessiond Task <944ED7F8-BC6F-4E98-825D-75334B97B750>.<5> now using Connection 41

default 19:05:01.759856-0400 nsurlsessiond [C41] Starting activity <nw_activity 0:0 [BE6DC49A-C597-4059-A958-1169D5909BC8] (lightweight) (reporting strategy default)>

default 19:05:01.760756-0400 nsurlsessiond Task <944ED7F8-BC6F-4E98-825D-75334B97B750>.<5> sent request, body S 603

default 19:05:01.888169-0400 LocationMenu {"msg":"CLLocationManager", "event":"activity", "_cmd":"appsUsingLocationWithInfo", "self":"0x7fff8bac1620"}

default 19:05:01.888190-0400 UserEventAgent {"msg":"CLLocationManager", "event":"activity", "_cmd":"appsUsingLocationWithInfo", "self":"0x7fff8bac1620"}

default 19:05:01.888211-0400 LocationMenu {"msg":"CLCopyAppsUsingLocation", "event":"activity"}

default 19:05:01.888459-0400 UserEventAgent {"msg":"CLCopyAppsUsingLocation", "event":"activity"}

default 19:05:01.889164-0400 LocationMenu {"msg":"CLLocationManager", "event":"activity", "_cmd":"appsUsingLocationWithInfo", "self":"0x7fff8bac1620"}

default 19:05:01.889206-0400 LocationMenu {"msg":"CLCopyAppsUsingLocation", "event":"activity"}

default 19:05:01.889723-0400 PerfPowerServices {"msg":"CLCopyAppsUsingLocation", "event":"activity"}

default 19:05:01.910218-0400 nsurlsessiond Task <944ED7F8-BC6F-4E98-825D-75334B97B750>.<5> received response, status 200 content U

default 19:05:01.910271-0400 nsurlsessiond Task <944ED7F8-BC6F-4E98-825D-75334B97B750>.<5> done using Connection 41

default 19:05:01.910341-0400 nsurlsessiond [C41] Ending activity <nw_activity 0:0 [BE6DC49A-C597-4059-A958-1169D5909BC8] (lightweight) (reporting strategy default)>

default 19:05:01.910618-0400 nsurlsessiond Task <944ED7F8-BC6F-4E98-825D-75334B97B750>.<5> didReceiveResponse: <private>, status code: 200

default 19:05:01.910629-0400 nsurlsessiond Task <944ED7F8-BC6F-4E98-825D-75334B97B750>.<5> response ended

default 19:05:01.910787-0400 nsurlsessiond Task <944ED7F8-BC6F-4E98-825D-75334B97B750>.<5> summary for task success {transaction_duration_ms=167, response_status=200, connection=41, reused=1, request_start_ms=16, request_duration_ms=0, response_start_ms=166, response_duration_ms=0, request_bytes=763, response_bytes=3291, cache_hit=0}

default 19:05:01.910942-0400 nsurlsessiond Task <944ED7F8-BC6F-4E98-825D-75334B97B750>.<5> RELEASING power assertion.

default 19:05:01.912683-0400 cloudd [Request 0x7fb4cef36d10] URLSession:dataTask:didReceiveResponse:completionHandler:

default 19:05:01.913291-0400 nsurlsessiond Task <944ED7F8-BC6F-4E98-825D-75334B97B750>.<5> client responded to didReceiveResponse with disposition 1

default 19:05:01.913422-0400 nsurlsessiond Task <944ED7F8-BC6F-4E98-825D-75334B97B750>.<5> did receive data (13056 of -1 total bytes)

default 19:05:01.914066-0400 cloudd [Request 0x7fb4cef36d10] URLSession:dataTask:didReceiveData:

default 19:05:01.914796-0400 nsurlsessiond Task <944ED7F8-BC6F-4E98-825D-75334B97B750>.<5> finished successfully

default 19:05:01.914956-0400 nsurlsessiond Task <944ED7F8-BC6F-4E98-825D-75334B97B750>.<5> completed with error (null) [0]. C(N)

default 19:05:01.914987-0400 nsurlsessiond Task <944ED7F8-BC6F-4E98-825D-75334B97B750>.<5> for client <private> completed successfully

default 19:05:01.926687-0400 cloudd <nw_activity 12:3 [BE6DC49A-C597-4059-A958-1169D5909BC8] (reporting strategy default) complete (reason success)> complete with reason 2 (success), duration 185ms

default 19:05:01.926779-0400 cloudd Task <944ED7F8-BC6F-4E98-825D-75334B97B750>.<5> finished successfully

default 19:05:01.927159-0400 nsurlsessiond Task <944ED7F8-BC6F-4E98-825D-75334B97B750>.<5> client acknowledged completion

default 19:05:01.927407-0400 cloudd captureMetricsForTask=CKDFetchRecordZoneChangesURLRequest requestUUID:4D97D989-905E-403A-B0F6-99EC89C3D98B:host=gateway.icloud.com:remoteAddress=<private>:localAddress=<private>:connectionUUID=5F1C25AD-FA84-45D9-B5F9-F08FBC8C04C5:qualityOfService=utility:reuse=1:i=:protocol=h2:requestHeaderBytes=142:requestBodyBytes=603:responseHeaderBytes=415:responseBodyBytes=2876:err=F:dnsDuration=-1.000:tcpStartDelay=-1.000:tcpDuration=-1.000:sslStartDelay=-1.000:sslDuration=-1.000:requestStartDelay=-1.000:requestDuration=0.001:responseStartDelay=0.149:responseDuration=0.001:transactionDuration=0.151:outOfProcess=T:allowExpensive=T:powerNap=F:app=com.apple.SafariBookmarksSyncAgent:2app=:pool=com.apple.cloudkit.BackgroundConnectionPool:tlsPinning=T:retryNetworkFailures=F:disc=Infers:duet=none:reqTimeout=60.00:resTimeout=-1.00:appleIdSessionId=com.apple.cloudkit:metricRequest=F

default 19:05:01.927987-0400 cloudd [<private> removeTask:<private>] - withDescription:<private>

default 19:05:01.928158-0400 cloudd [Request 0x7fb4cef36d10] URLSession:task:didCompleteWithError:

default 19:05:01.928518-0400 cloudd [Request 0x7fb4cef36d10] Finishing request with no error

default 19:05:01.982783-0400 cloudd [Operation 0x7fb4d2105c50] Initialized with context 0x7fb4ceda1c40. Background: 0, cellular: 1, QOS: 0x9

fault 19:05:01.983412-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-wa5OWPKxTs6hm15-xviLjg" but it does not exist

fault 19:05:01.983586-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-989936A6-11B2-436C-A6E5-E0A5D547E3D6" but it does not exist

fault 19:05:01.983757-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-Xk_HaFy7QCGd7Euxfocmdw" but it does not exist

fault 19:05:01.983896-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-9C027DEA-F226-4E09-997A-CE00F5472AF2" but it does not exist

fault 19:05:01.984033-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-6435989A-124E-4569-BE05-94A95C229F14" but it does not exist

fault 19:05:01.984168-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-B3C48EC0-B82C-44B6-B063-33B87736799F" but it does not exist

fault 19:05:01.984355-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-D9004CA1-8309-441E-929E-3436EDD124AF" but it does not exist

fault 19:05:01.984503-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-292F74FC-56FC-4F60-A2CE-475A463C22BE" but it does not exist

fault 19:05:01.984730-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-4D68ED72-0075-4B31-8B68-6C050BEF7C40" but it does not exist

fault 19:05:01.984882-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-Obr70USHTU21oMxq2x1vLA" but it does not exist

fault 19:05:01.985100-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-3051FB28-415A-41E2-8B8A-E9FBC092BC07" but it does not exist

fault 19:05:01.985251-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-D7FECCB9-8857-4D27-9C50-2EDAD813B656" but it does not exist

fault 19:05:01.985671-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-CAC0DAC4-D36E-415F-BCCD-AD86F187D124" but it does not exist

fault 19:05:01.986037-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-6A0CF816-F5AA-4492-9BD9-0931366C96ED" but it does not exist

fault 19:05:01.986390-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-DQSmZP0eQZCInl3lw3Ve7g" but it does not exist

fault 19:05:01.986684-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-202359CA-A741-4949-86BC-5901AF37CE70" but it does not exist

fault 19:05:01.987039-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-CA767DD9-1109-4E76-891B-F6A3D7D87BA8" but it does not exist

fault 19:05:01.987368-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-AE8FF85E-3CEE-4E34-B769-63B09CE19AFE" but it does not exist

fault 19:05:01.987632-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-78C0B8AF-A9B8-4055-80D7-E2FE5C5601E3" but it does not exist

fault 19:05:01.987886-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-2gK7I6sGSeOWT-WG9WGcgA" but it does not exist

fault 19:05:01.988033-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-xFbS9ykfTkarB4dOntaGkA" but it does not exist

fault 19:05:01.988183-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-YOdz3nxPQJyzFOQw9Xr7AA" but it does not exist

fault 19:05:01.988329-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-jRxmOmJTtKanh-85-hzuQ" but it does not exist

fault 19:05:01.988480-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-119484C3-C16D-4156-AD1D-20BC3EEA41A0" but it does not exist

fault 19:05:01.988630-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-9F69C309-F7D6-47AF-9801-D4E6E25F442B" but it does not exist

fault 19:05:01.988774-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-gG9-zf0eRLGPhonkoQuMhA" but it does not exist

fault 19:05:01.988923-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-dclStNI9Tq-2w4Hv3NAuXg" but it does not exist

fault 19:05:01.989067-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-652B1828-5074-458C-8E0A-8903DE7B1701" but it does not exist

fault 19:05:01.989206-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-z5V0Ck3SS0SLerRiXsBl0Q" but it does not exist

fault 19:05:01.989345-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-V-PTvjKPTFOITaJTDtsAjg" but it does not exist

fault 19:05:01.989483-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-kAQfSPXERzeM1tFrFXPM1Q" but it does not exist

fault 19:05:01.989620-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-4eMTGkugQ-6rT3Mkle3EYw" but it does not exist

fault 19:05:01.989763-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-7772B3DC-B448-4B59-982A-BCE182F224F9" but it does not exist

fault 19:05:01.989902-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-8Hfb-0-CRwqn6JIFBseXoA" but it does not exist

fault 19:05:01.990041-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-072D636F-65EA-498C-9BE1-C80E9D41E5A0" but it does not exist

fault 19:05:01.990180-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-LR65i13QSEsb5cKOKC1BEQ" but it does not exist

fault 19:05:01.990329-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "33B1F2B4-040E-414E-9CA9-EEBAA9CE4676" but it does not exist

fault 19:05:01.990477-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-D0BB2E89-FA9E-422B-B291-7769A969DA36" but it does not exist

fault 19:05:01.990618-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-C7C2395E-32FD-4828-AD5D-B87DD1457BCC" but it does not exist

fault 19:05:01.990758-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-7146C3D2-F281-4222-AE72-DD76863FCB84" but it does not exist

fault 19:05:01.990897-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-E2EA3B94-C627-4020-B07E-162397EAB732" but it does not exist

fault 19:05:01.991036-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-gSZyMe2RTieF_Vvt0OPHVA" but it does not exist

fault 19:05:01.991175-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-mAlG6GZ6Q5iyq_3L1HQ8nw" but it does not exist

fault 19:05:01.991317-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-399237C5-9183-4FB6-930C-36FEA48BD221" but it does not exist

fault 19:05:01.991457-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-8F43A63D-C14E-4B55-B875-F2510444E66D" but it does not exist

fault 19:05:01.991596-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-FFC099C2-1FEC-4153-A907-83DD01CFBD7F" but it does not exist

fault 19:05:01.991735-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-BpqiFjqESSEH_af8AGq4A" but it does not exist

fault 19:05:01.991875-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-ai4TvkciQBCDfMfs7PxiDw" but it does not exist

fault 19:05:01.992023-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-8632D02F-185E-4461-A241-A150D926684E" but it does not exist

fault 19:05:01.992165-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-4EDA3A8F-2F84-496D-86C1-82E201F27426" but it does not exist

fault 19:05:01.992305-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-A9DC6200-6B9C-47C8-94A3-8299D23FA617" but it does not exist

fault 19:05:01.992443-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-yoHFJyAHSniYqanopwmyMg" but it does not exist

fault 19:05:01.992579-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-7AA547C8-DF4D-4A6E-9BD2-F2E745BAB22E" but it does not exist

fault 19:05:01.992772-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-DDG211HDQWC-VeBV9a7Bqg" but it does not exist

fault 19:05:01.992868-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-cUB9cNUCRbawmzEkJF_HWg" but it does not exist

fault 19:05:01.993130-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "FC967D74-4807-44B3-955D-3FAB6D6E27CE" but it does not exist

fault 19:05:01.993345-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-293DB5E5-2D1D-447E-BA17-48BD5A7E24B6" but it does not exist

fault 19:05:01.993658-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-F55DF371-FD40-4127-9290-9A5EB006C725" but it does not exist

fault 19:05:01.993891-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-s7D8OiCzS5GUZiiZaD-j8g" but it does not exist

fault 19:05:01.994240-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-uovbrmCkQ2S0u4l9ReoRNg" but it does not exist

fault 19:05:01.994517-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "5F372F5E-A9D5-4314-94FE-EA04432CAB3C" but it does not exist

fault 19:05:01.994776-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-nEQnStOXTy6G9Gb0ylsOMg" but it does not exist

fault 19:05:01.995060-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-0011C190-4155-4A74-AC53-F6207B98FBD2" but it does not exist

fault 19:05:01.995351-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-WgwLv8j6TbCdPdrCf4nk1A" but it does not exist

fault 19:05:01.995656-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-D157D166-69E0-46B1-998F-67AE156DB3C3" but it does not exist

fault 19:05:01.995908-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-PrNCAF-JT-GA8qNLCKu13g" but it does not exist

fault 19:05:01.996247-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-92F335AB-65F4-449D-8CB2-0127AE235416" but it does not exist

fault 19:05:01.996571-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-2DA41F58-45F0-4419-AAF4-39E3552B09C3" but it does not exist

fault 19:05:01.996730-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "F1B525CA-CE1B-448F-8AC7-25C2B7BA6DCE" but it does not exist

fault 19:05:01.996889-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-yxwaalGBScSJB50uuL_JGg" but it does not exist

fault 19:05:01.997035-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-DB4D4862-6E08-4E4B-BAEA-7B172EDCFB8C" but it does not exist

fault 19:05:01.997184-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-BA804F47-D7AB-4AAB-943D-C33917184E20" but it does not exist

fault 19:05:01.997292-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-020B8173-CC71-4FE1-BBAE-6BBCDF9FDF84" but it does not exist

fault 19:05:01.997423-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-o3jQDgJNRAeY9We9DhXhwQ" but it does not exist

fault 19:05:01.997538-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-B96C9852-FF5E-4079-B99A-AEB43EFDBB42" but it does not exist

fault 19:05:01.997646-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-6AC03B75-87C2-410B-8B04-A5914233DB20" but it does not exist

fault 19:05:01.997818-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-3F1D6953-4F6C-48BF-BB32-D783B5A85B7E" but it does not exist

fault 19:05:01.997971-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-0CTz5GXsT1yqOBibnlvRoA" but it does not exist

fault 19:05:01.998167-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-2D9AAB16-57EB-42C8-B85E-E6D0B286D7B1" but it does not exist

fault 19:05:01.998318-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-95yeCW6sSe6sezUCaIB19w" but it does not exist

fault 19:05:01.998470-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-95681AFE-30A6-44DC-B028-FBE498A5DC29" but it does not exist

fault 19:05:01.998617-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-A914BDAB-CF6B-4FDE-8B8A-CCF49C711319" but it does not exist

fault 19:05:01.998821-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "0619C2A8-AEA6-478B-B9AE-D28E067A7B77" but it does not exist

fault 19:05:01.999078-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-ip8RsjtSQOKLJj8C0tp_yA" but it does not exist

fault 19:05:01.999300-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-85nmhPKnTDqIM3F75TPQow" but it does not exist

fault 19:05:02.999545-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-HVTbjcnnQIWaUKBY83_1Sw" but it does not exist

fault 19:05:02.999661-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-1FD97877-12B9-47CC-9E7A-0034D874B157" but it does not exist

fault 19:05:02.999759-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-gzoweSb3Q7-y-bLoeYzitg" but it does not exist

fault 19:05:02.999938-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-46D0ECCB-693E-45E8-84A9-B6F2053FD33D" but it does not exist

fault 19:05:02.000430-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-oG4XFsvMTiOjP-TaMyLjbQ" but it does not exist

fault 19:05:02.000571-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-3C7211EF-074F-4708-850D-17A99C6D712A" but it does not exist

fault 19:05:02.000763-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-D2214B55-9B73-4212-8338-4FA3E0227EDB" but it does not exist

fault 19:05:02.001224-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-l5mDMQfoQd6iQRcHoH57w" but it does not exist

fault 19:05:02.001625-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-smQ6evILQp2v75Og1nAEDg" but it does not exist

fault 19:05:02.001935-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "97D79F5C-F327-41C0-828F-2B3927FB2D50" but it does not exist

fault 19:05:02.002310-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-13BABCE3-C7B1-49E5-A560-743D4079C650" but it does not exist

fault 19:05:02.002682-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-1D766E75-51B3-48F4-AB14-05AB5EC786DC" but it does not exist

fault 19:05:02.003014-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-EF04311D-5E8F-44CD-93AE-32C143BB6699" but it does not exist

fault 19:05:02.003230-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-FTFxyKaWTJuvlla5OQ6Oxw" but it does not exist

fault 19:05:02.003530-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-Muh5EEXNRbesle4sU3WmRg" but it does not exist

fault 19:05:02.003803-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-0C300810-849F-4D7A-AAAB-CCF53E7E8317" but it does not exist

fault 19:05:02.003952-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "BE6DAD41-F4D9-4286-8CE6-3A082F8B820A" but it does not exist

fault 19:05:02.004096-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-y-8UArgES-GsUOho-GjkDA" but it does not exist

fault 19:05:02.004241-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-6FCD9743-546F-4E46-BF3C-A86FC5018324" but it does not exist

fault 19:05:02.004389-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-32BD5683-88A1-44C4-9269-42210B833920" but it does not exist

fault 19:05:02.004532-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-UIfDJBYNS2iqPtaAzZMjnQ" but it does not exist

fault 19:05:02.004673-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID "DAV-ZM-07E0071B-022E-0B23-FF0C-00739" but it does not exist

```

fault 19:05:02.004816-0400 SafariBookmarksSyncAgent XX
BADatabaseRemoveItemWithServerId: Client requested that we remove item with server ID
"DAV-ohBH8KoaSO-3ekm59Nfcvg" but it does not exist
default 19:05:02.014132-0400 SafariBookmarksSyncAgent *** CloudKit bookmark sync
finished with result: 0
default 19:05:02.019402-0400 SafariBookmarksSyncAgent Received configuration
update from daemon (initial)
default 19:05:02.026062-0400 SafariBookmarksSyncAgent client.trigger:#N CCFG for
cid 0x32 has # of profiles: 0
default 19:05:02.169615-0400 filecoordinationd Presenter A801040F-8AFA-4B1B-
A452-1DB73BAE7CC2 settling non-coordinated events
default 19:05:02.683763-0400 kernel + IOAudioEngine[<private>]::stopAudioEngine()
default 19:05:02.684077-0400 kernel +-IOAudioEngine[<private>]::setState(0x0.
oldState=0x1)
default 19:05:02.684118-0400 kernel + IOAudioDevice[<private>]::audioEngineStopped()
- numRunningAudioEngines = 1
default 19:05:02.684124-0400 kernel +
IOAudioDevice[<private>]::scheduleIdleAudioSleep: idleSleepDelayTime = ffffffff
default 19:05:02.684128-0400 kernel -
IOAudioDevice[<private>]::scheduleIdleAudioSleep: idleSleepDelayTime = ffffffff
default 19:05:02.684134-0400 kernel - IOAudioDevice[<private>]::audioEngineStopped()
- numRunningAudioEngines = 0
default 19:05:02.684137-0400 kernel - IOAudioEngine[<private>]::stopAudioEngine()
returns 0x0
default 19:05:02.684163-0400 kernel +-IOAudioEngine[<private>]::setState(0x0.
oldState=0)
default 19:05:03.065452-0400 nsurlsessiond success removing entry for host <private>
config 0x7fe887704fc0
default 19:05:03.065871-0400 nsurlsessiond Connection 40: is being canceled
default 19:05:03.066174-0400 nsurlsessiond [C40 098C14E7-FFE9-4FE9-
BBBD-756C2535094B Hostname#7a8acbf8:443 tcp, bundle id: com.apple.Photos, url hash:
1369462a, traffic class: 100, expected workload: 1000, tls, indefinite, no expensive, no cellular]
cancel
default 19:05:03.066570-0400 nsurlsessiond [C40 098C14E7-FFE9-4FE9-
BBBD-756C2535094B Hostname#7a8acbf8:443 tcp, bundle id: com.apple.Photos, url hash:
1369462a, traffic class: 100, expected workload: 1000, tls, indefinite, no expensive, no cellular]
cancelled
[C40.1 CEC751C6-DA22-43C3-B5EA-659C1A869397
2605:a000:c307:3100:48e6:4d30:3cab:51f4.51062<->IPv6#9f487cac.443]
Connected Path: satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns
Duration: 3.263s, DNS @0.000s took 0.018s, TCP @0.019s took 0.044s, TLS took
0.092s
bytes in/out: 12167/5051, packets in/out: 17/18, rtt: 0.060s, retransmitted packets: 0,
out-of-order packets: 0
default 19:05:03.066703-0400 nsurlsessiond 0.000s [C40] client:start_activity
<nw_activity 0:0 [3532F49C-2FCC-47AC-8080-B99A177DE371] (lightweight) (reporting
strategy default)>
default 19:05:03.066759-0400 nsurlsessiond 0.000s [C40 E434A300-3F99-41B3-
B324-7637B67793AB Hostname#7a8acbf8:443 resolver path=satisfied (Path is satisfied),
interface: en0, ipv4, ipv6, dns] path:start
default 19:05:03.066809-0400 nsurlsessiond 0.000s [C40 E434A300-3F99-41B3-
B324-7637B67793AB Hostname#7a8acbf8:443 resolver path=satisfied (Path is satisfied),
interface: en0, ipv4, ipv6, dns] path:satisfied

```

default 19:05:03.066871-0400 nsurlsessiond 0.000s [C40 E434A300-3F99-41B3-B324-7637B67793AB Hostname#7a8acbf8:443 resolver path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] resolver:start_dns
default 19:05:03.066929-0400 nsurlsessiond 0.018s [C40 E434A300-3F99-41B3-B324-7637B67793AB Hostname#7a8acbf8:443 resolver path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] resolver:receive_dns
default 19:05:03.067409-0400 nsurlsessiond 0.018s [C40.1 CEC751C6-DA22-43C3-B5EA-659C1A869397 2605:a000:c307:3100:48e6:4d30:3cab:51f4.51062<->IPv6#9f487cac.443 socket-flow path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] path:start
default 19:05:03.067564-0400 nsurlsessiond 0.019s [C40.1 CEC751C6-DA22-43C3-B5EA-659C1A869397 2605:a000:c307:3100:48e6:4d30:3cab:51f4.51062<->IPv6#9f487cac.443 socket-flow path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] path:satisfied
default 19:05:03.067642-0400 nsurlsessiond 0.019s [C40.1 CEC751C6-DA22-43C3-B5EA-659C1A869397 2605:a000:c307:3100:48e6:4d30:3cab:51f4.51062<->IPv6#9f487cac.443 socket-flow path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:start_connect
default 19:05:03.067718-0400 nsurlsessiond 0.048s [C40 E434A300-3F99-41B3-B324-7637B67793AB Hostname#7a8acbf8:443 resolver path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] resolver:receive_dns
default 19:05:03.067780-0400 nsurlsessiond 0.063s [C40.1 CEC751C6-DA22-43C3-B5EA-659C1A869397 2605:a000:c307:3100:48e6:4d30:3cab:51f4.51062<->IPv6#9f487cac.443 socket-flow path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:finish_transport
default 19:05:03.067831-0400 nsurlsessiond 0.063s [C40 E434A300-3F99-41B3-B324-7637B67793AB Hostname#7a8acbf8:443 resolver path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:finish_transport
default 19:05:03.067981-0400 nsurlsessiond 0.155s [C40.1 CEC751C6-DA22-43C3-B5EA-659C1A869397 2605:a000:c307:3100:48e6:4d30:3cab:51f4.51062<->IPv6#9f487cac.443 socket-flow path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:finish_connect
default 19:05:03.068121-0400 nsurlsessiond 0.155s [C40 E434A300-3F99-41B3-B324-7637B67793AB Hostname#7a8acbf8:443 resolver path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:finish_connect
default 19:05:03.068226-0400 nsurlsessiond 0.155s [C40.1 CEC751C6-DA22-43C3-B5EA-659C1A869397 2605:a000:c307:3100:48e6:4d30:3cab:51f4.51062<->IPv6#9f487cac.443 socket-flow path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:changed_viability
default 19:05:03.068279-0400 nsurlsessiond 0.155s [C40 E434A300-3F99-41B3-B324-7637B67793AB Hostname#7a8acbf8:443 resolver path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:changed_viability
default 19:05:03.068509-0400 nsurlsessiond 0.157s [C40] client:end_activity
<nw_activity 0:0 [3532F49C-2FCC-47AC-8080-B99A177DE371] (lightweight) (reporting strategy default)>
default 19:05:03.068696-0400 nsurlsessiond 0.181s [C40] client:start_activity
<nw_activity 0:0 [3532F49C-2FCC-47AC-8080-B99A177DE371] (lightweight) (reporting strategy default)>
default 19:05:03.068830-0400 nsurlsessiond 0.260s [C40] client:end_activity
<nw_activity 0:0 [3532F49C-2FCC-47AC-8080-B99A177DE371] (lightweight) (reporting strategy default)>
default 19:05:03.068883-0400 nsurlsessiond 0.298s [C40] client:start_activity
<nw_activity 0:0 [E431DBA8-3DC4-4838-9BA0-A171434FDBF5] (lightweight) (reporting strategy default)>

```

default 19:05:03.068933-0400      nsurlsessiond 0.372s [C40] client:end_activity
<nw_activity 0:0 [E431DBA8-3DC4-4838-9BA0-A171434FDBF5] (lightweight) (reporting
strategy default)>
default 19:05:03.068981-0400      nsurlsessiond 0.436s [C40] client:start_activity
<nw_activity 0:0 [BAA28C7A-20CC-469E-947E-3FE57DAFB40B] (lightweight) (reporting
strategy default)>
default 19:05:03.069031-0400      nsurlsessiond 0.588s [C40] client:end_activity
<nw_activity 0:0 [BAA28C7A-20CC-469E-947E-3FE57DAFB40B] (lightweight) (reporting
strategy default)>
default 19:05:03.069080-0400      nsurlsessiond 0.646s [C40] client:start_activity
<nw_activity 0:0 [3C22BE69-0CF3-400D-8744-2D2E2F78C967] (lightweight) (reporting strategy
default)>
default 19:05:03.069353-0400      nsurlsessiond 0.995s [C40] client:end_activity
<nw_activity 0:0 [3C22BE69-0CF3-400D-8744-2D2E2F78C967] (lightweight) (reporting strategy
default)>
default 19:05:03.069633-0400      nsurlsessiond 1.054s [C40] client:start_activity
<nw_activity 0:0 [856888B1-8E48-419E-891E-143E12A99287] (lightweight) (reporting strategy
default)>
default 19:05:03.069690-0400      nsurlsessiond 1.189s [C40] client:end_activity
<nw_activity 0:0 [856888B1-8E48-419E-891E-143E12A99287] (lightweight) (reporting strategy
default)>
default 19:05:03.069730-0400      nsurlsessiond 3.263s [C40] path:cancel
default 19:05:03.070734-0400      nsurlsessiond boringssl_context_message_handler(2258)
[C40.1:2][0x7fe88747c8b0] Writing SSL3_RT_ALERT 2 bytes
default 19:05:03.070766-0400      nsurlsessiond
boringssl_context_handle_warning_alert(1893) [C40.1:2][0x7fe88747c8b0] write alert, level:
warning, description: close notify
default 19:05:03.070832-0400      nsurlsessiond boringssl_session_disconnect(504)
[C40.1:2][0x7fe88747c8b0] SSL_shutdown 0
default 19:05:03.070920-0400      nsurlsessiond nw_flow_disconnected [C40.1
IPv6#9f487cac.443 cancelled socket-flow ((null))] Output protocol disconnected
default 19:05:03.072448-0400      nsurlsessiond
nw_connection_report_state_with_handler_on_nw_queue [C40] reporting state cancelled
default 19:05:03.072479-0400      nsurlsessiond Connection 40: activity(0x7fe887722600)
will be completed
default 19:05:03.072618-0400      nsurlsessiond
nw_protocol_boringssl_remove_input_handler(1012) [C40.1:2][0x7fe88747c8b0]
nw_protocol_boringssl_remove_input_handler forced true
default 19:05:03.072662-0400      nsurlsessiond
nw_protocol_boringssl_remove_input_handler(1030) [C40.1:2][0x7fe88747c8b0] Transferring
nw_protocol_boringssl_t handle back into ARC for autorelease
default 19:05:03.095644-0400      remindd      os_transaction INIT {name: <private>}
default 19:05:03.095935-0400      remindd      Posting analytics {name:
com.apple.remindd.masterstore.readwrite, payload: {
    author = "com.apple.remindd.dynamicSignificantTimeChangeNotificationEngine";
    duration = "60.00154793262482";
    fetchCount = 1;
}}
default 19:05:03.096218-0400      remindd      Posting analytics {name:
com.apple.remindd.masterstore.readwrite, payload: {
    author = "com.apple.remindd.RDMasterStore.validateAccounts";
    duration = "60.00154793262482";
    fetchCount = 2;
}}

```



```

default 19:05:03.096419-0400      remindd      Posting analytics {name:
com.apple.remindd.masterstore.readwrite, payload: {
  author = "com.apple.remindd.main";
  duration = "60.00154793262482";
  fetchCount = 7;
}}
default 19:05:03.096609-0400      remindd      Posting analytics {name:
com.apple.remindd.masterstore.readwrite, payload: {
  author = "com.apple.remindd.alarmProducer";
  duration = "60.00154793262482";
  fetchCount = 4;
}}
default 19:05:03.096837-0400      remindd      Posting analytics {name:
com.apple.remindd.masterstore.readwrite, payload: {
  author = "com.apple.remindd.migration-resume-all";
  duration = "60.00154793262482";
  fetchCount = 1;
}}
default 19:05:03.097131-0400      remindd      Posting analytics {name:
com.apple.remindd.masterstore.readwrite, payload: {
  author = "com.apple.remindd.todayNotificationEngine";
  duration = "60.00154793262482";
  fetchCount = 1;
}}
default 19:05:03.097287-0400      remindd      os_transaction RELEASE {name: <private>}
default 19:05:03.118192-0400      symptomsd    defusing ticker tickerFatal having seen
progress by flow for com.apple.Photos, rxbytes 12887 duration 3.294 seconds started at time:
Tue Jun 16 19:04:59 2020
default 19:05:03.477063-0400      nsurlsessiond success removing entry for host <private>
config 0x7fe887750d70
default 19:05:03.477720-0400      nsurlsessiond Connection 41: is being canceled
default 19:05:03.478121-0400      nsurlsessiond [C41 5F1C25AD-FA84-45D9-B5F9-
F08FBC8C04C5 Hostname#7a8acbf8:443 tcp, bundle id:
com.apple.SafariBookmarksSyncAgent, url hash: 9910a9f7, expected workload: 1000, tls,
indefinite] cancel
default 19:05:03.478487-0400      nsurlsessiond [C41 5F1C25AD-FA84-45D9-B5F9-
F08FBC8C04C5 Hostname#7a8acbf8:443 tcp, bundle id:
com.apple.SafariBookmarksSyncAgent, url hash: 9910a9f7, expected workload: 1000, tls,
indefinite] cancelled
[C41.1 40893596-0C7D-4001-BDC0-C4B4B9C78ED3
2605:a000:c307:3100:48e6:4d30:3cab:51f4.51063<->IPv6#8e8f1be5.443]
  Connected Path: satisfied (Path is satisfied), interface: en0, ipv4, ipv6, dns
  Duration: 2.529s, DNS @0.000s took 0.029s, TCP @0.030s took 0.043s, TLS took
0.076s
    bytes in/out: 13973/5383, packets in/out: 15/20, rtt: 0.042s, retransmitted packets: 0,
out-of-order packets: 0
default 19:05:03.478735-0400      nsurlsessiond 0.000s [C41] client:start_activity
<nw_activity 0:0 [744C3B56-EA64-421D-87C0-2835CB09B9A1] (lightweight) (reporting
strategy default)>
default 19:05:03.478866-0400      nsurlsessiond 0.000s [C41
29530C5C-125C-48E4-8A50-6345F3C62619 Hostname#7a8acbf8:443 resolver path=satisfied
(Path is satisfied), interface: en0, ipv4, ipv6, dns] path:start

```

default 19:05:03.478976-0400 nsurlsessiond 0.000s [C41
29530C5C-125C-48E4-8A50-6345F3C62619 Hostname#7a8acbf8:443 resolver path=satisfied
(Path is satisfied), interface: en0, ipv4, ipv6, dns] path:satisfied
default 19:05:03.479115-0400 nsurlsessiond 0.000s [C41
29530C5C-125C-48E4-8A50-6345F3C62619 Hostname#7a8acbf8:443 resolver path=satisfied
(Path is satisfied), interface: en0, ipv4, ipv6, dns] resolver:start_dns
default 19:05:03.479223-0400 nsurlsessiond 0.029s [C41
29530C5C-125C-48E4-8A50-6345F3C62619 Hostname#7a8acbf8:443 resolver path=satisfied
(Path is satisfied), interface: en0, ipv4, ipv6, dns] resolver:receive_dns
default 19:05:03.479334-0400 nsurlsessiond 0.029s [C41.1 40893596-0C7D-4001-
BDC0-C4B4B9C78ED3 2605:a000:c307:3100:48e6:4d30:3cab:51f4.51063<-
>IPv6#8e8f1be5.443 socket-flow path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6,
dns] path:start
default 19:05:03.479434-0400 nsurlsessiond 0.029s [C41.1 40893596-0C7D-4001-
BDC0-C4B4B9C78ED3 2605:a000:c307:3100:48e6:4d30:3cab:51f4.51063<-
>IPv6#8e8f1be5.443 socket-flow path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6,
dns] path:satisfied
default 19:05:03.479520-0400 nsurlsessiond 0.030s [C41.1 40893596-0C7D-4001-
BDC0-C4B4B9C78ED3 2605:a000:c307:3100:48e6:4d30:3cab:51f4.51063<-
>IPv6#8e8f1be5.443 socket-flow path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6,
dns] flow:start_connect
default 19:05:03.479676-0400 nsurlsessiond 0.073s [C41.1 40893596-0C7D-4001-
BDC0-C4B4B9C78ED3 2605:a000:c307:3100:48e6:4d30:3cab:51f4.51063<-
>IPv6#8e8f1be5.443 socket-flow path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6,
dns] flow:finish_transport
default 19:05:03.479782-0400 nsurlsessiond 0.073s [C41
29530C5C-125C-48E4-8A50-6345F3C62619 Hostname#7a8acbf8:443 resolver path=satisfied
(Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:finish_transport
default 19:05:03.479938-0400 nsurlsessiond 0.149s [C41.1 40893596-0C7D-4001-
BDC0-C4B4B9C78ED3 2605:a000:c307:3100:48e6:4d30:3cab:51f4.51063<-
>IPv6#8e8f1be5.443 socket-flow path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6,
dns] flow:finish_connect
default 19:05:03.480042-0400 nsurlsessiond 0.149s [C41
29530C5C-125C-48E4-8A50-6345F3C62619 Hostname#7a8acbf8:443 resolver path=satisfied
(Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:finish_connect
default 19:05:03.480693-0400 nsurlsessiond 0.149s [C41.1 40893596-0C7D-4001-
BDC0-C4B4B9C78ED3 2605:a000:c307:3100:48e6:4d30:3cab:51f4.51063<-
>IPv6#8e8f1be5.443 socket-flow path=satisfied (Path is satisfied), interface: en0, ipv4, ipv6,
dns] flow:changed_viability
default 19:05:03.481489-0400 nsurlsessiond 0.150s [C41
29530C5C-125C-48E4-8A50-6345F3C62619 Hostname#7a8acbf8:443 resolver path=satisfied
(Path is satisfied), interface: en0, ipv4, ipv6, dns] flow:changed_viability
default 19:05:03.481679-0400 nsurlsessiond 0.151s [C41] client:end_activity
<nw_activity 0:0 [744C3B56-EA64-421D-87C0-2835CB09B9A1] (lightweight) (reporting
strategy default)>
default 19:05:03.481831-0400 nsurlsessiond 0.158s [C41] client:start_activity
<nw_activity 0:0 [744C3B56-EA64-421D-87C0-2835CB09B9A1] (lightweight) (reporting
strategy default)>
default 19:05:03.481893-0400 nsurlsessiond 0.260s [C41] client:end_activity
<nw_activity 0:0 [744C3B56-EA64-421D-87C0-2835CB09B9A1] (lightweight) (reporting
strategy default)>
default 19:05:03.482006-0400 nsurlsessiond 0.359s [C41] client:start_activity
<nw_activity 0:0 [E6F775DD-966A-42B0-89D6-607A41058067] (lightweight) (reporting strategy
default)>

```

default 19:05:03.482078-0400      nsurlsessiond 0.436s [C41] client:end_activity
<nw_activity 0:0 [E6F775DD-966A-42B0-89D6-607A41058067] (lightweight) (reporting strategy
default)>
default 19:05:03.482120-0400      nsurlsessiond 0.489s [C41] client:start_activity
<nw_activity 0:0 [1885E8EC-C5E8-49C4-A73C-B4C9B835F7D8] (lightweight) (reporting
strategy default)>
default 19:05:03.482158-0400      nsurlsessiond 0.573s [C41] client:end_activity
<nw_activity 0:0 [1885E8EC-C5E8-49C4-A73C-B4C9B835F7D8] (lightweight) (reporting
strategy default)>
default 19:05:03.482197-0400      nsurlsessiond 0.629s [C41] client:start_activity
<nw_activity 0:0 [290E94BA-D066-4DFE-ACC0-E314FDA1C5CC] (lightweight) (reporting
strategy default)>
default 19:05:03.482235-0400      nsurlsessiond 0.703s [C41] client:end_activity
<nw_activity 0:0 [290E94BA-D066-4DFE-ACC0-E314FDA1C5CC] (lightweight) (reporting
strategy default)>
default 19:05:03.482357-0400      nsurlsessiond 0.811s [C41] client:start_activity
<nw_activity 0:0 [BE6DC49A-C597-4059-A958-1169D5909BC8] (lightweight) (reporting
strategy default)>
default 19:05:03.482456-0400      nsurlsessiond 0.961s [C41] client:end_activity
<nw_activity 0:0 [BE6DC49A-C597-4059-A958-1169D5909BC8] (lightweight) (reporting
strategy default)>
default 19:05:03.482533-0400      nsurlsessiond 2.529s [C41] path:cancel
default 19:05:03.482985-0400      nsurlsessiond boringssl_context_message_handler(2258)
[C41.1:2][0x7fe887421240] Writing SSL3_RT_ALERT 2 bytes
default 19:05:03.483042-0400      nsurlsessiond
boringssl_context_handle_warning_alert(1893) [C41.1:2][0x7fe887421240] write alert, level:
warning, description: close notify
default 19:05:03.483072-0400      nsurlsessiond boringssl_session_disconnect(504)
[C41.1:2][0x7fe887421240] SSL_shutdown 0
default 19:05:03.483103-0400      nsurlsessiond nw_flow_disconnected [C41.1
IPv6#8e8f1be5.443 cancelled socket-flow ((null))] Output protocol disconnected
default 19:05:03.484745-0400      nsurlsessiond
nw_connection_report_state_with_handler_on_nw_queue [C41] reporting state cancelled
default 19:05:03.484805-0400      nsurlsessiond Connection 41: activity(0x7fe8877999c0)
will be completed
default 19:05:03.484839-0400      nsurlsessiond Establish daemon connection; interrupted:
0
default 19:05:03.484879-0400      nsurlsessiond Establish daemon connection; interrupted:
0
default 19:05:03.485204-0400      nsurlsessiond
nw_protocol_boringssl_remove_input_handler(1012) [C41.1:2][0x7fe887421240]
nw_protocol_boringssl_remove_input_handler forced true
default 19:05:03.485310-0400      nsurlsessiond
nw_protocol_boringssl_remove_input_handler(1030) [C41.1:2][0x7fe887421240] Transferring
nw_protocol_boringssl_t handle back into ARC for autorelease
default 19:05:03.486040-0400      dasd COMPLETED com.apple.CFNetwork-cc-359-36-
Task <C9970346-E0A7-4542-903A-2C79F9297335>.<1>:9CDD00 at priority 90 <private>!
default 19:05:03.486097-0400      dasd Stop network path monitoring for '<private>'
default 19:05:03.486150-0400      dasd NO LONGER RUNNING com.apple.CFNetwork-
cc-359-36-Task <C9970346-E0A7-4542-903A-2C79F9297335>.<1>:9CDD00 ...Tasks running
in group [<private>] are 0!
default 19:05:03.530999-0400      symptomsd defusing ticker tickerFatal having seen
progress by flow for nsurlsessiond, rxbytes 14613 duration 2.551 seconds started at time: Tue
Jun 16 19:05:00 2020

```

default 19:05:04.439282-0400	com.apple.WebKit.WebContent	CDN - initialize client
context retry		
default 19:05:04.439656-0400	com.apple.WebKit.WebContent	CDN - initialize client
context retry		
default 19:05:04.439812-0400	com.apple.WebKit.WebContent	CDN - client
setup_remote_port		
default 19:05:04.439877-0400	com.apple.WebKit.WebContent	CDN - client
setup_remote_port		
default 19:05:04.440042-0400	com.apple.WebKit.WebContent	CDN - Bootstrap
Port: 5123		
default 19:05:04.440131-0400	com.apple.WebKit.WebContent	CDN - Bootstrap
Port: 4867		
default 19:05:04.440383-0400	com.apple.WebKit.WebContent	CDN -
setup_remote_port: bootstrap_look_up() => unknown error code (1100)		
default 19:05:04.440459-0400	com.apple.WebKit.WebContent	CDN -
setup_remote_port: bootstrap_look_up() => unknown error code (1100)		
default 19:05:04.686031-0400	hidd	Connection added: IOHIDEventSystemConnection
uuid:FB23CA6F-A59F-48A7-AA14-1E28ACE71C0B pid:2821 process:Console type:Passive		
entitlements:0x0 caller: HIToolbox: _TISCopyAttachedKeyboardLanguages + 82 attributes:(null)		
state:0x0 events:0 mask:0x0		
default 19:05:04.691694-0400	hidd	Connection removed:
IOHIDEventSystemConnection uuid:FB23CA6F-A59F-48A7-AA14-1E28ACE71C0B pid:2821		
process:Console type:Passive entitlements:0x0 caller: HIToolbox:		
_TISCopyAttachedKeyboardLanguages + 82 attributes:(null) state:0x1 events:0 mask:0x0		
default 19:05:04.692687-0400	Console	Received configuration update from
daemon (initial)		